


<Frequency Range above 1GHz>



**Note:** Above 1G is a directional antenna depends on the EUT height and the antenna 3dB beamwidth both, refer to section 7.3 of CISPR 16-2-3.

For the actual test configuration, please refer to the attached file (Test Setup Photo).



3.6.5 TEST RESULTS

NOTE : The 9K~30MHz amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required in the report.

5G NSA BELOW 1GHz WORST-CASE DATA


30 MHz – 1GHz data:

DC\_B2A\_n77C

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 662000	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	68.800	-39.90	-47.59	-13.00	-26.90	7.69	Peak	Horizontal
2	100.810	-40.47	-48.66	-13.00	-27.47	8.19	Peak	Horizontal
3 PP	191.990	-33.01	-43.69	-13.00	-20.01	10.68	Peak	Horizontal
4	319.060	-33.12	-47.67	-13.00	-20.12	14.55	Peak	Horizontal
5	397.630	-34.96	-51.79	-13.00	-21.96	16.83	Peak	Horizontal
6	537.310	-39.28	-58.73	-13.00	-26.28	19.45	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Below 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	54.250	-38.26	-46.79	-13.00	-25.26	8.53	Peak	Vertical
2	158.040	-40.15	-51.36	-13.00	-27.15	11.21	Peak	Vertical
3	238.550	-45.92	-59.19	-13.00	-32.92	13.27	Peak	Vertical
4 PP	314.210	-36.68	-51.99	-13.00	-23.68	15.31	Peak	Vertical
5	426.730	-39.13	-56.84	-13.00	-26.13	17.71	Peak	Vertical
6	543.130	-40.61	-60.49	-13.00	-27.61	19.88	Peak	Vertical





BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

ABOVE 1GHz


Note: For higher frequency, the emission is too low to be detected.

DC\_B5A\_n41A

CH 509202

MODE	TX channel 509202	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-48.81	-57.58	-25.00	-23.81	8.77	Peak	Horizontal
2	7638.030	-49.79	-61.21	-25.00	-24.79	11.42	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 509202	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-47.50	-57.37	-25.00	-22.50	9.87	Peak	Vertical
2	7638.030	-48.10	-60.89	-25.00	-23.10	12.79	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 518598

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.72	-49.80	-25.00	-15.72	9.08	Peak	Horizontal
2	7778.970	-49.69	-61.16	-25.00	-24.69	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-44.12	-53.95	-25.00	-19.12	9.83	Peak	Vertical
2	7778.970	-48.25	-61.10	-25.00	-23.25	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 528000

<b>MODE</b>	TX channel 528000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5290.000	-49.18	-58.57	-25.00	-24.18	9.39	Peak	Horizontal
2	PP 7920.000	-49.08	-60.61	-25.00	-24.08	11.53	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 528000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5290.000	-47.16	-56.95	-25.00	-22.16	9.79	Peak	Vertical
2	7920.000	-47.50	-60.40	-25.00	-22.50	12.90	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

DC\_B26A\_n41A

CH 509202

<b>MODE</b>	TX channel 509202	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-48.45	-57.22	-25.00	-23.45	8.77	Peak	Horizontal
2	7638.030	-50.06	-61.48	-25.00	-25.06	11.42	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 509202	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5082.000	-47.84	-57.71	-25.00	-22.84	9.87	Peak	Vertical
2 PP	7638.030	-47.60	-60.39	-25.00	-22.60	12.79	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 518598

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-32.58	-41.66	-25.00	-7.58	9.08	Peak	Horizontal
2	7778.970	-48.57	-60.04	-25.00	-23.57	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-34.60	-44.43	-25.00	-9.60	9.83	Peak	Vertical
2	7778.970	-47.61	-60.46	-25.00	-22.61	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 528000

MODE	TX channel 528000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5290.000	-47.87	-57.26	-25.00	-22.87	9.39	Peak	Horizontal
2	7920.000	-49.61	-61.14	-25.00	-24.61	11.53	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 528000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5290.000	-48.29	-58.08	-25.00	-23.29	9.79	Peak	Vertical
2 PP	7920.000	-48.06	-60.96	-25.00	-23.06	12.90	Peak	Vertical





BUREAU  
VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B5A\_n66A

CH 346000

MODE	TX channel 346000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.77	-56.35	-13.00	-34.77	8.58	Peak	Horizontal
2 PP	5190.000	-38.93	-48.02	-13.00	-25.93	9.09	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 346000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-46.66	-55.82	-13.00	-33.66	9.16	Peak	Vertical
2 PP	5190.000	-37.75	-47.57	-13.00	-24.75	9.82	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 349000

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	3496.000	-47.29	-55.86	-13.00	-34.29	8.57	Peak	Horizontal
2		5235.000	-48.38	-57.61	-13.00	-35.38	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.65	-55.84	-13.00	-33.65	9.19	Peak	Vertical
2	5235.000	-48.02	-57.83	-13.00	-35.02	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 352000

MODE	TX channel 352000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3522.000	-48.28	-56.88	-13.00	-35.28	8.60	Peak	Horizontal
2	5280.000	-49.66	-59.02	-13.00	-36.66	9.36	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 352000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-45.37	-54.57	-13.00	-32.37	9.20	Peak	Vertical
2	5280.000	-48.31	-58.10	-13.00	-35.31	9.79	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

DC\_B12A\_n66A

CH 346000

<b>MODE</b>	TX channel 346000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.06	-55.64	-13.00	-34.06	8.58	Peak	Horizontal
2 PP	5190.000	-34.40	-43.49	-13.00	-21.40	9.09	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 346000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-46.99	-56.15	-13.00	-33.99	9.16	Peak	Vertical
2 PP	5190.000	-34.87	-44.69	-13.00	-21.87	9.82	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 349000

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.26	-54.83	-13.00	-33.26	8.57	Peak	Horizontal
2	5235.000	-48.10	-57.33	-13.00	-35.10	9.23	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.19	-56.38	-13.00	-34.19	9.19	Peak	Vertical
2	5235.000	-48.41	-58.22	-13.00	-35.41	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 352000

MODE	TX channel 352000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-47.30	-55.90	-13.00	-34.30	8.60	Peak	Horizontal
2	5280.000	-48.37	-57.73	-13.00	-35.37	9.36	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 352000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-45.81	-55.01	-13.00	-32.81	9.20	Peak	Vertical
2	5280.000	-48.52	-58.31	-13.00	-35.52	9.79	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B13A\_n66A

CH 346000

MODE	TX channel 346000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.90	-56.48	-13.00	-34.90	8.58	Peak	Horizontal
2 PP	5190.000	-35.23	-44.32	-13.00	-22.23	9.09	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 346000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.56	-56.72	-13.00	-34.56	9.16	Peak	Vertical
2 PP	5190.000	-34.73	-44.55	-13.00	-21.73	9.82	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 349000

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-45.35	-53.92	-13.00	-32.35	8.57	Peak	Horizontal
2	5235.000	-48.86	-58.09	-13.00	-35.86	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-45.21	-54.40	-13.00	-32.21	9.19	Peak	Vertical
2	5235.000	-48.47	-58.28	-13.00	-35.47	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 352000

<b>MODE</b>	TX channel 352000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-47.87	-56.47	-13.00	-34.87	8.60	Peak	Horizontal
2	5280.000	-49.46	-58.82	-13.00	-36.46	9.36	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 352000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-46.96	-56.16	-13.00	-33.96	9.20	Peak	Vertical
2	5280.000	-48.49	-58.28	-13.00	-35.49	9.79	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B14A\_n66A

CH 346000

MODE	TX channel 346000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.74	-56.32	-13.00	-34.74	8.58	Peak	Horizontal
2 PP	5190.000	-34.38	-43.47	-13.00	-21.38	9.09	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 346000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.22	-56.38	-13.00	-34.22	9.16	Peak	Vertical
2 PP	5190.000	-34.75	-44.57	-13.00	-21.75	9.82	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 349000

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-45.75	-54.32	-13.00	-32.75	8.57	Peak	Horizontal
2	5235.000	-47.79	-57.02	-13.00	-34.79	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-42.70	-51.89	-13.00	-29.70	9.19	Peak	Vertical
2	5235.000	-48.62	-58.43	-13.00	-35.62	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 352000

<b>MODE</b>	TX channel 352000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-46.60	-55.20	-13.00	-33.60	8.60	Peak	Horizontal
2	5280.000	-48.15	-57.51	-13.00	-35.15	9.36	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 352000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-46.91	-56.11	-13.00	-33.91	9.20	Peak	Vertical
2	5280.000	-47.54	-57.33	-13.00	-34.54	9.79	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

DC\_B2A\_n71A:

CH 134600

<b>MODE</b>	TX channel 134600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-54.96	-55.70	-13.00	-41.96	0.74	Peak	Horizontal
2	PP 2019.000	-48.45	-56.02	-13.00	-35.45	7.57	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 134600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-54.62	-55.98	-13.00	-41.62	1.36	Peak	Vertical
2 PP	2019.000	-50.15	-56.73	-13.00	-37.15	6.58	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 136100

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.24	-56.09	-13.00	-42.24	0.85	Peak	Horizontal
2	PP 2041.500	-48.51	-56.10	-13.00	-35.51	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.58	-56.05	-13.00	-41.58	1.47	Peak	Vertical
2 PP	2041.500	-49.96	-56.57	-13.00	-36.96	6.61	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 137600

<b>MODE</b>	TX channel 137600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.41	-56.26	-13.00	-42.41	0.85	Peak	Horizontal
2 PP	2064.000	-49.50	-57.11	-13.00	-36.50	7.61	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 137600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.40	-55.87	-13.00	-41.40	1.47	Peak	Vertical
2 PP	2064.000	-50.28	-56.91	-13.00	-37.28	6.63	Peak	Vertical





BUREAU  
VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B7A\_n71A

CH 134600

MODE	TX channel 134600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-54.10	-54.84	-13.00	-41.10	0.74	Peak	Horizontal
2 PP	2019.000	-49.13	-56.70	-13.00	-36.13	7.57	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 134600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-54.01	-55.37	-13.00	-41.01	1.36	Peak	Vertical
2	PP 2019.000	-49.92	-56.50	-13.00	-36.92	6.58	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 136100

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.56	-55.41	-13.00	-41.56	0.85	Peak	Horizontal
2 PP	2041.500	-48.77	-56.36	-13.00	-35.77	7.59	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.39	-55.86	-13.00	-41.39	1.47	Peak	Vertical
2 PP	2041.500	-50.14	-56.75	-13.00	-37.14	6.61	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 137600

MODE	TX channel 137600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.23	-56.08	-13.00	-42.23	0.85	Peak	Horizontal
2 PP	2064.000	-48.14	-55.75	-13.00	-35.14	7.61	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 137600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.10	-55.57	-13.00	-41.10	1.47	Peak	Vertical
2	PP 2064.000	-49.77	-56.40	-13.00	-36.77	6.63	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

DC\_B66A\_n71A

CH 134600

<b>MODE</b>	TX channel 134600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-55.32	-56.06	-13.00	-42.32	0.74	Peak	Horizontal
2 PP	2019.000	-49.61	-57.18	-13.00	-36.61	7.57	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 134600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-53.92	-55.28	-13.00	-40.92	1.36	Peak	Vertical
2	PP 2019.000	-50.56	-57.14	-13.00	-37.56	6.58	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 136100

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.26	-56.11	-13.00	-42.26	0.85	Peak	Horizontal
2 PP	2041.500	-48.89	-56.48	-13.00	-35.89	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.22	-56.69	-13.00	-42.22	1.47	Peak	Vertical
2	PP 2041.500	-49.44	-56.05	-13.00	-36.44	6.61	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 137600

<b>MODE</b>	TX channel 137600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.77	-56.62	-13.00	-42.77	0.85	Peak	Horizontal
2 PP	2064.000	-47.81	-55.42	-13.00	-34.81	7.61	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 137600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.67	-56.14	-13.00	-41.67	1.47	Peak	Vertical
2	PP 2064.000	-50.09	-56.72	-13.00	-37.09	6.63	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B2A\_n77C

CH 650000

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7494.000	-52.43	-63.79	-13.00	-39.43	11.36	Peak	Horizontal
2	PP11250.000	-48.60	-64.07	-13.00	-35.60	15.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 650000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7494.000	-50.88	-63.62	-13.00	-37.88	12.74	Peak	Vertical
2	PP11250.000	-47.87	-64.52	-13.00	-34.87	16.65	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 656000

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7681.000	-49.26	-60.69	-13.00	-36.26	11.43	Peak	Horizontal
2	PP11520.000	-49.15	-64.75	-13.00	-36.15	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7681.000	-48.15	-60.96	-13.00	-35.15	12.81	Peak	Vertical
2	PP11520.000	-47.52	-64.30	-13.00	-34.52	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 662000

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7868.000	-51.73	-63.24	-13.00	-38.73	11.51	Peak	Horizontal
2	PP11790.000	-48.05	-64.19	-13.00	-35.05	16.14	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7868.000	-49.72	-62.60	-13.00	-36.72	12.88	Peak	Vertical
2	PP11790.000	-44.92	-62.55	-13.00	-31.92	17.63	Peak	Vertical





BUREAU  
VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B5A\_n77C

CH 650000

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-48.99	-60.35	-13.00	-35.99	11.36	Peak	Horizontal
2	PP11250.000	-46.51	-61.98	-13.00	-33.51	15.47	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 650000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-48.49	-61.23	-13.00	-35.49	12.74	Peak	Vertical
2	PP11250.000	-46.00	-62.65	-13.00	-33.00	16.65	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 656000

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.35	-61.78	-13.00	-37.35	11.43	Peak	Horizontal
2	PP11520.000	-47.62	-63.22	-13.00	-34.62	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-46.87	-59.68	-13.00	-33.87	12.81	Peak	Vertical
2	PP11520.000	-45.92	-62.70	-13.00	-32.92	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 662000

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-50.86	-62.37	-13.00	-37.86	11.51	Peak	Horizontal
2	PP11790.000	-45.43	-61.57	-13.00	-32.43	16.14	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-48.61	-61.49	-13.00	-35.61	12.88	Peak	Vertical
2	PP11790.000	-43.15	-60.78	-13.00	-30.15	17.63	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B7A\_n77C

CH 650000

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-49.62	-60.98	-13.00	-36.62	11.36	Peak	Horizontal
2	PP11250.000	-46.22	-61.69	-13.00	-33.22	15.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-47.63	-60.37	-13.00	-34.63	12.74	Peak	Vertical
2	PP11250.000	-44.38	-61.03	-13.00	-31.38	16.65	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 656000

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.57	-61.00	-13.00	-36.57	11.43	Peak	Horizontal
2	PP11520.000	-47.98	-63.58	-13.00	-34.98	15.60	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.19	-61.00	-13.00	-35.19	12.81	Peak	Vertical
2	PP11520.000	-46.34	-63.12	-13.00	-33.34	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 662000

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-50.06	-61.57	-13.00	-37.06	11.51	Peak	Horizontal
2	PP11790.000	-44.06	-60.20	-13.00	-31.06	16.14	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-48.20	-61.08	-13.00	-35.20	12.88	Peak	Vertical
2	PP11790.000	-42.67	-60.30	-13.00	-29.67	17.63	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B13A\_n77C

CH 650000

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-50.19	-61.55	-13.00	-37.19	11.36	Peak	Horizontal
2	PP11250.000	-46.25	-61.72	-13.00	-33.25	15.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 650000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-48.83	-61.57	-13.00	-35.83	12.74	Peak	Vertical
2	PP11250.000	-45.56	-62.21	-13.00	-32.56	16.65	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 656000

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Poi/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.82	-61.25	-13.00	-36.82	11.43	Peak	Horizontal
2	PP11520.000	-48.22	-63.82	-13.00	-35.22	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.66	-61.47	-13.00	-35.66	12.81	Peak	Vertical
2	PP11520.000	-46.47	-63.25	-13.00	-33.47	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 662000

MODE	TX channel 662000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-50.96	-62.47	-13.00	-37.96	11.51	Peak	Horizontal
2	PP11790.000	-44.10	-60.24	-13.00	-31.10	16.14	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-49.59	-62.47	-13.00	-36.59	12.88	Peak	Vertical
2	PP11790.000	-43.28	-60.91	-13.00	-30.28	17.63	Peak	Vertical





BUREAU  
VERITAS


Test Report No.: W7L-P20210616-3RF06

DC\_B41A\_n77C

CH 650000

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-50.13	-61.49	-13.00	-37.13	11.36	Peak	Horizontal
2	PP11250.000	-46.11	-61.58	-13.00	-33.11	15.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-47.61	-60.35	-13.00	-34.61	12.74	Peak	Vertical
2	PP11250.000	-44.89	-61.54	-13.00	-31.89	16.65	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 656000

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.86	-62.29	-13.00	-37.86	11.43	Peak	Horizontal
2	PP11520.000	-47.70	-63.30	-13.00	-34.70	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.50	-62.31	-13.00	-36.50	12.81	Peak	Vertical
2	PP11520.000	-44.57	-61.35	-13.00	-31.57	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 662000

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-50.17	-61.68	-13.00	-37.17	11.51	Peak	Horizontal
2	PP11790.000	-44.43	-60.57	-13.00	-31.43	16.14	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-48.61	-61.49	-13.00	-35.61	12.88	Peak	Vertical
2	PP11790.000	-42.80	-60.43	-13.00	-29.80	17.63	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

DC\_B66A\_n77C

CH 650000

<b>MODE</b>	TX channel 650000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-49.13	-60.49	-13.00	-36.13	11.36	Peak	Horizontal
2	PP11250.000	-45.88	-61.35	-13.00	-32.88	15.47	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 650000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7500.000	-47.69	-60.43	-13.00	-34.69	12.74	Peak	Vertical
2	PP11250.000	-44.68	-61.33	-13.00	-31.68	16.65	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 656000

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.93	-62.36	-13.00	-37.93	11.43	Peak	Horizontal
2	PP11520.000	-47.65	-63.25	-13.00	-34.65	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.67	-62.48	-13.00	-36.67	12.81	Peak	Vertical
2	PP11520.000	-45.70	-62.48	-13.00	-32.70	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 662000

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-50.26	-61.77	-13.00	-37.26	11.51	Peak	Horizontal
2	PP11790.000	-44.23	-60.37	-13.00	-31.23	16.14	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 662000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7864.000	-48.51	-61.39	-13.00	-35.51	12.88	Peak	Vertical
2	PP11790.000	-43.11	-60.74	-13.00	-30.11	17.63	Peak	Vertical





**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

**5G SA BELOW 1GHz WORST-CASE DATA**


30 MHz – 1GHz data:

5G\_NR77 C HUPE

CHANNEL BANDWIDTH: 20MHz / QPSK

<b>MODE</b>	TX channel CH664666	<b>FREQUENCY RANGE</b>	Below 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	41.640	-33.71	-46.35	-13.00	-20.71	12.64	Peak	Horizontal
2	100.810	-35.75	-43.94	-13.00	-22.75	8.19	Peak	Horizontal
3	190.050	-37.46	-48.06	-13.00	-24.46	10.60	Peak	Horizontal
4 PP	322.940	-31.95	-46.62	-13.00	-18.95	14.67	Peak	Horizontal
5	453.890	-35.21	-53.08	-13.00	-22.21	17.87	Peak	Horizontal
6	515.970	-37.08	-56.10	-13.00	-24.08	19.02	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel CH664666	<b>FREQUENCY RANGE</b>	Below 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	41.640	-29.32	-41.00	-13.00	-16.32	11.68 Peak	Vertical
2		189.080	-38.42	-49.26	-13.00	-25.42	10.84 Peak	Vertical
3		301.600	-31.75	-46.79	-13.00	-18.75	15.04 Peak	Vertical
4		352.040	-32.46	-48.60	-13.00	-19.46	16.14 Peak	Vertical
5		446.130	-34.42	-52.50	-13.00	-21.42	18.08 Peak	Vertical
6		553.800	-34.85	-54.92	-13.00	-21.85	20.07 Peak	Vertical





BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

ABOVE 1GHz


Note: For higher frequency, the emission is too low to be detected.

5G NR41:

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-43.75	-52.83	-25.00	-18.75	9.08	Peak	Horizontal
2	7779.000	-49.50	-60.97	-25.00	-24.50	11.47	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-42.02	-51.85	-25.00	-17.02	9.83	Peak	Vertical
2	7779.000	-48.68	-61.53	-25.00	-23.68	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-42.01	-51.09	-25.00	-17.01	9.08	Peak	Horizontal
2	7786.000	-50.19	-61.67	-25.00	-25.19	11.48	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.74	-47.57	-25.00	-12.74	9.83	Peak	Vertical
2	7779.000	-48.59	-61.44	-25.00	-23.59	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.84	-49.92	-25.00	-15.84	9.08	Peak	Horizontal
2	7779.000	-50.35	-61.82	-25.00	-25.35	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-43.43	-53.26	-25.00	-18.43	9.83	Peak	Vertical
2	7786.000	-49.14	-61.99	-25.00	-24.14	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 50MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-41.06	-50.14	-25.00	-16.06	9.08	Peak	Horizontal
2	7786.000	-50.42	-61.90	-25.00	-25.42	11.48	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-39.60	-49.43	-25.00	-14.60	9.83	Peak	Vertical
2	7779.000	-48.03	-60.88	-25.00	-23.03	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 60MHz / QPSK

CH 505200

MODE	TX channel 505200	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-49.01	-57.70	-25.00	-24.01	8.69	Peak	Horizontal
2	7578.000	-51.28	-62.67	-25.00	-26.28	11.39	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 505200	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5052.000	-48.18	-58.06	-25.00	-23.18	9.88	Peak	Vertical
2 PP	7578.000	-47.66	-60.43	-25.00	-22.66	12.77	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 518598

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.85	-49.93	-25.00	-15.85	9.08	Peak	Horizontal
2	7779.000	-49.71	-61.18	-25.00	-24.71	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-36.96	-46.79	-25.00	-11.96	9.83	Peak	Vertical
2	7779.000	-48.04	-60.89	-25.00	-23.04	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 531996

MODE	TX channel 531996	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5316.000	-49.26	-58.73	-25.00	-24.26	9.47	Peak	Horizontal
2	7979.940	-50.12	-61.67	-25.00	-25.12	11.55	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 531996	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5319.960	-48.64	-58.41	-25.00	-23.64	9.77	Peak	Vertical
2 PP	7979.940	-48.08	-61.01	-25.00	-23.08	12.93	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-41.33	-50.41	-25.00	-16.33	9.08	Peak	Horizontal
2	7786.000	-49.51	-60.99	-25.00	-24.51	11.48	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.90	-47.73	-25.00	-12.90	9.83	Peak	Vertical
2	7779.000	-48.87	-61.72	-25.00	-23.87	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.67	-49.75	-25.00	-15.67	9.08	Peak	Horizontal
2	7786.000	-50.50	-61.98	-25.00	-25.50	11.48	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.17	-50.00	-25.00	-15.17	9.83	Peak	Vertical
2	7779.000	-49.21	-62.06	-25.00	-24.21	12.85	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 100MHz / QPSK

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-43.07	-52.15	-25.00	-18.07	9.08	Peak	Horizontal
2	7779.000	-50.01	-61.48	-25.00	-25.01	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-39.32	-49.15	-25.00	-14.32	9.83	Peak	Vertical
2	7779.000	-48.07	-60.92	-25.00	-23.07	12.85	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

5G NR41 HUPE:

CHANNEL BANDWIDTH: 20MHz / QPSK

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-42.93	-52.01	-25.00	-17.93	9.08	Peak	Horizontal
2	7778.970	-50.17	-61.64	-25.00	-25.17	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-41.45	-51.28	-25.00	-16.45	9.83	Peak	Vertical
2	7778.970	-48.01	-60.86	-25.00	-23.01	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-38.31	-47.39	-25.00	-13.31	9.08	Peak	Horizontal
2	7778.970	-50.16	-61.63	-25.00	-25.16	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.82	-50.65	-25.00	-15.82	9.83	Peak	Vertical
2	7778.970	-47.90	-60.75	-25.00	-22.90	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.91	-46.99	-25.00	-12.91	9.08	Peak	Horizontal
2	7778.970	-48.74	-60.21	-25.00	-23.74	11.47	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-36.82	-46.65	-25.00	-11.82	9.83	Peak	Vertical
2	7778.970	-48.64	-61.49	-25.00	-23.64	12.85	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 50MHz / QPSK

CH 504204

MODE	TX channel 504204	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5030.000	-49.21	-57.82	-25.00	-24.21	8.61	Peak	Horizontal
2 PP	7563.060	-48.91	-60.29	-25.00	-23.91	11.38	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 504204	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5030.000	-47.67	-57.56	-25.00	-22.67	9.89	Peak	Vertical
2	7563.060	-48.32	-61.08	-25.00	-23.32	12.76	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 518598

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-36.47	-45.55	-25.00	-11.47	9.08	Peak	Horizontal
2	7778.970	-49.63	-61.10	-25.00	-24.63	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-36.75	-46.58	-25.00	-11.75	9.83	Peak	Vertical
2	7778.970	-48.25	-61.10	-25.00	-23.25	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CH 532998

<b>MODE</b>	TX channel 532998	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5342.000	-48.97	-58.52	-25.00	-23.97	9.55	Peak	Horizontal
2 PP	7994.970	-48.71	-60.27	-25.00	-23.71	11.56	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 532998	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5342.000	-48.25	-58.02	-25.00	-23.25	9.77	Peak	Vertical
2 PP	7994.970	-47.23	-60.16	-25.00	-22.23	12.93	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.77	-46.85	-25.00	-12.77	9.08	Peak	Horizontal
2	7778.970	-49.10	-60.57	-25.00	-24.10	11.47	Peak	Horizontal








Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.30	-47.13	-25.00	-12.30	9.83	Peak	Vertical
2	7778.970	-47.37	-60.22	-25.00	-22.37	12.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-40.53	-49.61	-25.00	-15.53	9.08	Peak	Horizontal
2	7778.970	-49.71	-61.18	-25.00	-24.71	11.47	Peak	Horizontal





Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5185.980	-39.98	-49.81	-25.00	-14.98	9.83	Peak	Vertical
2	7786.000	-47.96	-60.81	-25.00	-22.96	12.85	Peak	Vertical

