




BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 90MHz / QPSK

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-39.61	-48.69	-25.00	-14.61	9.08	Peak	Horizontal
2	7778.970	-49.68	-61.15	-25.00	-24.68	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.00	-46.83	-25.00	-12.00	9.83	Peak	Vertical
2	7778.970	-48.62	-61.47	-25.00	-23.62	12.85	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 100MHz / QPSK

<b>MODE</b>	TX channel 518598	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-43.69	-52.77	-25.00	-18.69	9.08	Peak	Horizontal
2	7778.970	-48.73	-60.20	-25.00	-23.73	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5185.980	-42.55	-52.38	-25.00	-17.55	9.83	Peak	Vertical
2	7786.000	-47.51	-60.36	-25.00	-22.51	12.85	Peak	Vertical





**BUREAU  
VERITAS**


Test Report No.: W7L-P20210616-3RF06

5G NR66:

CHANNEL BANDWIDTH: 5MHz / QPSK

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-47.39	-55.96	-13.00	-34.39	8.57	Peak	Horizontal
2	5235.000	-49.47	-58.70	-13.00	-36.47	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP 3496.000	-46.22	-55.41	-13.00	-33.22	9.19	Peak	Vertical
2 5235.000	-48.56	-58.37	-13.00	-35.56	9.81	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-44.59	-53.16	-13.00	-31.59	8.57	Peak	Horizontal
2 PP	5235.000	-40.61	-49.84	-13.00	-27.61	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.38	-55.57	-13.00	-33.38	9.19	Peak	Vertical
2	5235.000	-48.55	-58.36	-13.00	-35.55	9.81	Peak	Vertical








**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 15MHz / QPSK

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.19	-55.76	-13.00	-34.19	8.57	Peak	Horizontal
2	5235.000	-49.37	-58.60	-13.00	-36.37	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-47.57	-56.76	-13.00	-34.57	9.19	Peak	Vertical
2	5235.000	-49.43	-59.24	-13.00	-36.43	9.81	Peak	Vertical





BUREAU  
VERITAS


Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 20MHz / QPSK

CH34400

MODE	TX channel 344000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3444.000	-47.51	-56.09	-13.00	-34.51	8.58	Peak	Horizontal
2 PP	5160.000	-41.81	-50.81	-13.00	-28.81	9.00	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 344000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3444.000	-46.87	-56.01	-13.00	-33.87	9.14	Peak	Vertical
2 PP	5160.000	-41.39	-51.23	-13.00	-28.39	9.84	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CH34900

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.45	-56.02	-13.00	-34.45	8.57	Peak	Horizontal
2	5235.000	-49.31	-58.54	-13.00	-36.31	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-46.07	-55.26	-13.00	-33.07	9.19	Peak	Vertical
2 PP	5235.000	-36.79	-46.60	-13.00	-23.79	9.81	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CH35400

<b>MODE</b>	TX channel 354000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-48.38	-57.00	-13.00	-35.38	8.62	Peak	Horizontal
2	5310.000	-49.42	-58.87	-13.00	-36.42	9.45	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 354000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-46.91	-56.12	-13.00	-33.91	9.21	Peak	Vertical
2	5310.000	-49.38	-59.16	-13.00	-36.38	9.78	Peak	Vertical








**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 30MHz / QPSK

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.05	-54.62	-13.00	-33.05	8.57	Peak	Horizontal
2	5235.000	-48.79	-58.02	-13.00	-35.79	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-45.34	-54.53	-13.00	-32.34	9.19	Peak	Vertical
2	5235.000	-47.83	-57.64	-13.00	-34.83	9.81	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 40MHz / QPSK

<b>MODE</b>	TX channel 349000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.45	-56.02	-13.00	-34.45	8.57	Peak	Horizontal
2	5235.000	-49.32	-58.55	-13.00	-36.32	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.05	-55.24	-13.00	-33.05	9.19	Peak	Vertical
2	5235.000	-49.31	-59.12	-13.00	-36.31	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

5G NR71:

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.74	-55.59	-13.00	-41.74	0.85	Peak	Horizontal
2 PP	2041.500	-49.12	-56.71	-13.00	-36.12	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.18	-54.65	-13.00	-40.18	1.47	Peak	Vertical
2 PP	2041.500	-49.67	-56.28	-13.00	-36.67	6.61	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 10MHz / QPSK

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.32	-55.17	-13.00	-41.32	0.85	Peak	Horizontal
2 PP	2041.500	-48.13	-55.72	-13.00	-35.13	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.85	-55.32	-13.00	-40.85	1.47	Peak	Vertical
2	PP 2041.500	-49.79	-56.40	-13.00	-36.79	6.61	Peak	Vertical








**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 15MHz / QPSK

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.93	-55.78	-13.00	-41.93	0.85	Peak	Horizontal
2 PP	2041.500	-48.31	-55.90	-13.00	-35.31	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.96	-55.43	-13.00	-40.96	1.47	Peak	Vertical
2 PP	2041.500	-49.15	-55.76	-13.00	-36.15	6.61	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 20MHz / QPSK

CH134600

MODE	TX channel 134600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-54.35	-55.09	-13.00	-41.35	0.74	Peak	Horizontal
2 PP	2019.000	-48.90	-56.47	-13.00	-35.90	7.57	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 134600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-53.68	-55.04	-13.00	-40.68	1.36	Peak	Vertical
2	PP 2019.000	-49.95	-56.53	-13.00	-36.95	6.58	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CH136100

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.01	-55.86	-13.00	-42.01	0.85	Peak	Horizontal
2 PP	2041.500	-47.76	-55.35	-13.00	-34.76	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 136100	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.88	-56.35	-13.00	-41.88	1.47	Peak	Vertical
2 PP	2041.500	-50.36	-56.97	-13.00	-37.36	6.61	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CH137600

MODE	TX channel 137600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.65	-55.50	-13.00	-41.65	0.85	Peak	Horizontal
2	PP 2064.000	-49.06	-56.67	-13.00	-36.06	7.61	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 137600	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.20	-54.67	-13.00	-40.20	1.47	Peak	Vertical
2 PP	2064.000	-49.83	-56.46	-13.00	-36.83	6.63	Peak	Vertical







BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

5G NR77 C:

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-51.07	-62.50	-13.00	-38.07	11.43	Peak	Horizontal
2	PP11520.000	-48.34	-63.94	-13.00	-35.34	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.25	-62.06	-13.00	-36.25	12.81	Peak	Vertical
2	PP11520.000	-46.55	-63.33	-13.00	-33.55	16.78	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 30MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-51.19	-62.62	-13.00	-38.19	11.43	Peak	Horizontal
2	PP11520.000	-48.65	-64.25	-13.00	-35.65	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.97	-62.78	-13.00	-36.97	12.81	Peak	Vertical
2	PP11520.000	-47.69	-64.47	-13.00	-34.69	16.78	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 40MHz / QPSK

CH648000

MODE	TX channel 648000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7448.000	-49.65	-60.99	-13.00	-36.65	11.34	Peak	Horizontal
2	PP11160.000	-47.82	-63.25	-13.00	-34.82	15.43	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 648000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7448.000	-48.52	-61.26	-13.00	-35.52	12.74	Peak	Vertical
2	PP11160.000	-46.21	-62.84	-13.00	-33.21	16.63	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CH656000

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.83	-62.26	-13.00	-37.83	11.43	Peak	Horizontal
2	PP11520.000	-48.48	-64.08	-13.00	-35.48	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.47	-62.28	-13.00	-36.47	12.81	Peak	Vertical
2	PP11520.000	-45.93	-62.71	-13.00	-32.93	16.78	Peak	Vertical








BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CH664000

MODE	TX channel 664000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7916.000	-48.85	-60.38	-13.00	-35.85	11.53	Peak	Horizontal
2	PP11880.000	-45.40	-61.72	-13.00	-32.40	16.32	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 664000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7916.000	-48.44	-61.34	-13.00	-35.44	12.90	Peak	Vertical
2	PP11880.000	-43.66	-61.58	-13.00	-30.66	17.92	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 50MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.19	-61.62	-13.00	-37.19	11.43	Peak	Horizontal
2	PP11520.000	-47.64	-63.24	-13.00	-34.64	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.85	-61.66	-13.00	-35.85	12.81	Peak	Vertical
2	PP11520.000	-46.87	-63.65	-13.00	-33.87	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.96	-62.39	-13.00	-37.96	11.43	Peak	Horizontal
2	PP11520.000	-48.07	-63.67	-13.00	-35.07	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.80	-62.61	-13.00	-36.80	12.81	Peak	Vertical
2	PP11520.000	-47.06	-63.84	-13.00	-34.06	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 70MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.53	-61.96	-13.00	-37.53	11.43	Peak	Horizontal
2	PP11520.000	-48.34	-63.94	-13.00	-35.34	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.59	-62.40	-13.00	-36.59	12.81	Peak	Vertical
2	PP11520.000	-47.27	-64.05	-13.00	-34.27	16.78	Peak	Vertical








BUREAU  
VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.52	-61.95	-13.00	-37.52	11.43	Peak	Horizontal
2	PP11520.000	-47.94	-63.54	-13.00	-34.94	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.75	-61.56	-13.00	-35.75	12.81	Peak	Vertical
2	PP11520.000	-47.57	-64.35	-13.00	-34.57	16.78	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 90MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.37	-61.80	-13.00	-37.37	11.43	Peak	Horizontal
2	PP11520.000	-48.44	-64.04	-13.00	-35.44	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.68	-62.49	-13.00	-36.68	12.81	Peak	Vertical
2	PP11520.000	-47.32	-64.10	-13.00	-34.32	16.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.75	-62.18	-13.00	-37.75	11.43	Peak	Horizontal
2	PP11520.000	-48.87	-64.47	-13.00	-35.87	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.53	-62.34	-13.00	-36.53	12.81	Peak	Vertical
2	PP11520.000	-47.37	-64.15	-13.00	-34.37	16.78	Peak	Vertical





BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06


5G NR77 C HUPE:

CHANNEL BANDWIDTH: 20MHz / QPSK

CH647334

MODE	TX channel 647334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7422.000	-50.24	-61.58	-13.00	-37.24	11.34	Peak	Horizontal
2	PP11130.000	-47.58	-63.00	-13.00	-34.58	15.42	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 647334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7422.000	-47.92	-60.67	-13.00	-34.92	12.75	Peak	Vertical
2	PP11130.000	-45.51	-62.13	-13.00	-32.51	16.62	Peak	Vertical








BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CH656000

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-50.49	-61.92	-13.00	-37.49	11.43	Peak	Horizontal
2	PP11530.000	-47.39	-63.01	-13.00	-34.39	15.62	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.03	-60.84	-13.00	-35.03	12.81	Peak	Vertical
2	PP11520.000	-45.19	-61.97	-13.00	-32.19	16.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CH664666

MODE	TX channel 664666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7939.980	-50.43	-61.97	-13.00	-37.43	11.54	Peak	Horizontal
2	PP11920.000	-45.75	-62.15	-13.00	-32.75	16.40	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

MODE	TX channel 664666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7942.000	-48.83	-61.74	-13.00	-35.83	12.91	Peak	Vertical
2	PP11909.970	-45.08	-63.09	-13.00	-32.08	18.01	Peak	Vertical






**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 30MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-49.84	-61.27	-13.00	-36.84	11.43	Peak	Horizontal
2	PP11530.000	-48.01	-63.63	-13.00	-35.01	15.62	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-49.52	-62.33	-13.00	-36.52	12.81	Peak	Vertical
2	PP11520.000	-46.35	-63.13	-13.00	-33.35	16.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-51.49	-62.92	-13.00	-38.49	11.43	Peak	Horizontal
2	PP11520.000	-48.68	-64.28	-13.00	-35.68	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-48.70	-61.51	-13.00	-35.70	12.81	Peak	Vertical
2	PP11530.000	-46.78	-63.59	-13.00	-33.78	16.81	Peak	Vertical








BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 50MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-50.27	-61.70	-13.00	-37.27	11.43	Peak	Horizontal
2	PP11530.000	-47.85	-63.47	-13.00	-34.85	15.62	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.81	-61.62	-13.00	-35.81	12.81	Peak	Vertical
2	PP11520.000	-46.22	-63.00	-13.00	-33.22	16.78	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.41	-61.84	-13.00	-37.41	11.43	Peak	Horizontal
2	PP11520.000	-47.18	-62.78	-13.00	-34.18	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-48.40	-61.21	-13.00	-35.40	12.81	Peak	Vertical
2	PP11530.000	-46.48	-63.29	-13.00	-33.48	16.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 70MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-49.61	-61.04	-13.00	-36.61	11.43	Peak	Horizontal
2	PP11530.000	-47.30	-62.92	-13.00	-34.30	15.62	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.12	-60.93	-13.00	-35.12	12.81	Peak	Vertical
2	PP11520.000	-45.55	-62.33	-13.00	-32.55	16.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.28	-61.71	-13.00	-37.28	11.43	Peak	Horizontal
2	PP11520.000	-47.94	-63.54	-13.00	-34.94	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-48.12	-60.93	-13.00	-35.12	12.81	Peak	Vertical
2	PP11530.000	-45.55	-62.36	-13.00	-32.55	16.81	Peak	Vertical








**BUREAU  
VERITAS**

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 90MHz / QPSK

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-50.65	-62.08	-13.00	-37.65	11.43	Peak	Horizontal
2	PP11530.000	-47.63	-63.25	-13.00	-34.63	15.62	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-48.19	-61.00	-13.00	-35.19	12.81	Peak	Vertical
2	PP11520.000	-46.28	-63.06	-13.00	-33.28	16.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7682.000	-50.32	-61.75	-13.00	-37.32	11.43	Peak	Horizontal
2	PP11520.000	-47.67	-63.27	-13.00	-34.67	15.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF06

<b>MODE</b>	TX channel 656000	<b>FREQUENCY RANGE</b>	Above 1000MHz
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	EUT 4.0V
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7680.000	-48.19	-61.00	-13.00	-35.19	12.81	Peak	Vertical
2	PP11530.000	-47.01	-63.82	-13.00	-34.01	16.81	Peak	Vertical




### 3.7 PEAK TO AVERAGE RATIO

#### 3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

#### 3.7.2 TEST SETUP



#### 3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth  $\geq$  signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



**Test Report No.: W7L-P20210616-3RF06**

### 3.7.4 TEST RESULTS

Please Refer to Appendix F Of this test report.



Test Report No.: W7L-P20210616-3RF06

## 4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

**Shenzhen EMC/RF Lab:**

Tel: +86-755-88696566

Fax: +86-755-88696577

**Email:** [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)

**Web Site:** [www.adt.com.tw](http://www.adt.com.tw)

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-P20210616-3RF06

## 5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

NOTE: APPENDIX F is another word.

---END---