

**Continental Automotive Systems, Inc.**

21440 West Lake Cook Road, Deer Park, Illinois 60010, United States

Tel: 8478622435 ; Fax: 847-8628016

Date: May 27, 2022

Module Approval Checklist

FCC ID: LHJ-FE5NA0D31

Item	Requirements	EUT
1.	The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly	The module is equipped with its own shielding case.
2.	The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal	The module has buffer modulation / data inputs.
3.	The module must contain power supply regulation on the module	The module has its own power supply regulation.
4.	The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per §§ 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b)	Not applicable to licensed modules.
5.	The module must demonstrate compliance in a stand-alone configuration	The module was tested on evaluation board, and it's not inside of another device during testing
6.	The module must be labeled with its permanently affixed FCC ID label, or use an electronic display	The module transmitter will be labeled with its own FCC ID, and for OEM integration the integration manual contains labeling instructions for the host device per Part 15.212 (vi)
7.	The module must comply with all specific rules applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee	The module approved transmitter complies with all applicable rules and the integration manual contains any specific requirements addressed to the integrator and/or to the end-user of the final end-product.
8.	The module must comply with RF exposure requirements	The modular transmitter complies with RF exposure requirement.



**James Zhang**

Jianming.1.zhang@continental-corporation.com