


Report No.: SEWA2310000127RG02


Rev.: 01


Page: 44 of 68





1-N41-30-100-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1 @272-Ant1-1--PASS-see graph 1-N41-30-100-H-3-DFT-PI2BPSK-Outer\_Full-270 @0-Ant1-1--PASS-see graph





1-N41-30-100-H-5-CP-QPSK-Edge\_1RB\_Right-1@272
-Ant1-1--PASS-see graph

1-N41-30-100-H-6-CP-QPSK-Outer\_Full-273@0-Ant1-1--PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2310000127RG02

Rev.: 01

Page: 45 of 68

### **Conducted Spurious Emission for SA**

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgsgroup.com.cn


中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com




Report No.: SEWA2310000127RG02


Rev.: 01


Page: 46 of 68





1-N41-30-100-L-1-DFT-PI2BPSK-Inner\_1RB\_Left-1 @1-12000-27000-Ant1-22276.50--38.48--25-PASS





1-N41-30-100-M-1-DFT-PI2BPSK-Inner\_1RB\_Left-1 @1-0.009-0.15-Ant1-0.13--83.10--55-PASS 1-N41-30-100-M-1-DFT-PI2BPSK-Inner\_1RB\_Left-1 @1-0.15-30-Ant1-29.97--75.59--45-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cr sgs.china@sgs.com

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (8


995.01IIIa@995.00111



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 47 of 68



1-N41-30-100-M-1-DFT-PI2BPSK-Inner\_1RB\_Left-1 @1-3000-12000-Ant1-7282.20--47.22--25-PASS 1-N41-30-100-M-1-DFT-PI2BPSK-Inner\_1RB\_Left-1 @1-12000-27000-Ant1-22325.50--38.83--25-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and,">http://www.sgs.com/en/Terms-and-Conditions.aspx and,</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 t (86-512) 62992980


sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 48 of 68





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and,">http://www.sgs.com/en/Terms-and-Conditions.aspx and,</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980


www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2310000127RG02

Rev.: 01

Page: 49 of 68





1-N41-30-100-H-1-DFT-PI2BPSK-Inner 1RB Left-1 @1-3000-12000-Ant1-7376.25--46.50--25-PASS

1-N41-30-100-H-1-DFT-PI2BPSK-Inner 1RB Left-1 @1-12000-27000-Ant1-21585.00--38.69--25-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 50 of 68

### **Field Strength of Spurious Radiation**

Test Band = SA Band41\_ TM1
Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	5002.2000	40.98	-45.63	31.41	-68.51	-25.00	43.51	Horizontal			
2	7503.3000	39.17	-43.13	36.60	-62.62	-25.00	37.62	Horizontal			
3	10004.4000	33.49	-39.23	38.20	-62.80	-25.00	37.80	Horizontal			
4	12505.5000	30.52	-36.99	38.95	-62.78	-25.00	37.78	Horizontal			
5	15006.6000	27.36	-34.65	41.29	-61.27	-25.00	36.27	Horizontal			
6	17507.7000	30.36	-34.95	44.59	-55.26	-25.00	30.26	Horizontal			

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	5002.2000	42.03	-45.63	31.41	-67.46	-25.00	42.46	Vertical			
2	7503.3000	38.56	-43.13	36.60	-63.23	-25.00	38.23	Vertical			
3	10004.4000	33.82	-39.23	38.20	-62.47	-25.00	37.47	Vertical			
4	12505.5000	30.29	-36.99	38.95	-63.01	-25.00	38.01	Vertical			
5	15006.6000	27.84	-34.65	41.29	-60.79	-25.00	35.79	Vertical			
6	17507.7000	29.53	-34.95	44.59	-56.09	-25.00	31.09	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: The extender of the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 51 of 68

#### Test Band = SA Band41\_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	5096.1600	40.63	-45.38	31.63	-68.38	-25.00	43.38	Horizontal			
2	7644.2400	38.41	-43.01	36.66	-63.21	-25.00	38.21	Horizontal			
3	10192.3200	33.05	-39.47	38.30	-63.39	-25.00	38.39	Horizontal			
4	12740.4000	29.69	-36.74	39.02	-63.29	-25.00	38.29	Horizontal			
5	15288.4800	27.76	-34.36	40.69	-61.17	-25.00	36.17	Horizontal			
6	17836.5600	31.55	-34.59	46.07	-52.23	-25.00	27.23	Horizontal			

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[d] [/ma]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	5096.1600	41.35	-45.38	31.63	-67.66	-25.00	42.66	Vertical			
2	7644.2400	38.71	-43.01	36.66	-62.91	-25.00	37.91	Vertical			
3	10192.3200	33.11	-39.47	38.30	-63.33	-25.00	38.33	Vertical			
4	12740.4000	29.66	-36.74	39.02	-63.32	-25.00	38.32	Vertical			
5	15288.4800	28.52	-34.36	40.69	-60.41	-25.00	35.41	Vertical			
6	17836.5600	30.63	-34.59	46.07	-53.15	-25.00	28.15	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 52 of 68

### Test Band = SA Band41\_ TM1 Test Channel = High

Final	Final Data List										
NO	Frequency	Reading	Factor	A E[-ID/1	Level	Limit	Margin	Delevite			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3520.5	44.79	-46.23	28.62	-68.08	-25.00	43.08	Horizontal			
2	5190.1800	40.95	-45.29	31.86	-67.74	-25.00	42.74	Horizontal			
3	7785.2700	38.35	-42.43	36.71	-62.62	-25.00	37.62	Horizontal			
4	10380.3600	33.61	-39.03	38.39	-62.29	-25.00	37.29	Horizontal			
5	12975.4500	30.09	-37.28	39.09	-63.35	-25.00	38.35	Horizontal			
6	15570.5400	27.90	-35.08	40.10	-62.34	-25.00	37.34	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolovity			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	3365.5	44.17	-46.34	28.52	-68.91	-25.00	43.91	Vertical			
2	5190.1800	40.81	-45.29	31.86	-67.88	-25.00	42.88	Vertical			
3	7785.2700	38.51	-42.43	36.71	-62.46	-25.00	37.46	Vertical			
4	10380.3600	33.60	-39.03	38.39	-62.30	-25.00	37.30	Vertical			
5	12975.4500	28.93	-37.28	39.09	-64.51	-25.00	39.51	Vertical			
6	15570.5400	27.03	-35.08	40.10	-63.21	-25.00	38.21	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 53 of 68

## Test Band = NSA 2A\_N41A\_ TM1 Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3774.5	42.59	-45.81	28.87	-69.61	-25.00	44.61	Horizontal			
2	4701	41.94	-45.60	30.74	-68.18	-25.00	43.18	Horizontal			
3	5679	41.60	-44.90	32.64	-65.92	-25.00	40.92	Horizontal			
4	6680.5	41.06	-43.92	34.62	-63.49	-25.00	38.49	Horizontal			
5	9177	36.56	-40.27	36.64	-62.34	-25.00	37.34	Horizontal			
6	11244.5	32.37	-37.40	38.72	-61.57	-25.00	36.57	Horizontal			

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3965	43.24	-46.12	29.07	-69.08	-25.00	44.08	Vertical			
2	4928.5	42.47	-45.56	31.24	-67.11	-25.00	42.11	Vertical			
3	5762	41.55	-44.79	32.65	-65.85	-25.00	40.85	Vertical			
4	6563	41.70	-44.45	34.41	-63.59	-25.00	38.59	Vertical			
5	7886.5	39.21	-42.75	36.75	-62.05	-25.00	37.05	Vertical			
6	10062.5	33.87	-39.17	38.23	-62.32	-25.00	37.32	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 54 of 68

## Test Band = NSA 2A\_N41A\_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4275	42.42	-45.60	29.76	-68.68	-25.00	43.68	Horizontal			
2	5097.5	41.59	-45.38	31.63	-67.41	-25.00	42.41	Horizontal			
3	6491.5	40.86	-44.59	34.27	-64.72	-25.00	39.72	Horizontal			
4	7518	39.66	-43.10	36.61	-62.10	-25.00	37.10	Horizontal			
5	9460	35.96	-40.07	37.17	-62.20	-25.00	37.20	Horizontal			
6	10253.5	33.75	-39.28	38.33	-62.46	-25.00	37.46	Horizontal			

Final	Final Data List										
NO	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	Ai [dD/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	4901	42.76	-45.53	31.18	-66.85	-25.00	41.85	Vertical			
2	6050	41.99	-44.64	32.86	-65.05	-25.00	40.05	Vertical			
3	7781.5	39.28	-42.46	36.71	-61.73	-25.00	36.73	Vertical			
4	8929.5	37.73	-41.17	36.34	-62.36	-25.00	37.36	Vertical			
5	12725.5	29.65	-36.72	39.02	-63.31	-25.00	38.31	Vertical			
6	12798.5	29.74	-36.83	39.04	-63.31	-25.00	38.31	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 55 of 68

### Test Band = NSA 2A\_N41A\_ TM1 Test Channel = High

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4556.5	42.27	-45.69	30.42	-68.25	-25.00	43.25	Horizontal			
2	5884.5	41.96	-44.94	32.68	-65.56	-25.00	40.56	Horizontal			
3	6755.5	40.73	-44.01	34.76	-63.78	-25.00	38.78	Horizontal			
4	8390	38.47	-41.51	36.61	-61.69	-25.00	36.69	Horizontal			
5	9613	35.40	-39.64	37.46	-62.04	-25.00	37.04	Horizontal			
6	13366	29.44	-36.50	39.76	-62.57	-25.00	37.57	Horizontal			

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4459	43.23	-45.76	30.20	-67.58	-25.00	42.58	Vertical			
2	5803	41.26	-44.76	32.66	-66.10	-25.00	41.10	Vertical			
3	6954	41.04	-43.80	35.12	-62.91	-25.00	37.91	Vertical			
4	7855.5	39.10	-42.59	36.74	-62.01	-25.00	37.01	Vertical			
5	9998	34.41	-39.24	38.20	-61.90	-25.00	36.90	Vertical			
6	11271	31.54	-37.41	38.73	-62.40	-25.00	37.40	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 56 of 68

## Test Band = NSA 4A\_N41A\_ TM1 Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[dD/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4262.5	42.64	-45.63	29.73	-68.52	-25.00	43.52	Horizontal			
2	6019.5	41.61	-44.76	32.76	-65.64	-25.00	40.64	Horizontal			
3	7482	39.90	-43.19	36.55	-62.00	-25.00	37.00	Horizontal			
4	9320	36.38	-40.14	36.91	-62.11	-25.00	37.11	Horizontal			
5	10708	32.11	-37.94	38.55	-62.53	-25.00	37.53	Horizontal			
6	12918.5	29.99	-37.15	39.08	-63.35	-25.00	38.35	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4352	42.43	-45.69	29.94	-68.57	-25.00	43.57	Vertical			
2	5277.5	41.86	-45.13	32.07	-66.47	-25.00	41.47	Vertical			
3	6941	40.03	-43.87	35.09	-64.01	-25.00	39.01	Vertical			
4	8388.5	38.41	-41.51	36.61	-61.76	-25.00	36.76	Vertical			
5	11442.5	30.91	-37.34	38.74	-62.95	-25.00	37.95	Vertical			
6	12713.5	29.61	-36.70	39.01	-63.34	-25.00	38.34	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 57 of 68

#### Test Band = NSA 4A\_N41A\_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[dD/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3503.5	43.19	-46.26	28.60	-69.72	-25.00	44.72	Horizontal			
2	5279.5	42.10	-45.13	32.07	-66.22	-25.00	41.22	Horizontal			
3	6348	40.77	-44.48	33.81	-65.15	-25.00	40.15	Horizontal			
4	7424	39.96	-43.35	36.39	-62.26	-25.00	37.26	Horizontal			
5	10348	33.25	-39.05	38.37	-62.69	-25.00	37.69	Horizontal			
6	11498	30.76	-37.31	38.75	-63.06	-25.00	38.06	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	4077	42.51	-45.82	29.28	-69.29	-25.00	44.29	Vertical			
2	5434	41.92	-45.28	32.44	-66.18	-25.00	41.18	Vertical			
3	7150.5	40.34	-43.81	35.62	-63.11	-25.00	38.11	Vertical			
4	9059.5	36.82	-40.61	36.41	-62.64	-25.00	37.64	Vertical			
5	11216	32.13	-37.39	38.72	-61.80	-25.00	36.80	Vertical			
6	12221	30.41	-37.47	38.87	-63.46	-25.00	38.46	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 58 of 68

# Test Band = NSA 4A\_N41A\_ TM1 Test Channel = High

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4008.5	42.94	-46.02	29.12	-69.22	-25.00	44.22	Horizontal			
2	5458	42.08	-45.27	32.50	-65.95	-25.00	40.95	Horizontal			
3	6979	40.38	-43.67	35.16	-63.38	-25.00	38.38	Horizontal			
4	8033.5	38.72	-42.02	36.78	-61.78	-25.00	36.78	Horizontal			
5	10701.5	32.09	-37.89	38.55	-62.51	-25.00	37.51	Horizontal			
6	12790.5	29.71	-36.82	39.04	-63.33	-25.00	38.33	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3761.5	42.90	-45.76	28.86	-69.26	-25.00	44.26	Vertical			
2	6082	41.17	-44.52	32.96	-65.65	-25.00	40.65	Vertical			
3	7157.5	40.80	-43.76	35.64	-62.57	-25.00	37.57	Vertical			
4	9330.5	35.99	-40.10	36.93	-62.44	-25.00	37.44	Vertical			
5	12252.5	30.31	-37.45	38.88	-63.52	-25.00	38.52	Vertical			
6	13756	29.99	-36.29	40.46	-61.10	-25.00	36.10	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Condit

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 59 of 68

## Test Band = NSA 5A\_N41A\_ TM1 Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3843.5	43.40	-46.08	28.94	-68.99	-25.00	43.99	Horizontal			
2	5216.5	41.34	-45.25	31.92	-67.25	-25.00	42.25	Horizontal			
3	6481.5	41.36	-44.57	34.24	-64.23	-25.00	39.23	Horizontal			
4	7645	40.19	-43.02	36.66	-61.43	-25.00	36.43	Horizontal			
5	9090	36.72	-40.42	36.47	-62.48	-25.00	37.48	Horizontal			
6	11164	33.02	-37.60	38.72	-61.12	-25.00	36.12	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Doloritu			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	3729	43.08	-45.62	28.83	-68.97	-25.00	43.97	Vertical			
2	4783.5	42.12	-45.55	30.92	-67.77	-25.00	42.77	Vertical			
3	5569.5	41.91	-45.12	32.61	-65.86	-25.00	40.86	Vertical			
4	7396	39.85	-43.42	36.31	-62.52	-25.00	37.52	Vertical			
5	8868	38.13	-41.24	36.37	-62.01	-25.00	37.01	Vertical			
6	11592.5	30.41	-36.93	38.76	-63.02	-25.00	38.02	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 60 of 68

## Test Band = NSA 5A\_N41A\_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4514	42.26	-45.70	30.33	-68.37	-25.00	43.37	Horizontal			
2	5655.5	41.25	-44.95	32.63	-66.33	-25.00	41.33	Horizontal			
3	6698	40.80	-43.82	34.66	-63.62	-25.00	38.62	Horizontal			
4	7706.5	40.10	-43.07	36.68	-61.54	-25.00	36.54	Horizontal			
5	10357	34.60	-39.04	38.38	-61.33	-25.00	36.33	Horizontal			
6	11483.5	31.16	-37.32	38.75	-62.67	-25.00	37.67	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	4288.5	42.34	-45.57	29.79	-68.69	-25.00	43.69	Vertical			
2	5613	41.64	-45.04	32.62	-66.04	-25.00	41.04	Vertical			
3	6681	41.31	-43.91	34.63	-63.24	-25.00	38.24	Vertical			
4	8009	38.83	-42.26	36.80	-61.90	-25.00	36.90	Vertical			
5	10241.5	34.49	-39.33	38.32	-61.78	-25.00	36.78	Vertical			
6	10701	32.91	-37.89	38.55	-61.69	-25.00	36.69	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 61 of 68

# Test Band = NSA 5A\_N41A\_ TM1 Test Channel = High

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4914.5	42.44	-45.55	31.21	-67.15	-25.00	42.15	Horizontal			
2	5955.5	41.74	-44.89	32.69	-65.72	-25.00	40.72	Horizontal			
3	6651.5	41.11	-44.07	34.57	-63.65	-25.00	38.65	Horizontal			
4	8405.5	39.13	-41.46	36.60	-60.99	-25.00	35.99	Horizontal			
5	10239	34.92	-39.34	38.32	-61.36	-25.00	36.36	Horizontal			
6	12655	30.62	-37.10	39.00	-62.75	-25.00	37.75	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Doloritu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4101.5	43.07	-45.76	29.34	-68.61	-25.00	43.61	Vertical			
2	5430.5	42.14	-45.28	32.43	-65.97	-25.00	40.97	Vertical			
3	6476.5	40.97	-44.56	34.22	-64.63	-25.00	39.63	Vertical			
4	9151	36.61	-40.30	36.59	-62.36	-25.00	37.36	Vertical			
5	10028.5	34.50	-39.21	38.21	-61.75	-25.00	36.75	Vertical			
6	12252.5	30.61	-37.45	38.88	-63.22	-25.00	38.22	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 62 of 68

#### Test Band = NSA 25A\_N41A\_ TM1 Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4028	42.82	-45.96	29.17	-69.23	-25.00	44.23	Horizontal			
2	5262.5	41.64	-45.16	32.03	-66.75	-25.00	41.75	Horizontal			
3	7048	40.50	-43.87	35.33	-63.29	-25.00	38.29	Horizontal			
4	9201.5	36.09	-40.25	36.68	-62.74	-25.00	37.74	Horizontal			
5	11611	29.40	-36.91	38.76	-64.01	-25.00	39.01	Horizontal			
6	13751.5	30.00	-36.28	40.45	-61.09	-25.00	36.09	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolovity			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	4349.5	42.01	-45.68	29.94	-68.99	-25.00	43.99	Vertical			
2	5725	41.65	-44.83	32.65	-65.79	-25.00	40.79	Vertical			
3	7594.5	39.32	-42.94	36.64	-62.24	-25.00	37.24	Vertical			
4	9402.5	35.51	-39.84	37.06	-62.53	-25.00	37.53	Vertical			
5	12336.5	30.10	-37.46	38.90	-63.72	-25.00	38.72	Vertical			
6	13725	30.10	-36.22	40.41	-60.98	-25.00	35.98	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 63 of 68

#### Test Band = NSA 25A\_N41A\_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4500	42.49	-45.71	30.30	-68.18	-25.00	43.18	Horizontal			
2	6452	40.59	-44.51	34.15	-65.04	-25.00	40.04	Horizontal			
3	7779	39.30	-42.48	36.71	-61.73	-25.00	36.73	Horizontal			
4	9095.5	36.95	-40.38	36.48	-62.21	-25.00	37.21	Horizontal			
5	13754.5	30.15	-36.29	40.46	-60.94	-25.00	35.94	Horizontal			
6	15793	27.12	-33.07	39.63	-61.57	-25.00	36.57	Horizontal			

Final Data List										
NO	Frequency	Reading	Factor	۸ = [ ما D /مو ]	Level	Limit	Margin	Dolovitu		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity		
1	3704	42.82	-45.52	28.80	-69.15	-25.00	44.15	Vertical		
2	5091.5	41.44	-45.39	31.62	-67.59	-25.00	42.59	Vertical		
3	7360	40.16	-43.55	36.21	-62.44	-25.00	37.44	Vertical		
4	9060.5	36.77	-40.61	36.41	-62.68	-25.00	37.68	Vertical		
5	11499	30.56	-37.31	38.75	-63.26	-25.00	38.26	Vertical		
6	14347.5	29.49	-35.51	41.04	-60.25	-25.00	35.25	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 64 of 68

# Test Band = NSA 25A\_N41A\_ TM1 Test Channel = High

Final	Final Data List										
NO	Frequency	Reading	Factor	A Et -ID /1	Level	Limit	Margin	Delevite			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4557.5	42.41	-45.69	30.43	-68.11	-25.00	43.11	Horizontal			
2	7025.5	40.53	-43.72	35.27	-63.18	-25.00	38.18	Horizontal			
3	8407.5	38.65	-41.46	36.60	-61.48	-25.00	36.48	Horizontal			
4	10102	33.98	-39.13	38.25	-62.16	-25.00	37.16	Horizontal			
5	11609.5	29.23	-36.91	38.76	-64.17	-25.00	39.17	Horizontal			
6	14336	29.13	-35.67	41.03	-60.77	-25.00	35.77	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	4257	42.94	-45.64	29.72	-68.24	-25.00	43.24	Vertical			
2	5447.5	42.20	-45.27	32.47	-65.86	-25.00	40.86	Vertical			
3	6863.5	41.58	-44.13	34.95	-62.85	-25.00	37.85	Vertical			
4	7851	39.21	-42.57	36.74	-61.88	-25.00	36.88	Vertical			
5	11148	31.79	-37.69	38.71	-62.45	-25.00	37.45	Vertical			
6	13319	29.50	-36.77	39.67	-62.86	-25.00	37.86	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Condit

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 65 of 68

## Test Band = NSA 66A\_N41A\_ TM1 Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[dD/m]	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	3743	42.35	-45.68	28.84	-69.75	-25.00	44.75	Horizontal			
2	5019	42.03	-45.59	31.45	-67.37	-25.00	42.37	Horizontal			
3	6210	40.90	-44.74	33.37	-65.73	-25.00	40.73	Horizontal			
4	7639	39.91	-43.00	36.66	-61.70	-25.00	36.70	Horizontal			
5	9510	36.15	-40.17	37.27	-62.02	-25.00	37.02	Horizontal			
6	13837.5	29.65	-36.04	40.61	-61.05	-25.00	36.05	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4125	42.92	-45.76	29.40	-68.70	-25.00	43.70	Vertical			
2	5306.5	41.79	-45.10	32.14	-66.44	-25.00	41.44	Vertical			
3	7634.5	39.68	-43.00	36.65	-61.92	-25.00	36.92	Vertical			
4	8405	38.70	-41.46	36.60	-61.42	-25.00	36.42	Vertical			
5	10598	32.78	-38.48	38.50	-62.46	-25.00	37.46	Vertical			
6	13710.5	29.71	-36.19	40.38	-61.36	-25.00	36.36	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pllot Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区河胜路(号的6号广房南部 鄉編: 215000



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 66 of 68

#### Test Band = NSA 66A\_N41A\_ TM1 Test Channel = Mid

Final	Final Data List										
NO	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Dolovitu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4232.5	42.38	-45.70	29.66	-68.92	-25.00	43.92	Horizontal			
2	5698	41.45	-44.85	32.64	-66.02	-25.00	41.02	Horizontal			
3	7154	40.06	-43.78	35.63	-63.35	-25.00	38.35	Horizontal			
4	8411.5	39.20	-41.47	36.59	-60.94	-25.00	35.94	Horizontal			
5	9652.5	35.14	-39.55	37.54	-62.13	-25.00	37.13	Horizontal			
6	12087	29.48	-37.38	38.83	-64.33	-25.00	39.33	Horizontal			

Final	Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Dolority			
NO.	[MHz]	[dBµV]	[dB]	Ai [db/iii]	[dBm]	[dBm]	[dB]	Polarity			
1	4895	42.71	-45.53	31.17	-66.91	-25.00	41.91	Vertical			
2	6566.5	41.57	-44.44	34.42	-63.71	-25.00	38.71	Vertical			
3	8049.5	38.25	-41.86	36.78	-62.09	-25.00	37.09	Vertical			
4	9070.5	36.54	-40.54	36.43	-62.83	-25.00	37.83	Vertical			
5	12210.5	30.22	-37.48	38.86	-63.66	-25.00	38.66	Vertical			
6	12774.5	29.71	-36.79	39.03	-63.31	-25.00	38.31	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 67 of 68

### Test Band = NSA 66A\_N41A\_ TM1 Test Channel = High

Final Data List										
NO	Frequency	Reading	Factor	Λ [[-I]] /1	Level	Limit	Margin	Delevit		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity		
1	4439	42.44	-45.78	30.15	-68.44	-25.00	43.44	Horizontal		
2	5718	41.29	-44.83	32.64	-66.16	-25.00	41.16	Horizontal		
3	7157.5	40.32	-43.76	35.64	-63.05	-25.00	38.05	Horizontal		
4	8670.5	37.73	-41.58	36.46	-62.65	-25.00	37.65	Horizontal		
5	11212	31.55	-37.39	38.72	-62.38	-25.00	37.38	Horizontal		
6	14280.5	28.92	-35.99	41.01	-61.32	-25.00	36.32	Horizontal		

Final	Final Data List										
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Doloritu			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity			
1	4106	42.90	-45.76	29.35	-68.77	-25.00	43.77	Vertical			
2	4926	43.02	-45.56	31.24	-66.56	-25.00	41.56	Vertical			
3	6155	41.15	-44.62	33.20	-65.53	-25.00	40.53	Vertical			
4	7051	40.55	-43.89	35.34	-63.25	-25.00	38.25	Vertical			
5	8947	37.43	-41.13	36.33	-62.63	-25.00	37.63	Vertical			
6	11542	29.83	-37.14	38.75	-63.81	-25.00	38.81	Vertical			

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2310000127RG02

Rev.: 01

Page: 68 of 68

### Frequency Stability for SA

#### **Test Result**

Frequency Error VS. Voltage

	requesty = references											
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict		
N41	30	100	DFT-PI2BPSK	М	Outer_Full	VH	NT	-1.200000	-0.000526	PASS		
N41	30	100	DFT-PI2BPSK	М	Outer_Full	VN	NT	-0.600000	-0.000128	PASS		
N41	30	100	DFT-PI2BPSK	М	Outer_Full	VL	NT	-1.200000	-0.000382	PASS		
N41	30	100	CP-QPSK	М	Outer_Full	VH	NT	-1.600000	-0.000651	PASS		
N41	30	100	CP-QPSK	М	Outer_Full	VN	NT	-1.500000	-0.000527	PASS		
N41	30	100	CP-QPSK	М	Outer_Full	VL	NT	-7.400000	-0.003524	PASS		

### Frequency Error VS. Temperature

Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	-30	-0.600000	-0.000235	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	-20	-0.500000	-0.000162	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	-10	-1.500000	-0.000391	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	0	-2.300000	-0.000765	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	10	-0.700000	-0.000263	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	20	0.600000	0.000225	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	30	-1.500000	-0.000572	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	40	2.600000	0.000662	PASS
N41	30	100	DFT-PI2BPSK	М	Outer_Full	NV	50	0.500000	0.000184	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	-30	-7.500000	-0.002163	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	-20	2.500000	0.000253	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	-10	-2.600000	-0.001253	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	0	-1.600000	-0.000265	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	10	-7.200000	-0.002653	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	20	-2.500000	-0.001423	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	30	-7.500000	-0.002892	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	40	-1.700000	-0.000656	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	50	1.700000	0.000656	PASS

#### ---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgsgroup.com.cn

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000