

Report No.: SEWA2211000080RG04

Rev.: 01 Page: 1 of 9

### **TEST REPORT**

Application No.: SEWA2211000080RG

**Applicant:** Continental Automotive Systems, Inc.

Address of Applicant: 21440 West Lake Cook, Deer Park, Illinois 60010, USA

**Manufacturer:** Continental Automotive Systems, Inc.

Address of Manufacturer: 21440 West Lake Cook, Deer Park, Illinois 60010, USA

EUT Description: FE5NAR131A

Model No.: FE5NAR131A

Trade Mark: Continental

FCC ID: LHJ-FE5NAR131A Standards: 47 CFR Part 2.1091


FCC KDB 447498 D01 v06

**Date of Receipt:** 2023/02/01 **Date of Issue:** 2023/08/31

Test Result: PASS\*

\* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://mems-and-Conditions.aspx">https://mems-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://mww.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx">https://mww.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2211000080RG04

Rev.: 01 Page: 2 of 9

### Version

Revision Record								
Version	Chapter	Date	Date Modifier					
01		2023/08/31		Original				

Prepared By	(Nick Hu) / Test Engineer				
Checked By	Stone Ju (Stone Gu) / Reviewer				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443, or email: CND Doccheck@sps.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWA2211000080RG04

Rev.: 01 Page: 3 of 9

#### **Contents**

1	Ver	rsion	2
2	Gei	neral Information	4
		Client Information Test Facility	
	2.3	General Description of EUT	5
3	RF	Exposure Evaluation	7
	3.1 3.1.	RF Exposure Compliance Requirement	7 7
	3.1	.2 Test Procedure	88
		.3 EUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443, or email: CND Doccheck@sps.com

South of No. Florit, No. 1, Runsherg Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

#編: 215000 t (86-512) 62992980 t (86-512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2211000080RG04

Rev.: 01 4 of 9 Page:

#### 2 **General Information**

#### 2.1 Client Information

Applicant:	Continental Automotive Systems, Inc.				
Address of Applicant:	21440 West Lake Cook, Deer Park, Illinois 60010, USA				
Manufacturer:	Continental Automotive Systems, Inc.				
Address of Manufacturer:	21440 West Lake Cook, Deer Park, Illinois 60010, USA				

### 2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2211000080RG04

Rev.: 01 5 of 9 Page:

### 2.3 General Description of EUT

EUT Description:	FE5NAR131A								
Model No.:	FE5NAR131A								
Trade Mark:	Continental P1 1								
Hardware Version:	P1.1								
Software Version:	MODEMSA515M_LE.2.1_01.18.02								
Power Supply:	DC 14V								
Antenna Type:	⊠External,								
HPUE Power Class:	LTE Band 41; NR Band n77								
	GSM850:	2.56dBi (Ant1)	GSM1900:	1.93dBi (Ant1)					
	WCDMA Band II:	1.93dBi (Ant1)	WCDMA Band IV:	1.93dBi (Ant1)					
	WCDMA Band V:	2.56dBi (Ant1)							
	LTE Band 2:	1.93dBi (Ant1)	LTE Band 4:	1.93dBi (Ant1)					
	LTE Band 5:	2.56dBi (Ant1)	LTE Band 7:	1.24dBi (Ant1)					
	LTE Band 12:	-0.32dBi (Ant1)	LTE Band 13:	-0.32dBi (Ant1)					
	LTE Band 14:	-0.32dBi (Ant1)	LTE Band 17:	-0.32dBi (Ant1)					
	LTE Band 25:	1.93dBi (Ant1)	LTE Band 26:	2.56dBi (Ant1)					
	LTE Band 41:	1.24dBi (Ant1)	LTE Band 66:	1.93dBi (Ant1)					
	LTE Band 71:	0.94dBi (Ant1)							
	NR Band n2:	1.93dBi (Ant1)	NR Band n5:	2.56dBi (Ant1)					
	NR Band n25:	1.93dBi (Ant1)	NR Band n41:	1.24dBi (Ant1)					
Antenna Gain:	NR Band n66:	1.93dBi (Ant1)	NR Band n71:	0.91dBi (Ant1)					
	NR Band n77:	-0.84dBi (Ant2)							
	ENDC:								
	DC_5A_n2A; DC_1:	A; DC_14A_n2A; DC	_71A_n2A;						
	DC_2A_n5A; DC_7A_n5A; DC_66A_n5A;								
	DC_5A_n41A; DC_12A_n41A; DC_26A_n41A; DC_71A_n41A;								
	DC_5A_n66A; DC_	12A_n66A; DC_13A_	n66A; DC_14A_n66A	x; DC_71A_n66A;					
	DC_2A_n71A; DC_	7A_n71A; DC_66A_n	71A;						
	DC_2A_n77A; DC_5A_n77A; DC_7A_n77A; DC_12A_n77A; DC_13A_n77A;								
	DC_14A_n77A; DC_26A_n77A; DC_41A_n77A; DC_66A_n77A;								
	Note:								
	The antenna gain are derived from the gain information report provided by the manufacturer.								
Remark:									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443, or email: CND Doccheck@sps.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWA2211000080RG04

Rev.: 01 Page: 6 of 9

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWA2211000080RG04

Rev.: 7 of 9 Page:

### 3 RF Exposure Evaluation

### 3.1 RF Exposure Compliance Requirement

#### **3.1.1 Limits**

Frequency range (MHz)	Electric field strength (V/m)	field strength Magnetic field strength (V/m) (A/m)		Averaging time (minutes)					
(A) Limits for Occupational/Controlled Exposures									
0.3-3.0 614 1.63 *(100) 6									
3.0-30	1842/f	4.89/f	4.89/f *(900/f2)						
30-300	61.4	0.163	1.0 6						
300-1500	300-1500 /		f/300	6					
1500-100,000	1500-100,000 /		5	6					
(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	0.3-1.34 614 1.63 *(100) 30								
1.34-30	1.34-30 824/f		2.19/f *(180/f2)						
30-300	30-300 27.5		0.2	30					
300-1500	/	/ f/1500		30					
1500-100,000	1	1	1.0	30					

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout\*G)/(4\* Pi \* R<sup>2</sup>)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sg.sc.com/en/Terms-and-Conditions.aspx">http://www.sg.sc.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents as <a href="http://www.sg.sc.or/en/Terms-and-Conditions/Terms-and-Decument.aspx">http://www.sg.sc.or/en/Terms-and-Conditions/Terms-and-Decument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

<sup>\*=</sup>Plane-wave equivalent power density



Report No.: SEWA2211000080RG04

Rev.: 01 Page: 8 of 9

#### 3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

#### 3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
GSM850	824.2	2.56	33.50	33.91	38.45	0.0968	0.5495	7.10	10.10	7.10	Pass
GSM1900	1850.2	1.93	30.50	32.43	33.00	0.0419	1.0000	2.50	15.70	2.50	Pass
WCDMA Band II	1852.4	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
WCDMA Band IV	1712.4	1.93	24.00	25.93	30.00	0.0779	1.0000	6.00	13.01	6.00	Pass
WCDMA Band V	826.4	2.56	24.00	24.41	38.45	0.0901	0.5509	16.60	10.42	10.42	Pass
LTE Band 2	1850.7	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
LTE Band 4	1710.7	1.93	24.00	25.93	30.00	0.0779	1.0000	6.00	13.01	6.00	Pass
LTE Band 5	824.7	2.56	24.00	24.41	38.45	0.0901	0.5498	16.60	10.41	10.41	Pass
LTE Band 7	2502.5	1.24	24.00	25.24	33.00	0.0665	1.0000	9.00	13.01	9.00	Pass
LTE Band 12	699.7	-0.32	24.00	21.53	34.77	0.0464	0.4665	12.92	9.70	9.70	Pass
LTE Band 13	779.5	-0.32	24.00	21.53	34.77	0.0464	0.5197	12.92	10.16	10.16	Pass
LTE Band 14	790.5	-0.32	24.00	21.53	34.77	0.0464	0.5270	12.92	10.23	10.23	Pass
LTE Band 17	706.5	-0.32	24.00	21.53	34.77	0.0464	0.4710	12.92	9.74	9.74	Pass
LTE Band 25	1850.7	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
LTE Band 26 (814-824)	814.7	2.56	24.00	24.41	NA	0.0901	0.5431	NA	10.36	10.36	Pass
LTE Band 26 (824-849)	824.7	2.56	24.00	24.41	38.45	0.0901	0.5498	16.60	10.41	10.41	Pass
LTE Band 41	2498.5	1.24	24.00	25.24	33.00	0.0665	1.0000	9.00	13.01	9.00	Pass
LTE Band 41(HPUE)	2498.5	1.24	27.00	28.24	33.00	0.1327	1.0000	6.00	10.01	6.00	Pass
LTE Band 66	1710.7	1.93	24.00	25.93	30.00	0.0779	1.0000	6.00	13.01	6.00	Pass
LTE Band 71	665.5	0.94	24.00	22.79	34.77	0.0620	0.4437	12.92	9.48	9.48	Pass
NR Band n2	1852.5	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
NR Band n5	826.5	2.56	24.00	24.41	38.45	0.0901	0.5510	16.60	10.42	10.42	Pass
NR Band n25	1852.5	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
NR Band n41	2506.0	1.24	24.00	25.24	33.00	0.0665	1.0000	9.00	13.01	9.00	Pass
NR Band n66	1712.5	1.93	24.00	25.93	30.00	0.0779	1.0000	6.00	13.01	6.00	Pass
NR Band n71	665.5	0.91	24.00	22.76	34.77	0.0616	0.4437	12.92	9.48	9.48	Pass
NR Band n77 (3700-3980)	3710.0	-0.84	24.00	23.16	30.00	0.0412	1.0000	6.00	13.01	6.00	Pass
NR Band n77 (3700-3980)(HPUE)	3710.0	-0.84	27.00	26.16	30.00	0.0822	1.0000	3.00	10.01	3.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Term

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2211000080RG04

Rev.: 01 9 of 9 Page:

Remark: Frame-average power=Burst power+ Division Factors (-9.19)

Due to the EUT support NR ENDC and CA

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is: NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC 26A n41A) situation is 0.1659+0.0665=0.2324, which is less than "1", this confirmed that the device comply with MPE limit.

---End of Report---



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn