

Report No.: SEWA2211000082RG04

Rev.: 01 Page: 1 of 9

TEST REPORT

Application No.: SEWA2211000082RG

Applicant: Continental Automotive Systems, Inc.

Address of Applicant: 21440 West Lake Cook, Deer Park, Illinois 60010, USA

Manufacturer: Continental Automotive Systems, Inc.

Address of Manufacturer: 21440 West Lake Cook, Deer Park, Illinois 60010, USA

EUT Description: FE5RWR131

Model No.: FE5RWR131

Trade Mark: Continental

FCC ID: LHJ-FE5RWR131 Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2023/02/01 (for report SEWA2211000080RG04)


2023/02/01 (for report SEWA2211000082RG04)

Date of Issue: 2023/09/08

Test Result: PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

0 t (86–512) 62992980 0 t (86–512) 62992980



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 2 of 9

Version

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2023/09/08		Original				

Prepared By	(Nick Hu) / Test Engineer				
Checked By	Stone Gu) / Reviewer				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86–512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 3 of 9

Remark:

This test report (Report No.: SEWA2211000082RG04 issue on 2023/09/08) is based on the original test report (Report No.: SEWA2211000080RG04 issued on 2023/08/31).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Therefore in this report the LTE Band 38 were recalculated and other items in this report are based on the previous report with report number SEWA2211000080RG04 issued on 2023/08/31.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Conditions/Terms-en-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 4 of 9

Contents

1	Vei	rsion	2
2	Ge	eneral Information	5
	2.1	Client Information	5
	2.2	Test Facility	5
	2.3	General Description of EUT	6
3	RF	Exposure Evaluation	7
	3.1	RF Exposure Compliance Requirement	7
		I.1 Limits	
	3.1	1.2 Test Procedure	8
	3 1	1.3 FUT RF Exposure Evaluation	8



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86–512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 5 of 9

2 General Information

2.1 Client Information

Applicant:	Continental Automotive Systems, Inc.
Address of Applicant:	21440 West Lake Cook, Deer Park, Illinois 60010, USA
Manufacturer:	Continental Automotive Systems, Inc.
Address of Manufacturer:	21440 West Lake Cook, Deer Park, Illinois 60010, USA

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

 ${\tt SGS-CSTC\ STANDARDS\ TECHNICAL\ SERVICES\ (SUZHOU)\ CO.,\ LTD.\ has\ been\ recognized\ as\ an}$

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2211000082RG04

Rev.: 01 Page: 6 of 9

2.3 General Description of EUT

EUT Description:	FE5RWR131									
Model No.:	FE5RWR131									
Trade Mark:	Continental									
Hardware Version:	P1.1									
Software Version:	MODEMSA515M_L	_E.2.1_01.18.02								
Power Supply:	DC 14V									
Antenna Type:	⊠External, □Integ	grated								
HPUE Power Class:	LTE Band 41; NR E	LTE Band 41; NR Band n77								
	GSM850:	2.56dBi (Ant1)	GSM1900:	1.93dBi (Ant1)						
	WCDMA Band V:	2.56dBi (Ant1)								
	LTE Band 2:	1.93dBi (Ant1)	LTE Band 4:	1.93dBi (Ant1)						
	LTE Band 5:	2.56dBi (Ant1)	LTE Band 7:	1.24dBi (Ant1)						
	LTE Band 25:	1.93dBi (Ant1)	LTE Band 26:	2.56dBi (Ant1)						
Antenna Gain:	LTE Band 38:	1.24dBi (Ant1)	LTE Band 41:	1.24dBi (Ant1)						
	NR Band n77:	-0.84dBi (Ant2)								
	ENDC:									
	DC_2A_n77A; DC_5A_n77A; DC_7A_n77A; DC_41A_n77A									
	Note:									
	The antenna gain are derived from the gain information report provided by the manufacturer.									

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) less teal and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND boccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86–512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 7 of 9

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0 614 1.63 *(100) 6										
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	1	1	5	6						
	(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30						
1.34-30	1.34-30 824/f		*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	1	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ags; and, for electronic Documents at little;//www.ags.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions (Terms-e-Document as Intelligence). Attention is drawn to the limitation of liability, indemnification and jurisdicts, convention and provided the convention of th

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 8 of 9

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
GSM850	824.2	2.56	33.50	33.91	38.45	0.0968	0.5495	7.10	10.10	7.10	Pass
GSM1900	1850.2	1.93	30.50	32.43	33.00	0.0419	1.0000	2.50	15.70	2.50	Pass
WCDMA Band V	826.4	2.56	24.00	24.41	38.45	0.0901	0.5509	16.60	10.42	10.42	Pass
LTE Band 2	1850.7	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
LTE Band 4	1710.7	1.93	24.00	25.93	30.00	0.0779	1.0000	6.00	13.01	6.00	Pass
LTE Band 5	824.7	2.56	24.00	24.41	38.45	0.0901	0.5498	16.60	10.41	10.41	Pass
LTE Band 7	2502.5	1.24	24.00	25.24	33.00	0.0665	1.0000	9.00	13.01	9.00	Pass
LTE Band 25	1850.7	1.93	24.00	25.93	33.00	0.0779	1.0000	9.00	13.01	9.00	Pass
LTE Band 26 (814-824)	814.7	2.56	24.00	24.41	NA	0.0901	0.5431	NA	10.36	10.36	Pass
LTE Band 26 (824-849)	824.7	2.56	24.00	24.41	38.45	0.0901	0.5498	16.60	10.41	10.41	Pass
LTE Band 38	2572.5	1.24	24.00	25.24	33.00	0.0665	1.0000	9.00	13.01	9.00	Pass
LTE Band 41	2498.5	1.24	24.00	25.24	33.00	0.0665	1.0000	9.00	13.01	9.00	Pass
LTE Band 41(HPUE)	2498.5	1.24	27.00	28.24	33.00	0.1327	1.0000	6.00	10.01	6.00	Pass
NR Band n77 (3700-3980)	3710.0	-0.84	24.00	23.16	30.00	0.0412	1.0000	6.00	13.01	6.00	Pass
NR Band n77 (3700-3980)(HPUE)	3710.0	-0.84	27.00	26.16	30.00	0.0822	1.0000	3.00	10.01	3.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results of the company of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results of the company of the sample (s) tested and such sample(s) are retained for 30 days only.

**Total Content of the Company of the sample (s) tested and such sample(s) are retained for 30 days only.

**Total Content of the Company of the sample (s) tested and such sample(s) are retained for 30 days only.

**Total Content of the Company of the sample (s) tested and such sample(s) are retained for 30 days only.

**Total Content of the Company of the sample (s) testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: Content of the content of

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2211000082RG04

Rev.: 01 Page: 9 of 9

Remark: Frame-average power=Burst power+ Division Factors (-9.19)

Due to the EUT support NR ENDC and CA

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is: NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC_5A_n77A) situation is 0.164+0.082=0.246, which is less than "1", this confirmed that the device comply with MPE limit.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document I advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Pfant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980