


Data#: 12 File#: Tom042903.EMI

Date: 04-30-2003 Time: 11:52:57



**(Auxil ATC)**

Trace: 11

Ref Trace:


Condition: FCC CLASS-B 3m CHAMBER 030306 1185 VERTICAL  
Company : ALVARION  
EUT Description : SU-I-900  
Model Number : SU-I-900, FCC ID LKT-ASU-900  
Test Configuration: EUT and Support Equipment  
Test Target : FCC Class B  
Mode of Operation: TX

Page: 1

	Read Freq	Probe Level	Probe Factor	Cable Loss	Preamp Factor	Limit Level	Over Line	Limit	Remark
	MHz	dBuV	dB	dB	dB	dBuV/m	dBuV/m	dB	
1	34.590	13.76	16.92	0.59	0.00	31.27	40.00	-8.73	Peak
2	37.480	18.39	16.70	0.58	0.00	35.67	40.00	-4.33	Peak
3	124.180	24.10	10.16	1.06	0.00	35.32	43.50	-8.18	Peak
4	139.990	27.23	8.86	1.13	0.00	37.21	43.50	-6.29	Peak
5	141.690	25.03	8.73	1.13	0.00	34.89	43.50	-8.61	Peak
6	142.880	24.87	8.64	1.13	0.00	34.64	43.50	-8.86	Peak
7	143.730	26.88	8.58	1.14	0.00	36.60	43.50	-6.90	Peak
8	146.790	25.81	8.37	1.19	0.00	35.36	43.50	-8.14	Peak
9	198.980	27.01	9.02	1.38	0.00	37.41	43.50	-6.09	Peak

Data#: 10 File#: Tom042903.EMI

Date: 04-30-2003 Time: 11:46:30



**(Auxil ATC)**

Trace: 9

Ref Trace:


Condition: FCC CLASS-B 3m CHAMBER 030306 1185 VERTICAL  
Company : ALVARION  
EUT Description : SU-I-900  
Model Number : SU-I-900, FCC ID LKT-ASU-900  
Test Configuration: EUT and Support Equipment  
Test Target : FCC Class B  
Mode of Operation: TX

Page: 1

	Read Freq	Probe Level	Probe Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dB	dBuV/m	dBuV/m	dB	
1	200.800	20.38	9.03	1.38	0.00	30.79	43.50	-12.71	Peak
2	232.800	20.22	10.85	1.50	0.00	32.57	46.00	-13.43	Peak
3	301.600	22.09	12.09	1.72	0.00	35.90	46.00	-10.10	Peak
4	321.600	22.23	12.63	1.80	0.00	36.66	46.00	-9.34	Peak
5	371.200	20.26	13.82	1.96	0.00	36.04	46.00	-9.96	Peak
6	469.600	22.32	15.95	2.22	0.00	40.49	46.00	-5.51	Peak
7	502.400	20.46	16.57	2.31	0.00	39.34	46.00	-6.66	Peak
8	601.600	18.67	17.70	2.54	0.00	38.91	46.00	-7.09	Peak
9	700.800	16.08	18.57	2.75	0.00	37.40	46.00	-8.60	Peak
10	753.600	14.92	19.25	2.92	0.00	37.08	46.00	-8.92	Peak
11	803.200	14.33	19.83	3.03	0.00	37.19	46.00	-8.81	Peak
12	869.600	14.93	20.36	3.12	0.00	38.41	46.00	-7.59	Peak

Data#: 15 File#: Tom042903.EMI

Date: 04-30-2003 Time: 12:06:58



(Audix ATC)

Trace: 14

Ref Trace:


Condition: FCC CLASS-B 3m CHAMBER 030306 1185 HORIZONTAL  
 Company : ALVARION  
 EUT Description : SU-I-900  
 Model Number : SU-I-900, FCC ID LKT-ASU-900  
 Test Configuration: EUT and Support Equipment  
 Test Target : FCC Class B  
 Mode of Operation: TX

Page: 1

	Read Freq	Probe Level	Probe Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dB	dBuV/m	dBuV/m	dB	
1	99.530	17.24	8.81	0.96	0.00	27.01	43.50	-16.49	Peak
2	119.930	16.99	10.56	1.03	0.00	28.58	43.50	-14.92	Peak
3	124.520	19.87	10.13	1.06	0.00	31.06	43.50	-12.44	Peak
4	139.990	20.26	8.86	1.13	0.00	30.24	43.50	-13.26	Peak
5	199.490	25.27	9.00	1.38	0.00	35.65	43.50	-7.85	Peak

Data#: 10 File#: Tom042903.EMI

Date: 04-30-2003 Time: 11:46:30



(Audix ATC)

Trace: 9

Ref Trace:

Condition: FCC CLASS-B 3m CHAMBER 030306 1185 VERTICAL  
Company : ALVARION  
EUT Description : SU-I-900  
Model Number : SU-I-900, FCC ID LKT-ASU-900  
Test Configuration: EUT and Support Equipment  
Test Target : FCC Class B  
Mode of Operation: TX

Page: 1

	Freq	Read Level	Probe Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dB	dBuV/m	dBuV/m	dB	
1	200.800	20.38	9.03	1.38	0.00	30.79	43.50	-12.71	Peak
2	232.800	20.22	10.85	1.50	0.00	32.57	46.00	-13.43	Peak
3	301.600	22.09	12.09	1.72	0.00	35.90	46.00	-10.10	Peak
4	321.600	22.23	12.63	1.80	0.00	36.66	46.00	-9.34	Peak
5	371.200	20.26	13.82	1.96	0.00	36.04	46.00	-9.96	Peak
6	469.600	22.32	15.95	2.22	0.00	40.49	46.00	-5.51	Peak
7	502.400	20.46	16.57	2.31	0.00	39.34	46.00	-6.66	Peak
8	601.600	18.67	17.70	2.54	0.00	38.91	46.00	-7.09	Peak
9	700.800	16.08	18.57	2.75	0.00	37.40	46.00	-8.60	Peak
10	753.600	14.92	19.25	2.92	0.00	37.08	46.00	-8.92	Peak
11	803.200	14.33	19.83	3.03	0.00	37.19	46.00	-8.81	Peak
12	869.600	14.93	20.36	3.12	0.00	38.41	46.00	-7.59	Peak