



FCC, VCCI, CISPR, CE, AUSTEL, NZ  
UL, CSA, TUV, BSMI, DHHS, NVLAP

1366 BORDEAUX DRIVE, SUNNYVALE, CA 94089  
PHONE: (408) 752-8166 FAX: (408) 752-8168

*Project #:* \_\_\_\_\_  
*Report #:* 000821f7  
*Date & Time:* \_\_\_\_\_  
*Test Engr:* Tom & Thu

*Company:* Breezecom  
*EUT Description:* Antenna M/N: 005881  
*Test Configuration :* EUT  
*Type of Test:* Bandedge Measurement 2483.5 - 2500MHz  
*Mode of Operation:* Highest Channel set @ 500, Fundamental 2.46GHz

A-Ste   
  B-Ste   
  C-Ste   
  F-Ste   
 6 W oistData   
 \_\_\_\_\_

Freq. (MHz)	Reading (dBuV)	AF (dB)	Closs (dB)	Pre-amp (dB)	Dist dB	Other dB	Level (dBuV/m)	Limit FCC_B	Margin (dB)	Pol (H/V)	Height (Meter)	Mark (P/Q/A)
2488	47.00	28.0	2.0	0.00	20.0	0.00	57.00	74.00	-17.00	V	1.0	P
2488	36.74	28.0	2.0	0.00	20.0	0.00	46.74	54.00	-7.26	V	1.0	Av

Total data #: 2  
V.2f

Peak: RBW=VBW=1MHz  
Average: RBW=1MHz, VBW=10Hz

Other = High Pass Filter  
Distance = 20\*log(dm/ds)