



hp IF OUTPUT
REF 10.0 dBm ATTEN 20 dB
10 dB/

MKR 440.00 MHz
-14.80 dBm




CENTER 440.0 MHz SPAN 10.0 MHz
RES BW 100 kHz VBW 100 kHz SWP 20.0 msec



HIGH CHANNEL MASK (2688.5MHz)
REF 25.1 dBm ATTEN 10 dB

MKR 2.696 00 GHz
-55.50 dBm

hp
10 dB/
OFFSET
30.0
dB
DL
17.2
dBm



CENTER 2.690 0 GHz
RES BW 100 kHz

VBW 100 kHz

SPAN 12.0 MHz
SWP 20.0 msec

21.900. CONDUCTED SPURIOUS (AU-RE-3.5A)

MKR 2.090 GHz

hp


REF 30.0 dBm ATTN 10 dB

-41.60 dBm

10 dB/

OFFSET
30.0
dB

DL
-30.0
dBm



CENTER 1.25 GHz

RES BW 100 kHz

VBW 100 kHz

SPAN 2.50 GHz

SWP 750 msec

21.908. CONDUCTED SPURIOUS (AU-RE-3.5A)

MKR 2.58 GHz

hp


REF 30.0 dBm ATTN 10 dB

25.70 dBm

10 dB/

OFFSET
30.0
dB

DL
-30.0
dBm



START 2.5 GHz

RES BW 100 kHz

VBW 100 kHz

STOP 22.0 GHz

SWP 5.85 sec