



MTI Wireless Edge Ltd.

רח' המלאכה 11 פארק אפק, ראש העין 48091

11 Hamelacha St., Afek Industrial Park, Rosh Ha'ayin 48091, Israel

טל: 972-3-9025050, פקס: 972-3-9025051

www.mti-group.co.il

SPECIFICATION FOR AN 1303 (AL – 465006/M) SUBSCRIBER ANTENNA 5.15 – 5.875 GHz, 20 dBi

THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE PROPRIETARY AND CONFIDENTIAL TO MTI. NO PERSON IS ALLOWED TO COPY REPRINT REPRODUCE OR PUBLISH ANY PART OF THIS DOCUMENT NOR DISCLOSE ITS CONTENTS TO OTHERS NOR MAKE ANY USE OF IT NOR ALLOW OR ASSIST OTHERS TO MAKE ANY USE OF IT, UNLESS BY THE PRIOR WRITTEN EXPRESS AUTHORIZATION OF MTI AND THEN ONLY TO THE EXTENT AUTHORIZED.

(C) COPYRIGHT – MTI WIRELESS EDGE LTD.

MTI WIRELESS EDGE LTD.	AN13 03 (AL – 465006/M)	REV
SCALE: NONE	DOC NO. RD41580500C	SHEET 1 OF 3

MTI WIRELESS EDGE LTD.	SPECIFICATION FOR AL – 465006/M SUBSCRIBER ANTENNA		
DOC NO. RD41580500C	5.15 – 5.875 GHz, 20 dBi		
SCALE: NONE	CLASSIFICATION: NONE	REV	SHEET 2 OF 3

REVISION RECORD				
REV	ECO	DESCRIPTION	APVD	DATE
01		Change feed point location	Yael H.	27.1.05
02		Change feed point location & gain	Yael H.	31.105
03		Change feed point location & gain	Yael H.	28.2.05
04		Add note	Yael H.	7.3.05
05		CHANGE DIM OF BASE PLATE	Yael H.	6.5.05
06		CHANGE FREQ. RANGE	Yael H.	1.1.06
07		CHANGE P/N FROM MT TO AL	Yael H.	12.4.06

SHEET	43	44	45	46	47	48	49	50	51	52	53	54	55	56
REV														
SHEET	29	30	31	32	33	34	35	36	37	38	39	40	41	42
REV														
SHEET	15	16	17	18	19	20	21	22	23	24	25	26	27	28
REV														
SHEET	1	2	3	4	5	6	7	8	9	10	11	12	13	14
REV														

PRODUCT STATUS:			
<input type="checkbox"/> PROPOSAL	<input checked="" type="checkbox"/> IN DEVELOPMENT	<input type="checkbox"/> PREPRODUCTION	<input type="checkbox"/> PRODUCTION

CONTRACT NO			
ACTION	NAME	SIGN	DATE
PREP	Yael	Yael	19.1.05
CHKD	DOV FEINER		
CHKD			
CHKD			
DSGN	MICHAEL H.		
PROJ	MOTI ROSTMY		
MFG			
QA	MOTI MOTOVICH		
MARK.	EFI AGMON		

MTI WIRELESS EDGE LTD.	SPECIFICATION FOR AL – 465006/M		
DOC NO. RD41580500C	SUBSCRIBER ANTENNA		
	5.15 – 5.875 GHz, 20 dBi		
SCALE: NONE	CLASSIFICATION: NONE	REV	SHEET 3 OF 3

SPECIFICATION

FLAT PANEL SUBSCRIBER ANTENNA

MTI PART NUMBER		AN 1303(AL – 465006/M)	
REGULATORY COMPLIANCE		ETSI EN 302 085 v 1.2.2 (2003-08) Range 1	
	MIN	TYP	MAX
<u>1. ELECTRICAL</u>			
FREQUENCY RANGE	5.15 GHz		5.875 GHz
GAIN	19.5 dBi 20 dBi	@ 5.15 – 5.25GHz @5.25 – 5.875GHz	
VSWR		1.5 : 1	1.7 : 1
-3 dB BEAMWIDTH		14°	
POLARIZATION		Linear Vertical @ Horizontal	
SIDELOBES LEVEL		ETSI EN 302 085 v1.2.2 TS1-TS3	
CROSS POLARIZATION		ETSI EN 302 085 v1.2.2 TS1-TS3	
F/B RATIO		-30 dB	
INPUT IMPEDANCE		50 (ohm)	
INPUT POWER		6W	
LIGHTNING PROTECTION		DC Grounded	
<u>2. MECHANICAL</u>			
PCB DIMENSIONS (L x W x D)		199.9 x 199.9 x 0.8 mm	
PCB TO GROUND PLATE SPACE		2.5 mm	
WEIGHT		150 g	
CONNECTOR		Pin see PO41670200C	
RADOME SUPPLY BY CUSTOMER		POLYCARBONAT 2407	
BASE PLATE SUPPLY BY CUSTOMER		209.9 x 209.9 mm	
ANTENNA ORIENTATION		Diamond Shape	
OUTLINE DRAWING		RD41627000C	

NOTE:

Antenna parameters apply in full enclosure configuration including coax cable up to 10 cm

MTI WIRELESS EDGE LTD.	SPECIFICATION FOR AL – 465006/M SUBSCRIBER ANTENNA		
DOC NO. RD41580500C	5.15 – 5.875 GHz, 20 dBi		
SCALE: NONE	CLASSIFICATION: NONE	REV	SHEET 4 OF 3