



## 802.11ax-HE160 26dB Bandwidth


## Channel 15 (6025MHz)



## Channel 47 (6185MHz)




## Channel 79 (6345MHz)



## Channel 111 (6505MHz)



## Channel 143 (6665MHz)



## Channel 175 (6825MHz)




## Channel 207 (6985MHz)




## 802.11be-EHT20 26dB Bandwidth


## Channel 1 (5955MHz)




## Channel 49 (6195MHz)



## Channel 93 (6415MHz)




## Channel 97 (6435MHz)



## Channel 105 (6475MHz)




## Channel 113 (6515MHz)



## Channel 117 (6535MHz)



## Channel 149 (6695MHz)



802.11be-EHT20 26dB Bandwidth

Channel 181 (6855MHz)



Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 209 (6995MHz)




Channel 229 (7095MHz)




802.11be-EHT40 26dB Bandwidth

Channel 3 (5965MHz)




Channel 51 (6205MHz)



Channel 91 (6405MHz)




Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11be-EHT40 26dB Bandwidth


Channel 179 (6845MHz)



Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




## 802.11be-EHT80 26dB Bandwidth

## Channel 7 (5985MHz)




## Channel 55 (6225MHz)




## Channel 87 (6385MHz)




## Channel 103 (6465MHz)




## Channel 119 (6545MHz)




## Channel 135 (6625MHz)



## Channel 151 (6705MHz)




## Channel 167 (6785MHz)




802.11be-EHT80 26dB Bandwidth


Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11be-EHT160 26dB Bandwidth


Channel 15 (6025MHz)



Channel 47 (6185MHz)



Channel 79 (6345MHz)



Channel 111 (6505MHz)



Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)






## 802.11be-EHT320-1 26dB Bandwidth


## Channel 31 (6105MHz)



## Channel 95 (6425MHz)




## Channel 159 (6745MHz)




## 802.11be-EHT320-2 26dB Bandwidth


## Channel 63 (6265MHz)



## Channel 127 (6585MHz)



## Channel 191 (6905MHz)



**A.3 Output Power Test Result**

Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06	Test Mode	SISO Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
802.11a	MCS0	1	5955	113.30	18.10	≤ 30.00
802.11a	MCS0	49	6195	113.00	17.80	≤ 30.00
802.11a	MCS0	93	6415	112.80	17.60	≤ 30.00
802.11a	MCS0	97	6435	113.00	17.80	≤ 30.00
802.11a	MCS0	105	6475	112.90	17.70	≤ 30.00
802.11a	MCS0	113	6515	112.80	17.60	≤ 30.00
802.11a	MCS0	117	6535	113.00	17.80	≤ 30.00
802.11a	MCS0	149	6695	113.00	17.80	≤ 30.00
802.11a	MCS0	181	6855	113.20	18.00	≤ 30.00
802.11a	MCS0	185	6875	112.90	17.70	≤ 30.00
802.11a	MCS0	189	6895	113.00	17.80	≤ 30.00
802.11a	MCS0	209	6995	112.80	17.60	≤ 30.00
802.11a	MCS0	229	7095	113.20	18.00	≤ 30.00

Note: EIRP (dBm) = EIRP (dBμV/m) + Correction Factor @ 3m, Correction Factor @ 3m =  $20\log(D) - 104.7$ ;  
 where D is the measurement distance @3m = -95.2dB

Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06~2024-03-08	Test Mode	CDD & STBC Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
<b>CDD Mode</b>						
802.11a	MCS0	1	5955	108.40	13.20	≤ 30.00
802.11a	MCS0	49	6195	109.60	14.40	≤ 30.00
802.11a	MCS0	93	6415	109.60	14.40	≤ 30.00
802.11a	MCS0	97	6435	109.70	14.50	≤ 30.00
802.11a	MCS0	105	6475	109.80	14.60	≤ 30.00
802.11a	MCS0	113	6515	109.70	14.50	≤ 30.00
802.11a	MCS0	117	6535	110.10	14.90	≤ 30.00
802.11a	MCS0	149	6695	109.40	14.20	≤ 30.00
802.11a	MCS0	181	6855	108.40	13.20	≤ 30.00
802.11a	MCS0	185	6875	108.30	13.10	≤ 30.00
802.11a	MCS0	189	6895	108.10	12.90	≤ 30.00
802.11a	MCS0	209	6995	108.40	13.20	≤ 30.00
802.11a	MCS0	229	7095	108.60	13.40	≤ 30.00
<b>STBC Mode</b>						
802.11ax-HE20	MCS0	1	5955	113.20	18.00	≤ 30.00
802.11ax-HE20	MCS0	49	6195	114.10	18.90	≤ 30.00
802.11ax-HE20	MCS0	93	6415	113.70	18.50	≤ 30.00
802.11ax-HE20	MCS0	97	6435	113.90	18.70	≤ 30.00
802.11ax-HE20	MCS0	105	6475	113.80	18.60	≤ 30.00
802.11ax-HE20	MCS0	113	6515	113.70	18.50	≤ 30.00
802.11ax-HE20	MCS0	117	6535	113.50	18.30	≤ 30.00
802.11ax-HE20	MCS0	149	6695	113.60	18.40	≤ 30.00
802.11ax-HE20	MCS0	181	6855	113.00	17.80	≤ 30.00
802.11ax-HE20	MCS0	185	6875	113.30	18.10	≤ 30.00
802.11ax-HE20	MCS0	189	6895	113.40	18.20	≤ 30.00
802.11ax-HE20	MCS0	209	6995	112.90	17.70	≤ 30.00
802.11ax-HE20	MCS0	229	7095	113.70	18.50	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
<b>STBC Mode</b>						
802.11ax-HE40	MCS0	3	5965	115.90	20.70	≤ 30.00
802.11ax-HE40	MCS0	51	6205	116.30	21.10	≤ 30.00
802.11ax-HE40	MCS0	91	6405	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	99	6445	116.60	21.40	≤ 30.00
802.11ax-HE40	MCS0	107	6485	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	115	6525	116.80	21.60	≤ 30.00
802.11ax-HE40	MCS0	123	6565	116.80	21.60	≤ 30.00
802.11ax-HE40	MCS0	147	6685	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	179	6845	116.20	21.00	≤ 30.00
802.11ax-HE40	MCS0	187	6885	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	195	6925	116.10	20.90	≤ 30.00
802.11ax-HE40	MCS0	211	7005	116.60	21.40	≤ 30.00
802.11ax-HE40	MCS0	227	7085	116.50	21.30	≤ 30.00
802.11ax-HE80	MCS0	7	5985	119.40	24.20	≤ 30.00
802.11ax-HE80	MCS0	55	6225	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	87	6385	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	103	6465	119.90	24.70	≤ 30.00
802.11ax-HE80	MCS0	119	6545	120.10	24.90	≤ 30.00
802.11ax-HE80	MCS0	135	6625	119.70	24.50	≤ 30.00
802.11ax-HE80	MCS0	151	6705	119.80	24.60	≤ 30.00
802.11ax-HE80	MCS0	167	6785	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	183	6865	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	199	6945	119.50	24.30	≤ 30.00
802.11ax-HE80	MCS0	215	7025	119.50	24.30	≤ 30.00
802.11ax-HE160	MCS0	15	6025	122.50	27.30	≤ 30.00
802.11ax-HE160	MCS0	47	6185	122.60	27.40	≤ 30.00
802.11ax-HE160	MCS0	79	6345	122.50	27.30	≤ 30.00
802.11ax-HE160	MCS0	111	6505	122.80	27.60	≤ 30.00
802.11ax-HE160	MCS0	143	6665	122.80	27.60	≤ 30.00
802.11ax-HE160	MCS0	175	6825	122.50	27.30	≤ 30.00
802.11ax-HE160	MCS0	207	6985	121.80	26.60	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
STBC Mode						
802.11be-EHT20	MCS0	1	5955	113.10	17.90	≤ 30.00
802.11be-EHT20	MCS0	49	6195	113.20	18.00	≤ 30.00
802.11be-EHT20	MCS0	93	6415	113.60	18.40	≤ 30.00
802.11be-EHT20	MCS0	97	6435	113.10	17.90	≤ 30.00
802.11be-EHT20	MCS0	105	6475	113.50	18.30	≤ 30.00
802.11be-EHT20	MCS0	113	6515	113.80	18.60	≤ 30.00
802.11be-EHT20	MCS0	117	6535	113.70	18.50	≤ 30.00
802.11be-EHT20	MCS0	149	6695	113.60	18.40	≤ 30.00
802.11be-EHT20	MCS0	181	6855	113.30	18.10	≤ 30.00
802.11be-EHT20	MCS0	185	6875	113.20	18.00	≤ 30.00
802.11be-EHT20	MCS0	189	6895	113.00	17.80	≤ 30.00
802.11be-EHT20	MCS0	209	6995	113.30	18.10	≤ 30.00
802.11be-EHT20	MCS0	229	7095	113.00	17.80	≤ 30.00
802.11be-EHT40	MCS0	3	5965	116.00	20.80	≤ 30.00
802.11be-EHT40	MCS0	51	6205	116.80	21.60	≤ 30.00
802.11be-EHT40	MCS0	91	6405	116.30	21.10	≤ 30.00
802.11be-EHT40	MCS0	99	6445	116.20	21.00	≤ 30.00
802.11be-EHT40	MCS0	107	6485	116.20	21.00	≤ 30.00
802.11be-EHT40	MCS0	115	6525	116.10	20.90	≤ 30.00
802.11be-EHT40	MCS0	123	6565	116.30	21.10	≤ 30.00
802.11be-EHT40	MCS0	147	6685	116.50	21.30	≤ 30.00
802.11be-EHT40	MCS0	179	6845	116.40	21.20	≤ 30.00
802.11be-EHT40	MCS0	187	6885	116.80	21.60	≤ 30.00
802.11be-EHT40	MCS0	195	6925	116.00	20.80	≤ 30.00
802.11be-EHT40	MCS0	211	7005	116.00	20.80	≤ 30.00
802.11be-EHT40	MCS0	227	7085	116.40	21.20	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
STBC Mode						
802.11be-EHT80	MCS0	7	5985	119.10	23.90	≤ 30.00
802.11be-EHT80	MCS0	55	6225	119.50	24.30	≤ 30.00
802.11be-EHT80	MCS0	87	6385	119.30	24.10	≤ 30.00
802.11be-EHT80	MCS0	103	6465	119.80	24.60	≤ 30.00
802.11be-EHT80	MCS0	119	6545	119.70	24.50	≤ 30.00
802.11be-EHT80	MCS0	135	6625	119.60	24.40	≤ 30.00
802.11be-EHT80	MCS0	151	6705	119.90	24.70	≤ 30.00
802.11be-EHT80	MCS0	167	6785	119.70	24.50	≤ 30.00
802.11be-EHT80	MCS0	183	6865	119.30	24.10	≤ 30.00
802.11be-EHT80	MCS0	199	6945	119.70	24.50	≤ 30.00
802.11be-EHT80	MCS0	215	7025	119.40	24.20	≤ 30.00
802.11be-EHT160	MCS0	15	6025	122.40	27.20	≤ 30.00
802.11be-EHT160	MCS0	47	6185	122.30	27.10	≤ 30.00
802.11be-EHT160	MCS0	79	6345	122.30	27.10	≤ 30.00
802.11be-EHT160	MCS0	111	6505	122.60	27.40	≤ 30.00
802.11be-EHT160	MCS0	143	6665	122.60	27.40	≤ 30.00
802.11be-EHT160	MCS0	175	6825	122.40	27.20	≤ 30.00
802.11be-EHT160	MCS0	207	6985	121.60	26.40	≤ 30.00
802.11be-EHT320-1	MCS0	31	6105	125.00	29.80	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	124.90	29.70	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	124.50	29.30	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	124.90	29.70	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	125.00	29.80	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	124.40	29.20	≤ 30.00

Note:  $EIRP (dBm) = EIRP (dB\mu V/m) + \text{Correction Factor @ } 3m, \text{ Correction Factor @ } 3m = 20\log(D) - 104.7;$   
 where D is the measurement distance @3m = -95.2dB

**A.4 Power Spectral Density Test Result**


Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06	Test Mode	SISO Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dB $\mu$ V/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
802.11a	MCS0	1	5955	100.083	4.88	$\leq 5.00$
802.11a	MCS0	49	6195	100.098	4.90	$\leq 5.00$
802.11a	MCS0	93	6415	99.760	4.56	$\leq 5.00$
802.11a	MCS0	97	6435	99.762	4.56	$\leq 5.00$
802.11a	MCS0	105	6475	99.683	4.48	$\leq 5.00$
802.11a	MCS0	113	6515	99.664	4.46	$\leq 5.00$
802.11a	MCS0	117	6535	99.771	4.57	$\leq 5.00$
802.11a	MCS0	149	6695	99.784	4.58	$\leq 5.00$
802.11a	MCS0	181	6855	99.985	4.79	$\leq 5.00$
802.11a	MCS0	185	6875	100.043	4.84	$\leq 5.00$
802.11a	MCS0	189	6895	99.727	4.53	$\leq 5.00$
802.11a	MCS0	209	6995	99.747	4.55	$\leq 5.00$
802.11a	MCS0	229	7095	100.079	4.88	$\leq 5.00$

Note: EIRP PSD (dBm/MHz) = EIRP PSD (dB $\mu$ V/m/MHz) + Correction Factor @ 3m, Correction Factor @ 3m =  $20\log(D) - 104.7$ ; where D is the measurement distance @3m = -95.2dB

## 802.11a Power Spectral Density


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)





## 802.11a Power Spectral Density


Channel 117 (6535MHz)




Channel 149 (6695MHz)




Channel 181 (6855MHz)



Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 209 (6995MHz)





Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06~2024-03-08	Test Mode	CDD Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dB $\mu$ V/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
<b>CDD Mode</b>						
802.11a	MCS0	1	5955	99.742	4.54	$\leq 5.00$
802.11a	MCS0	49	6195	99.761	4.56	$\leq 5.00$
802.11a	MCS0	93	6415	99.955	4.76	$\leq 5.00$
802.11a	MCS0	97	6435	99.633	4.43	$\leq 5.00$
802.11a	MCS0	105	6475	99.802	4.60	$\leq 5.00$
802.11a	MCS0	113	6515	99.911	4.71	$\leq 5.00$
802.11a	MCS0	117	6535	100.056	4.86	$\leq 5.00$
802.11a	MCS0	149	6695	99.846	4.65	$\leq 5.00$
802.11a	MCS0	181	6855	99.966	4.77	$\leq 5.00$
802.11a	MCS0	185	6875	99.871	4.67	$\leq 5.00$
802.11a	MCS0	189	6895	99.664	4.46	$\leq 5.00$
802.11a	MCS0	209	6995	99.933	4.73	$\leq 5.00$
802.11a	MCS0	229	7095	99.831	4.63	$\leq 5.00$
<b>STBC Mode</b>						
802.11ax-HE20	MCS0	1	5955	99.918	4.718	$\leq 5.00$
802.11ax-HE20	MCS0	49	6195	99.981	4.781	$\leq 5.00$
802.11ax-HE20	MCS0	93	6415	99.794	4.594	$\leq 5.00$
802.11ax-HE20	MCS0	97	6435	100.027	4.827	$\leq 5.00$
802.11ax-HE20	MCS0	105	6475	100.088	4.888	$\leq 5.00$
802.11ax-HE20	MCS0	113	6515	99.891	4.691	$\leq 5.00$
802.11ax-HE20	MCS0	117	6535	100.088	4.888	$\leq 5.00$
802.11ax-HE20	MCS0	149	6695	99.802	4.602	$\leq 5.00$
802.11ax-HE20	MCS0	181	6855	99.615	4.415	$\leq 5.00$
802.11ax-HE20	MCS0	185	6875	100.020	4.820	$\leq 5.00$
802.11ax-HE20	MCS0	189	6895	99.862	4.662	$\leq 5.00$
802.11ax-HE20	MCS0	209	6995	99.633	4.433	$\leq 5.00$
802.11ax-HE20	MCS0	229	7095	100.071	4.871	$\leq 5.00$

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dB $\mu$ V/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
STBC Mode						
802.11ax-HE40	MCS0	3	5965	99.587	4.387	$\leq 5.00$
802.11ax-HE40	MCS0	51	6205	100.039	4.839	$\leq 5.00$
802.11ax-HE40	MCS0	91	6405	100.052	4.852	$\leq 5.00$
802.11ax-HE40	MCS0	99	6445	99.772	4.572	$\leq 5.00$
802.11ax-HE40	MCS0	107	6485	99.923	4.723	$\leq 5.00$
802.11ax-HE40	MCS0	115	6525	100.089	4.889	$\leq 5.00$
802.11ax-HE40	MCS0	123	6565	100.054	4.854	$\leq 5.00$
802.11ax-HE40	MCS0	147	6685	99.914	4.714	$\leq 5.00$
802.11ax-HE40	MCS0	179	6845	99.752	4.552	$\leq 5.00$
802.11ax-HE40	MCS0	187	6885	99.980	4.780	$\leq 5.00$
802.11ax-HE40	MCS0	195	6925	99.780	4.580	$\leq 5.00$
802.11ax-HE40	MCS0	211	7005	100.068	4.868	$\leq 5.00$
802.11ax-HE40	MCS0	227	7085	100.046	4.846	$\leq 5.00$
802.11ax-HE80	MCS0	7	5985	99.703	4.503	$\leq 5.00$
802.11ax-HE80	MCS0	55	6225	99.733	4.533	$\leq 5.00$
802.11ax-HE80	MCS0	87	6385	99.904	4.704	$\leq 5.00$
802.11ax-HE80	MCS0	103	6465	99.821	4.621	$\leq 5.00$
802.11ax-HE80	MCS0	119	6545	99.971	4.771	$\leq 5.00$
802.11ax-HE80	MCS0	135	6625	99.875	4.675	$\leq 5.00$
802.11ax-HE80	MCS0	151	6705	99.866	4.666	$\leq 5.00$
802.11ax-HE80	MCS0	167	6785	99.699	4.499	$\leq 5.00$
802.11ax-HE80	MCS0	183	6865	100.083	4.883	$\leq 5.00$
802.11ax-HE80	MCS0	199	6945	99.867	4.667	$\leq 5.00$
802.11ax-HE80	MCS0	215	7025	99.751	4.551	$\leq 5.00$
802.11ax-HE160	MCS0	15	6025	100.075	4.875	$\leq 5.00$
802.11ax-HE160	MCS0	47	6185	99.914	4.714	$\leq 5.00$
802.11ax-HE160	MCS0	79	6345	99.875	4.675	$\leq 5.00$
802.11ax-HE160	MCS0	111	6505	99.861	4.661	$\leq 5.00$
802.11ax-HE160	MCS0	143	6665	100.072	4.872	$\leq 5.00$
802.11ax-HE160	MCS0	175	6825	100.019	4.819	$\leq 5.00$
802.11ax-HE160	MCS0	207	6985	100.073	4.873	$\leq 5.00$


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dB $\mu$ V/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
STBC Mode						
802.11be-EHT20	MCS0	1	5955	99.783	4.583	$\leq 5.00$
802.11be-EHT20	MCS0	49	6195	99.643	4.443	$\leq 5.00$
802.11be-EHT20	MCS0	93	6415	99.723	4.523	$\leq 5.00$
802.11be-EHT20	MCS0	97	6435	99.681	4.481	$\leq 5.00$
802.11be-EHT20	MCS0	105	6475	99.846	4.646	$\leq 5.00$
802.11be-EHT20	MCS0	113	6515	99.980	4.780	$\leq 5.00$
802.11be-EHT20	MCS0	117	6535	99.995	4.795	$\leq 5.00$
802.11be-EHT20	MCS0	149	6695	100.049	4.849	$\leq 5.00$
802.11be-EHT20	MCS0	181	6855	99.835	4.635	$\leq 5.00$
802.11be-EHT20	MCS0	185	6875	99.980	4.780	$\leq 5.00$
802.11be-EHT20	MCS0	189	6895	99.729	4.529	$\leq 5.00$
802.11be-EHT20	MCS0	209	6995	99.843	4.643	$\leq 5.00$
802.11be-EHT20	MCS0	229	7095	99.538	4.338	$\leq 5.00$
802.11be-EHT40	MCS0	3	5965	99.726	4.526	$\leq 5.00$
802.11be-EHT40	MCS0	51	6205	100.008	4.808	$\leq 5.00$
802.11be-EHT40	MCS0	91	6405	99.702	4.502	$\leq 5.00$
802.11be-EHT40	MCS0	99	6445	99.686	4.486	$\leq 5.00$
802.11be-EHT40	MCS0	107	6485	99.722	4.522	$\leq 5.00$
802.11be-EHT40	MCS0	115	6525	99.743	4.543	$\leq 5.00$
802.11be-EHT40	MCS0	123	6565	99.655	4.455	$\leq 5.00$
802.11be-EHT40	MCS0	147	6685	100.047	4.847	$\leq 5.00$
802.11be-EHT40	MCS0	179	6845	99.678	4.478	$\leq 5.00$
802.11be-EHT40	MCS0	187	6885	100.081	4.881	$\leq 5.00$
802.11be-EHT40	MCS0	195	6925	99.647	4.447	$\leq 5.00$
802.11be-EHT40	MCS0	211	7005	99.654	4.454	$\leq 5.00$
802.11be-EHT40	MCS0	227	7085	100.033	4.833	$\leq 5.00$

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dB $\mu$ V/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
STBC Mode						
802.11be-EHT80	MCS0	7	5985	99.822	4.622	$\leq 5.00$
802.11be-EHT80	MCS0	55	6225	99.809	4.609	$\leq 5.00$
802.11be-EHT80	MCS0	87	6385	99.725	4.525	$\leq 5.00$
802.11be-EHT80	MCS0	103	6465	99.862	4.662	$\leq 5.00$
802.11be-EHT80	MCS0	119	6545	99.970	4.770	$\leq 5.00$
802.11be-EHT80	MCS0	135	6625	99.713	4.513	$\leq 5.00$
802.11be-EHT80	MCS0	151	6705	100.047	4.847	$\leq 5.00$
802.11be-EHT80	MCS0	167	6785	100.009	4.809	$\leq 5.00$
802.11be-EHT80	MCS0	183	6865	99.824	4.624	$\leq 5.00$
802.11be-EHT80	MCS0	199	6945	100.100	4.900	$\leq 5.00$
802.11be-EHT80	MCS0	215	7025	99.890	4.690	$\leq 5.00$
802.11be-EHT160	MCS0	15	6025	100.071	4.871	$\leq 5.00$
802.11be-EHT160	MCS0	47	6185	99.805	4.605	$\leq 5.00$
802.11be-EHT160	MCS0	79	6345	99.847	4.647	$\leq 5.00$
802.11be-EHT160	MCS0	111	6505	100.078	4.878	$\leq 5.00$
802.11be-EHT160	MCS0	143	6665	99.741	4.541	$\leq 5.00$
802.11be-EHT160	MCS0	175	6825	99.953	4.753	$\leq 5.00$
802.11be-EHT160	MCS0	207	6985	99.771	4.571	$\leq 5.00$
802.11be-EHT320-1	MCS0	31	6105	99.622	4.422	$\leq 5.00$
802.11be-EHT320-1	MCS0	95	6425	99.805	4.605	$\leq 5.00$
802.11be-EHT320-1	MCS0	159	6745	99.411	4.211	$\leq 5.00$
802.11be-EHT320-2	MCS0	63	6265	99.653	4.453	$\leq 5.00$
802.11be-EHT320-2	MCS0	127	6585	99.586	4.386	$\leq 5.00$
802.11be-EHT320-2	MCS0	191	6905	100.093	4.893	$\leq 5.00$

Note: EIRP PSD (dBm/MHz) = EIRP PSD (dB $\mu$ V/m/MHz) + Correction Factor @ 3m, Correction Factor @ 3m =  $20\log(D) - 104.7$ ; where D is the measurement distance @3m = -95.2dB

## 802.11a Power Spectral Density


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



## 802.11a Power Spectral Density

Channel 117 (6535MHz)



Channel 149 (6695MHz)



Channel 181 (6855MHz)



Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 209 (6995MHz)

