



802.11be-EHT20 26dB Bandwidth

Channel 181 (6855MHz)




Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 209 (6995MHz)




Channel 229 (7095MHz)




802.11be-EHT40 26dB Bandwidth


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11be-EHT40 26dB Bandwidth


Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11be-EHT80 26dB Bandwidth


Channel 7 (5985MHz)



Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)




Channel 135 (6625MHz)



Channel 151 (6705MHz)




Channel 167 (6785MHz)



802.11be-EHT80 26dB Bandwidth


Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11be-EHT160 26dB Bandwidth


Channel 15 (6025MHz)




Channel 47 (6185MHz)



Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)






Channel 175 (6825MHz)



Channel 207 (6985MHz)



802.11be-EHT320 26dB Bandwidth



A.3 Output Power Test Result

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2024-01-16~2024-02-27	Test Mode	CDD & STBC Mode

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log(1/x)	Total EIRP (dBm)	Limit (dBm)
802.11a	6Mbps	1	5955	106.5	11.30	98.84	0.05	11.30	≤ 30.00
802.11a	6Mbps	49	6195	107.9	12.70	98.84	0.05	12.70	≤ 30.00
802.11a	6Mbps	93	6415	108.3	13.10	98.84	0.05	13.10	≤ 30.00
802.11a	6Mbps	97	6435	108.5	13.30	98.84	0.05	13.30	≤ 30.00
802.11a	6Mbps	105	6475	108.4	13.20	98.84	0.05	13.20	≤ 30.00
802.11a	6Mbps	113	6515	108.0	12.80	98.84	0.05	12.80	≤ 30.00
802.11a	6Mbps	117	6535	108.9	13.70	98.84	0.05	13.70	≤ 30.00
802.11a	6Mbps	149	6695	107.6	12.40	98.84	0.05	12.40	≤ 30.00
802.11a	6Mbps	181	6855	107.3	12.10	98.84	0.05	12.10	≤ 30.00
802.11a	6Mbps	185	6875	107.4	12.20	98.84	0.05	12.20	≤ 30.00
802.11a	6Mbps	189	6895	107.9	12.70	98.84	0.05	12.70	≤ 30.00
802.11a	6Mbps	209	6995	109.0	13.80	98.84	0.05	13.80	≤ 30.00
802.11a	6Mbps	229	7095	109.1	13.90	98.84	0.05	13.90	≤ 30.00
802.11ax-HE20	MCS0	1	5955	113.3	18.10	99.45	0.02	18.10	≤ 30.00
802.11ax-HE20	MCS0	49	6195	112.6	17.40	99.45	0.02	17.40	≤ 30.00
802.11ax-HE20	MCS0	93	6415	112.9	17.70	99.45	0.02	17.70	≤ 30.00
802.11ax-HE20	MCS0	97	6435	112.9	17.70	99.45	0.02	17.70	≤ 30.00
802.11ax-HE20	MCS0	105	6475	112.7	17.50	99.45	0.02	17.50	≤ 30.00
802.11ax-HE20	MCS0	113	6515	112.4	17.20	99.45	0.02	17.20	≤ 30.00
802.11ax-HE20	MCS0	117	6535	112.0	16.80	99.45	0.02	16.80	≤ 30.00
802.11ax-HE20	MCS0	149	6695	112.6	17.40	99.45	0.02	17.40	≤ 30.00
802.11ax-HE20	MCS0	181	6855	113.0	17.80	99.45	0.02	17.80	≤ 30.00
802.11ax-HE20	MCS0	185	6875	113.0	17.80	99.45	0.02	17.80	≤ 30.00
802.11ax-HE20	MCS0	189	6895	112.5	17.30	99.45	0.02	17.30	≤ 30.00
802.11ax-HE20	MCS0	209	6995	112.5	17.30	99.45	0.02	17.30	≤ 30.00
802.11ax-HE20	MCS0	229	7095	112.7	17.50	99.45	0.02	17.50	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log(1/x)	Total EIRP (dBm)	Limit (dBm)
802.11ax-HE40	MCS0	3	5965	116.1	20.90	98.73	0.06	20.90	≤ 30.00
802.11ax-HE40	MCS0	51	6205	116.0	20.80	98.73	0.06	20.80	≤ 30.00
802.11ax-HE40	MCS0	91	6405	116.4	21.20	98.73	0.06	21.20	≤ 30.00
802.11ax-HE40	MCS0	99	6445	115.9	20.70	98.73	0.06	20.70	≤ 30.00
802.11ax-HE40	MCS0	107	6485	116.2	21.00	98.73	0.06	21.00	≤ 30.00
802.11ax-HE40	MCS0	115	6525	116.0	20.80	98.73	0.06	20.80	≤ 30.00
802.11ax-HE40	MCS0	123	6565	116.3	21.10	98.73	0.06	21.10	≤ 30.00
802.11ax-HE40	MCS0	147	6685	116.0	20.80	98.73	0.06	20.80	≤ 30.00
802.11ax-HE40	MCS0	179	6845	116.2	21.00	98.73	0.06	21.00	≤ 30.00
802.11ax-HE40	MCS0	187	6885	115.6	20.40	98.73	0.06	20.40	≤ 30.00
802.11ax-HE40	MCS0	195	6925	115.9	20.70	98.73	0.06	20.70	≤ 30.00
802.11ax-HE40	MCS0	211	7005	116.4	21.20	98.73	0.06	21.20	≤ 30.00
802.11ax-HE40	MCS0	227	7085	116.2	21.00	98.73	0.06	21.00	≤ 30.00
802.11ax-HE80	MCS0	7	5985	119.4	24.20	99.08	0.04	24.20	≤ 30.00
802.11ax-HE80	MCS0	55	6225	119.6	24.40	99.08	0.04	24.40	≤ 30.00
802.11ax-HE80	MCS0	87	6385	119.1	23.90	99.08	0.04	23.90	≤ 30.00
802.11ax-HE80	MCS0	103	6465	118.8	23.60	99.08	0.04	23.60	≤ 30.00
802.11ax-HE80	MCS0	119	6545	118.8	23.60	99.08	0.04	23.60	≤ 30.00
802.11ax-HE80	MCS0	135	6625	119.1	23.90	99.08	0.04	23.90	≤ 30.00
802.11ax-HE80	MCS0	151	6705	119.4	24.20	99.08	0.04	24.20	≤ 30.00
802.11ax-HE80	MCS0	167	6785	118.9	23.70	99.08	0.04	23.70	≤ 30.00
802.11ax-HE80	MCS0	183	6865	119.0	23.80	99.08	0.04	23.80	≤ 30.00
802.11ax-HE80	MCS0	199	6945	118.7	23.50	99.08	0.04	23.50	≤ 30.00
802.11ax-HE80	MCS0	215	7025	118.9	23.70	99.08	0.04	23.70	≤ 30.00
802.11ax-HE160	MCS0	15	6025	121.7	26.50	99.45	0.02	26.50	≤ 30.00
802.11ax-HE160	MCS0	47	6185	122.0	26.80	99.45	0.02	26.80	≤ 30.00
802.11ax-HE160	MCS0	79	6345	122.2	27.00	99.45	0.02	27.00	≤ 30.00
802.11ax-HE160	MCS0	111	6505	121.0	25.80	99.45	0.02	25.80	≤ 30.00
802.11ax-HE160	MCS0	143	6665	121.6	26.40	99.45	0.02	26.40	≤ 30.00
802.11ax-HE160	MCS0	175	6825	121.4	26.20	99.45	0.02	26.20	≤ 30.00
802.11ax-HE160	MCS0	207	6985	120.6	25.40	99.45	0.02	25.40	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP (dBUV/m)	EIRP (dBm)	Duty Cycle (%)	10*log(1/x)	Total EIRP (dBm)	Limit (dBm)
802.11be-EHT20	MCS0	1	5955	113.1	17.90	99.45	0.02	17.90	≤ 30.00
802.11be-EHT20	MCS0	49	6195	112.8	17.60	99.45	0.02	17.60	≤ 30.00
802.11be-EHT20	MCS0	93	6415	113.1	17.90	99.45	0.02	17.90	≤ 30.00
802.11be-EHT20	MCS0	97	6435	112.7	17.50	99.45	0.02	17.50	≤ 30.00
802.11be-EHT20	MCS0	105	6475	112.3	17.10	99.45	0.02	17.10	≤ 30.00
802.11be-EHT20	MCS0	113	6515	112.4	17.20	99.45	0.02	17.20	≤ 30.00
802.11be-EHT20	MCS0	117	6535	112.7	17.50	99.45	0.02	17.50	≤ 30.00
802.11be-EHT20	MCS0	149	6695	112.8	17.60	99.45	0.02	17.60	≤ 30.00
802.11be-EHT20	MCS0	181	6855	112.8	17.60	99.45	0.02	17.60	≤ 30.00
802.11be-EHT20	MCS0	185	6875	112.6	17.40	99.45	0.02	17.40	≤ 30.00
802.11be-EHT20	MCS0	189	6895	112.6	17.40	99.45	0.02	17.40	≤ 30.00
802.11be-EHT20	MCS0	209	6995	113.1	17.90	99.45	0.02	17.90	≤ 30.00
802.11be-EHT20	MCS0	229	7095	113.2	18.00	99.45	0.02	18.00	≤ 30.00
802.11be-EHT40	MCS0	3	5965	116.0	20.80	99.09	0.04	20.80	≤ 30.00
802.11be-EHT40	MCS0	51	6205	116.3	21.10	99.09	0.04	21.10	≤ 30.00
802.11be-EHT40	MCS0	91	6405	116.2	21.00	99.09	0.04	21.00	≤ 30.00
802.11be-EHT40	MCS0	99	6445	115.7	20.50	99.09	0.04	20.50	≤ 30.00
802.11be-EHT40	MCS0	107	6485	115.8	20.60	99.09	0.04	20.60	≤ 30.00
802.11be-EHT40	MCS0	115	6525	116.1	20.90	99.09	0.04	20.90	≤ 30.00
802.11be-EHT40	MCS0	123	6565	116.1	20.90	99.09	0.04	20.90	≤ 30.00
802.11be-EHT40	MCS0	147	6685	115.9	20.70	99.09	0.04	20.70	≤ 30.00
802.11be-EHT40	MCS0	179	6845	115.6	20.40	99.09	0.04	20.40	≤ 30.00
802.11be-EHT40	MCS0	187	6885	116.0	20.80	99.09	0.04	20.80	≤ 30.00
802.11be-EHT40	MCS0	195	6925	115.6	20.40	99.09	0.04	20.40	≤ 30.00
802.11be-EHT40	MCS0	211	7005	115.9	20.70	99.09	0.04	20.70	≤ 30.00
802.11be-EHT40	MCS0	227	7085	116.2	21.00	99.09	0.04	21.00	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log(1/x)	Total EIRP (dBm)	Limit (dBm)
802.11be-EHT80	MCS0	7	5985	118.9	23.70	98.91	0.05	23.70	≤ 30.00
802.11be-EHT80	MCS0	55	6225	119.7	24.50	98.91	0.05	24.50	≤ 30.00
802.11be-EHT80	MCS0	87	6385	118.8	23.60	98.91	0.05	23.60	≤ 30.00
802.11be-EHT80	MCS0	103	6465	118.6	23.40	98.91	0.05	23.40	≤ 30.00
802.11be-EHT80	MCS0	119	6545	118.9	23.70	98.91	0.05	23.70	≤ 30.00
802.11be-EHT80	MCS0	135	6625	118.6	23.40	98.91	0.05	23.40	≤ 30.00
802.11be-EHT80	MCS0	151	6705	119.1	23.90	98.91	0.05	23.90	≤ 30.00
802.11be-EHT80	MCS0	167	6785	119.2	24.00	98.91	0.05	24.00	≤ 30.00
802.11be-EHT80	MCS0	183	6865	119.0	23.80	98.91	0.05	23.80	≤ 30.00
802.11be-EHT80	MCS0	199	6945	119.2	24.00	98.91	0.05	24.00	≤ 30.00
802.11be-EHT80	MCS0	215	7025	119.4	24.20	98.91	0.05	24.20	≤ 30.00
802.11be-EHT160	MCS0	15	6025	122.2	27.00	99.27	0.03	27.00	≤ 30.00
802.11be-EHT160	MCS0	47	6185	122.5	27.30	99.27	0.03	27.30	≤ 30.00
802.11be-EHT160	MCS0	79	6345	122.1	26.90	99.27	0.03	26.90	≤ 30.00
802.11be-EHT160	MCS0	111	6505	121.9	26.70	99.27	0.03	26.70	≤ 30.00
802.11be-EHT160	MCS0	143	6665	121.8	26.60	99.27	0.03	26.60	≤ 30.00
802.11be-EHT160	MCS0	175	6825	121.3	26.10	99.27	0.03	26.10	≤ 30.00
802.11be-EHT160	MCS0	207	6985	121.1	25.90	99.27	0.03	25.90	≤ 30.00
802.11be-EHT320	MCS0	31	6105	124.3	29.10	99.49	0.02	29.10	≤ 30.00
802.11be-EHT320	MCS0	63	6265	124.5	29.30	99.49	0.02	29.30	≤ 30.00
802.11be-EHT320	MCS0	95	6425	124.5	29.30	99.49	0.02	29.30	≤ 30.00
802.11be-EHT320	MCS0	127	6585	124.5	29.30	99.49	0.02	29.30	≤ 30.00
802.11be-EHT320	MCS0	159	6745	124.7	29.50	99.49	0.02	29.50	≤ 30.00
802.11be-EHT320	MCS0	191	6905	122.0	26.80	99.49	0.02	26.80	≤ 30.00

Note 1: EIRP (dBm) = EIRP (dBuV/m) – 95.2.

Note 2: Total EIRP (dBm) = EIRP (dBm) +10*log(1/duty cycle).

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2024-01-26~2024-02-01	Test Mode	SISO Mode

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log(1/x)	Total EIRP (dBm)	Limit (dBm)
802.11a	6Mbps	1	5955	113.1	17.90	98.84	0.05	17.90	≤ 30.00
802.11a	6Mbps	49	6195	113.3	18.10	98.84	0.05	18.10	≤ 30.00
802.11a	6Mbps	93	6415	113.1	17.90	98.84	0.05	17.90	≤ 30.00
802.11a	6Mbps	97	6435	113.0	17.80	98.84	0.05	17.80	≤ 30.00
802.11a	6Mbps	105	6475	112.7	17.50	98.84	0.05	17.50	≤ 30.00
802.11a	6Mbps	113	6515	113.3	18.10	98.84	0.05	18.10	≤ 30.00
802.11a	6Mbps	117	6535	113.1	17.90	98.84	0.05	17.90	≤ 30.00
802.11a	6Mbps	149	6695	112.9	17.70	98.84	0.05	17.70	≤ 30.00
802.11a	6Mbps	181	6855	113.3	18.10	98.84	0.05	18.10	≤ 30.00
802.11a	6Mbps	185	6875	113.1	17.90	98.84	0.05	17.90	≤ 30.00
802.11a	6Mbps	189	6895	113.0	17.80	98.84	0.05	17.80	≤ 30.00
802.11a	6Mbps	209	6995	112.9	17.70	98.84	0.05	17.70	≤ 30.00
802.11a	6Mbps	229	7095	112.9	17.70	98.84	0.05	17.70	≤ 30.00

Note 1: $EIRP (dBm) = EIRP (dBuV/m) - 95.2$.

Note 2: If duty cycle $\geq 98\%$, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz).

If duty cycle $< 98\%$, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz) + $10 \cdot \log(1/\text{duty cycle})$.

A.4 Power Spectral Density Test Result

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2024-01-16~2024-02-27	Test Mode	CDD & STBC Mode

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log(1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11a	6Mbps	1	5955	99.578	4.38	98.84	0.05	4.38	≤ 5.00
802.11a	6Mbps	49	6195	99.929	4.73	98.84	0.05	4.73	≤ 5.00
802.11a	6Mbps	93	6415	100.128	4.93	98.84	0.05	4.93	≤ 5.00
802.11a	6Mbps	97	6435	99.921	4.72	98.84	0.05	4.72	≤ 5.00
802.11a	6Mbps	105	6475	100.013	4.81	98.84	0.05	4.81	≤ 5.00
802.11a	6Mbps	113	6515	99.905	4.71	98.84	0.05	4.71	≤ 5.00
802.11a	6Mbps	117	6535	100.062	4.86	98.84	0.05	4.86	≤ 5.00
802.11a	6Mbps	149	6695	99.850	4.65	98.84	0.05	4.65	≤ 5.00
802.11a	6Mbps	181	6855	99.758	4.56	98.84	0.05	4.56	≤ 5.00
802.11a	6Mbps	185	6875	99.767	4.57	98.84	0.05	4.57	≤ 5.00
802.11a	6Mbps	189	6895	100.046	4.85	98.84	0.05	4.85	≤ 5.00
802.11a	6Mbps	209	6995	99.718	4.52	98.84	0.05	4.52	≤ 5.00
802.11a	6Mbps	229	7095	99.994	4.79	98.84	0.05	4.79	≤ 5.00
802.11ax-HE20	MCS0	1	5955	99.876	4.68	99.45	0.02	4.68	≤ 5.00
802.11ax-HE20	MCS0	49	6195	99.814	4.61	99.45	0.02	4.61	≤ 5.00
802.11ax-HE20	MCS0	93	6415	99.921	4.72	99.45	0.02	4.72	≤ 5.00
802.11ax-HE20	MCS0	97	6435	99.947	4.75	99.45	0.02	4.75	≤ 5.00
802.11ax-HE20	MCS0	105	6475	100.015	4.82	99.45	0.02	4.82	≤ 5.00
802.11ax-HE20	MCS0	113	6515	99.850	4.65	99.45	0.02	4.65	≤ 5.00
802.11ax-HE20	MCS0	117	6535	99.674	4.47	99.45	0.02	4.47	≤ 5.00
802.11ax-HE20	MCS0	149	6695	99.713	4.51	99.45	0.02	4.51	≤ 5.00
802.11ax-HE20	MCS0	181	6855	99.847	4.65	99.45	0.02	4.65	≤ 5.00
802.11ax-HE20	MCS0	185	6875	100.066	4.87	99.45	0.02	4.87	≤ 5.00
802.11ax-HE20	MCS0	189	6895	99.761	4.56	99.45	0.02	4.56	≤ 5.00
802.11ax-HE20	MCS0	209	6995	99.671	4.47	99.45	0.02	4.47	≤ 5.00
802.11ax-HE20	MCS0	229	7095	99.627	4.43	99.45	0.02	4.43	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log(1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE40	MCS0	3	5965	99.895	4.69	98.73	0.06	4.69	≤ 5.00
802.11ax-HE40	MCS0	51	6205	100.009	4.81	98.73	0.06	4.81	≤ 5.00
802.11ax-HE40	MCS0	91	6405	100.096	4.90	98.73	0.06	4.90	≤ 5.00
802.11ax-HE40	MCS0	99	6445	99.980	4.78	98.73	0.06	4.78	≤ 5.00
802.11ax-HE40	MCS0	107	6485	99.874	4.67	98.73	0.06	4.67	≤ 5.00
802.11ax-HE40	MCS0	115	6525	99.826	4.63	98.73	0.06	4.63	≤ 5.00
802.11ax-HE40	MCS0	123	6565	100.089	4.89	98.73	0.06	4.89	≤ 5.00
802.11ax-HE40	MCS0	147	6685	99.764	4.56	98.73	0.06	4.56	≤ 5.00
802.11ax-HE40	MCS0	179	6845	99.699	4.50	98.73	0.06	4.50	≤ 5.00
802.11ax-HE40	MCS0	187	6885	99.694	4.49	98.73	0.06	4.49	≤ 5.00
802.11ax-HE40	MCS0	195	6925	99.808	4.61	98.73	0.06	4.61	≤ 5.00
802.11ax-HE40	MCS0	211	7005	100.137	4.94	98.73	0.06	4.94	≤ 5.00
802.11ax-HE40	MCS0	227	7085	99.641	4.44	98.73	0.06	4.44	≤ 5.00
802.11ax-HE80	MCS0	7	5985	99.991	4.79	99.08	0.04	4.79	≤ 5.00
802.11ax-HE80	MCS0	55	6225	99.713	4.51	99.08	0.04	4.51	≤ 5.00
802.11ax-HE80	MCS0	87	6385	100.024	4.82	99.08	0.04	4.82	≤ 5.00
802.11ax-HE80	MCS0	103	6465	99.913	4.71	99.08	0.04	4.71	≤ 5.00
802.11ax-HE80	MCS0	119	6545	100.113	4.91	99.08	0.04	4.91	≤ 5.00
802.11ax-HE80	MCS0	135	6625	99.789	4.59	99.08	0.04	4.59	≤ 5.00
802.11ax-HE80	MCS0	151	6705	100.040	4.84	99.08	0.04	4.84	≤ 5.00
802.11ax-HE80	MCS0	167	6785	99.865	4.66	99.08	0.04	4.66	≤ 5.00
802.11ax-HE80	MCS0	183	6865	99.856	4.66	99.08	0.04	4.66	≤ 5.00
802.11ax-HE80	MCS0	199	6945	99.750	4.55	99.08	0.04	4.55	≤ 5.00
802.11ax-HE80	MCS0	215	7025	99.841	4.64	99.08	0.04	4.64	≤ 5.00
802.11ax-HE160	MCS0	15	6025	99.743	4.54	99.45	0.02	4.54	≤ 5.00
802.11ax-HE160	MCS0	47	6185	99.951	4.75	99.45	0.02	4.75	≤ 5.00
802.11ax-HE160	MCS0	79	6345	100.032	4.83	99.45	0.02	4.83	≤ 5.00
802.11ax-HE160	MCS0	111	6505	99.454	4.25	99.45	0.02	4.25	≤ 5.00
802.11ax-HE160	MCS0	143	6665	99.779	4.58	99.45	0.02	4.58	≤ 5.00
802.11ax-HE160	MCS0	175	6825	99.677	4.48	99.45	0.02	4.48	≤ 5.00
802.11ax-HE160	MCS0	207	6985	98.964	3.76	99.45	0.02	3.76	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log(1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT20	MCS0	1	5955	99.963	4.76	99.45	0.02	4.76	≤ 5.00
802.11be-EHT20	MCS0	49	6195	99.997	4.80	99.45	0.02	4.80	≤ 5.00
802.11be-EHT20	MCS0	93	6415	99.859	4.66	99.45	0.02	4.66	≤ 5.00
802.11be-EHT20	MCS0	97	6435	99.749	4.55	99.45	0.02	4.55	≤ 5.00
802.11be-EHT20	MCS0	105	6475	99.780	4.58	99.45	0.02	4.58	≤ 5.00
802.11be-EHT20	MCS0	113	6515	99.799	4.60	99.45	0.02	4.60	≤ 5.00
802.11be-EHT20	MCS0	117	6535	99.908	4.71	99.45	0.02	4.71	≤ 5.00
802.11be-EHT20	MCS0	149	6695	100.042	4.84	99.45	0.02	4.84	≤ 5.00
802.11be-EHT20	MCS0	181	6855	100.138	4.94	99.45	0.02	4.94	≤ 5.00
802.11be-EHT20	MCS0	185	6875	99.628	4.43	99.45	0.02	4.43	≤ 5.00
802.11be-EHT20	MCS0	189	6895	99.845	4.65	99.45	0.02	4.65	≤ 5.00
802.11be-EHT20	MCS0	209	6995	100.019	4.82	99.45	0.02	4.82	≤ 5.00
802.11be-EHT20	MCS0	229	7095	100.113	4.91	99.45	0.02	4.91	≤ 5.00
802.11be-EHT40	MCS0	3	5965	99.859	4.66	99.09	0.04	4.66	≤ 5.00
802.11be-EHT40	MCS0	51	6205	100.000	4.80	99.09	0.04	4.80	≤ 5.00
802.11be-EHT40	MCS0	91	6405	100.142	4.94	99.09	0.04	4.94	≤ 5.00
802.11be-EHT40	MCS0	99	6445	99.810	4.61	99.09	0.04	4.61	≤ 5.00
802.11be-EHT40	MCS0	107	6485	99.797	4.60	99.09	0.04	4.60	≤ 5.00
802.11be-EHT40	MCS0	115	6525	100.074	4.87	99.09	0.04	4.87	≤ 5.00
802.11be-EHT40	MCS0	123	6565	99.748	4.55	99.09	0.04	4.55	≤ 5.00
802.11be-EHT40	MCS0	147	6685	99.690	4.49	99.09	0.04	4.49	≤ 5.00
802.11be-EHT40	MCS0	179	6845	99.832	4.63	99.09	0.04	4.63	≤ 5.00
802.11be-EHT40	MCS0	187	6885	99.874	4.67	99.09	0.04	4.67	≤ 5.00
802.11be-EHT40	MCS0	195	6925	99.667	4.47	99.09	0.04	4.47	≤ 5.00
802.11be-EHT40	MCS0	211	7005	99.887	4.69	99.09	0.04	4.69	≤ 5.00
802.11be-EHT40	MCS0	227	7085	99.787	4.59	99.09	0.04	4.59	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log(1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT80	MCS0	7	5985	100.136	4.94	98.91	0.05	4.94	≤ 5.00
802.11be-EHT80	MCS0	55	6225	100.048	4.85	98.91	0.05	4.85	≤ 5.00
802.11be-EHT80	MCS0	87	6385	100.011	4.81	98.91	0.05	4.81	≤ 5.00
802.11be-EHT80	MCS0	103	6465	99.966	4.77	98.91	0.05	4.77	≤ 5.00
802.11be-EHT80	MCS0	119	6545	99.717	4.52	98.91	0.05	4.52	≤ 5.00
802.11be-EHT80	MCS0	135	6625	99.792	4.59	98.91	0.05	4.59	≤ 5.00
802.11be-EHT80	MCS0	151	6705	100.059	4.86	98.91	0.05	4.86	≤ 5.00
802.11be-EHT80	MCS0	167	6785	99.786	4.59	98.91	0.05	4.59	≤ 5.00
802.11be-EHT80	MCS0	183	6865	99.886	4.69	98.91	0.05	4.69	≤ 5.00
802.11be-EHT80	MCS0	199	6945	99.965	4.77	98.91	0.05	4.77	≤ 5.00
802.11be-EHT80	MCS0	215	7025	100.076	4.88	98.91	0.05	4.88	≤ 5.00
802.11be-EHT160	MCS0	15	6025	100.169	4.97	99.27	0.03	4.97	≤ 5.00
802.11be-EHT160	MCS0	47	6185	99.918	4.72	99.27	0.03	4.72	≤ 5.00
802.11be-EHT160	MCS0	79	6345	99.648	4.45	99.27	0.03	4.45	≤ 5.00
802.11be-EHT160	MCS0	111	6505	99.845	4.65	99.27	0.03	4.65	≤ 5.00
802.11be-EHT160	MCS0	143	6665	100.142	4.94	99.27	0.03	4.94	≤ 5.00
802.11be-EHT160	MCS0	175	6825	99.718	4.52	99.27	0.03	4.52	≤ 5.00
802.11be-EHT160	MCS0	207	6985	99.770	4.57	99.27	0.03	4.57	≤ 5.00
802.11be-EHT320	MCS0	31	6105	98.987	3.79	99.49	0.02	3.79	≤ 5.00
802.11be-EHT320	MCS0	63	6265	99.690	4.49	99.49	0.02	4.49	≤ 5.00
802.11be-EHT320	MCS0	95	6425	99.531	4.33	99.49	0.02	4.33	≤ 5.00
802.11be-EHT320	MCS0	127	6585	99.738	4.54	99.49	0.02	4.54	≤ 5.00
802.11be-EHT320	MCS0	159	6745	99.882	4.68	99.49	0.02	4.68	≤ 5.00
802.11be-EHT320	MCS0	191	6905	97.894	2.69	99.49	0.02	2.69	≤ 5.00


Note 1: EIRP PSD (dBm/MHz) = EIRP PSD (dBuV/m/MHz) – 95.2.

Note 2: If duty cycle ≥ 98%, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz).


If duty cycle < 98%, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz) + 10*log(1/duty cycle).

802.11a Power Spectral Density


Channel 1 (5955MHz)



Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)




Channel 105 (6475MHz)




Channel 113 (6515MHz)



Channel 117 (6535MHz)




Channel 149 (6695MHz)




802.11a Power Spectral Density


Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 209 (6995MHz)



Channel 229 (7095MHz)




802.11ax-HE20 Power Spectral Density

Channel 1 (5955MHz)



Channel 49 (6195MHz)



Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



Channel 117 (6535MHz)




Channel 149 (6695MHz)




802.11ax-HE20 Power Spectral Density


Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 209 (6995MHz)




Channel 229 (7095MHz)




802.11ax-HE40 Power Spectral Density


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11ax-HE40 Power Spectral Density


Channel 179 (6845MHz)




Channel 187 (6885MHz)



Channel 195 (6925MHz)



Channel 211 (7005MHz)



Channel 227 (7085MHz)

