

Ultratech's Accreditations:



0685





C-1376







3000 Bristol Circle, Oakville, Ontario, Canada L6H 6G4

Tel.: (905) 829-1570 Fax.: (905) 829-8050

Website: www.ultratech-labs.com Email: vic@ultratech-labs.com April 18, 2007

TIMCO ENGINEERING INC.

P.O. Box 370 849 N.W. State Road 45 Newberry, Florida USA 32669

Sub: Class II Permissive Change Acceptance Application

Applicant: Futurecom Systems Group Inc.

Product: MOBEXCOM DVR Vehicular Repeater

Model: MOBEXCOM DVR 800

FCC ID: LO6-DVRS800

Dear Sir/Madam,

The Mobexcom DVR Vehicular Repeater System is FCC certified with condition for RF Exposure Compliance requirement of minimum separation distance of 54cm from all persons and must not exceed an antenna gain of 0 dbd.

A customer of Futurecom intends to use Mobexcom DVR 800, Motorola 380-470 MHz or 450-512 MHz or 764-870 MHz XTL5000 Digital Mobile radios, a specific 05 Control Head and specific antennas as a package. The Mobile radios tested for this submission are authorized under FCC ID: AZ492FT5823, AZ492FT4870, AZ492FT4862, AZ492FT4867.

A Class II Permissive Change is required to certify minimum safe separation distance of 60cm (for AZ492FT5823) or 90cm (for other three radios) between the vehicle body and bystanders with both the Mobexcom DVR 800 and the Motorola UHF / 7/800 MHz XTL5000 mobile radio transmitting simultaneously. MPE measurements were performed with both units installed in a typical vehicle. It was determined that the combined Mobexcom DVR UHF and the mobile radio maximum power density is less than maximum allowed value.

A MPE evaluation test reports are attached showing compliance with FCC RF Exposure power density requirements in above configuration. Please review all necessary files uploaded to TIMCO E-filing site.

If you have any gueries, please do not hesitate to contact us,

Yours truly,



Tri Minh Luu, P. Eng., V.P., Engineering