





FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM VEHICULAR REPEATER, 806-824 MHz & 851-869 MHz
Frequency: 851 MHz, Power Output: _____ W, Channel Spacing: 25 kHz
RF In at level 0 dBm @ 806 MHz
Mod: FM Modulation with an external 9500 b/s random data, Freq. Dev.: _____ kHz
EMISSION MASK G

Date: April 17 2001
Tested by: Hung Trinh

Plot # 12









FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM VEHICULAR REPEATER, 800-804 MHz & 851-869 MHz
RF In at level 0 dBm @ 801 MHz
Mod.: FM Modulation with an external 9600 b/s random data, Freq. Dev.: _____ kHz
RF IN SIGNAL FITTED IN MASK H


Date: April 23 2001
Tested by: Hung Trinh

Plot # 14

TRANSLATOR MODE









FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM VEHICULAR REPEATER, 806-824 MHz & 851-869 MHz
Frequency: 857 MHz, Power Output: 15 W, Channel Spacing: 25 kHz
Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev.: kHz
EMISSION MASK B

Date: April 17 2001
Tested by: Hung Trinh

Plot #17

