




UltraTech
Engineering Labs Inc.

FUTURECOM SYSTEMS GROUP INC.

MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 136 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.0 kHz
99% OBW

Date: June 23 2000
Tested by: Hung Trinh






UltraTech
Engineering Labs Inc.

FUTURECOM SYSTEMS GROUP INC.

MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 155 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
99% OBW

Date: June 23 2000
Tested by: Hung Trinh






FUTURECOM SYSTEMS GROUP INC.

MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 174 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
99% OBW

Date: June 23 2000
Tested by: Hung Trinh




FUTURECOM SYSTEMS GROUP INC.

MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 136 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: ±4 kHz
 99% OBW

Date: June 27 2000
 Tested by: Hung Trinh






FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 155 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz
99% OBW

Date: June 27 2000
Tested by: Hung Trinh





FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
Frequency: 174 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz
99% OBW

Date: June 27 2000
Tested by: Hung Trinh

