


FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 136 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 23 2000
 Tested by: Hung Trinh




*** Multi Marker List ***

No.	Frequency (MHz)	Power (dBm)	Attenuation (dB)
No.1:	63.7	-20.84	A
No.2:	71.9	-23.78	A
No.3:	135.9	41.13	A
No.4:	149.5	-26.59	A
No.5:			
No.6:			
No.7:			
No.8:			
Δ:			



FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 136 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 23 2000
 Tested by: Hung Trinh



*** Multi Marker List ***

No. 1:	269 MHz	-33.66 dBm	A
No. 2:	406 MHz	-34.97 dBm	A
No. 3:	542 MHz	-50.22 dBm	A
No. 4:	678 MHz	-50.88 dBm	A
No. 5:	1.360 GHz	-48.72 dBm	A
No. 6:	1.496 GHz	-48.72 dBm	A
No. 7:	1.632 GHz	-49.81 dBm	A
No. 8:	1.766 GHz	-44.78 dBm	A
Δ:			



UltraTech
Engineering Labs Inc.

FUTURECOM SYSTEMS GROUP INC.


MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 155 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz

Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz


TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 23, 2000
Tested by: Hung Trinh



FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 155 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 23 2000
 Tested by: Hung Trinh




*** Multi Marker List ***

No.	Freq.	Power	Band
No.1:	308 MHz	-29.88 dBm	A
No.2:	462 MHz	-26.13 dBm	A
No.3:	619 MHz	-32.97 dBm	A
No.4:	1.087 GHz	-51.50 dBm	A
No.5:	1.239 GHz	-48.47 dBm	A
No.6:	1.393 GHz	-42.41 dBm	A
No.7:	1.547 GHz	-44.47 dBm	A
No.8:	1.704 GHz	-40.53 dBm	A
Δ:			



FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 174 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 23 2000
 Tested by: Hung Trinh




*** Multi Marker List ***

No.	Frequency (MHz)	Power (dBm)	Mode
No. 1:	25.7	-26.78	A
No. 2:	147.9	-25.75	A
No. 3:	173.9	41.44	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			



FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 174 MHz, Power Rating: 10 W, Channel Spacing: 12.5 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 1.6 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 23 2000
 Tested by: Hung Trinh




*** Multi Marker List ***

No.1:	347 MHz	-33.59 dBm	A
No.2:	521 MHz	-33.38 dBm	A
No.3:	869 MHz	-54.41 dBm	A
No.4:	1.043 GHz	-52.66 dBm	A
No.5:	1.216 GHz	-54.78 dBm	A
No.6:	1.391 GHz	-41.75 dBm	A
No.7:	1.565 GHz	-42.19 dBm	A
No.8:	1.743 GHz	-48.09 dBm	A
Δ:			



FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 136 MHz, Power Rating: 10 W, Channel Spacing: 2.5 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 27 2000
 Tested by: Hung Trinh




*** Multi Marker List ***

No.	Frequency (MHz)	Power (dBm)	Bandwidth (kHz)
No. 1:	63.7	-20.47	30
No. 2:	71.9	-23.78	30
No. 3:	135.9	41.63	30
No. 4:	149.5	-25.50	30
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			



FUTURECOM SYSTEMS GROUP INC.
MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 1.36 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 27 2000
 Tested by: Hung Trinh



*** Multi Marker List ***

No.	Frequency	Power	Band
No. 1:	205 MHz	-40.72 dBm	A
No. 2:	269 MHz	-33.94 dBm	A
No. 3:	406 MHz	-34.31 dBm	A
No. 4:	542 MHz	-50.44 dBm	A
No. 5:	678 MHz	-50.69 dBm	A
No. 6:	1.360 GHz	-48.72 dBm	A
No. 7:	1.632 GHz	-48.78 dBm	A
No. 8:	1.769 GHz	-47.19 dBm	A
Δ:			

FUTURECOM SYSTEMS GROUP INC.


MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 155 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz

Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz

TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 27 2000
Tested by: Hung Trinh



*** Multi Marker List ***

No.	Frequency (MHz)	Power (dBm)	Label
No. 1:	154.9 MHz	40.84 dBm	A
No. 2:	161.5 MHz	-28.59 dBm	A
No. 3:			
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			


FUTURECOM SYSTEMS GROUP INC.

MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 155 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz
Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz

TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 27 2000
Tested by: Hung Trinh




*** Multi Marker List ***

No. 1:	308 MHz	-28.38 dBm	A
No. 2:	462 MHz	-26.19 dBm	A
No. 3:	619 MHz	-33.13 dBm	A
No. 4:	1.085 GHz	-51.38 dBm	A
No. 5:	1.239 GHz	-47.75 dBm	A
No. 6:	1.396 GHz	-45.53 dBm	A
No. 7:	1.550 GHz	-43.34 dBm	A
No. 8:	1.704 GHz	-40.53 dBm	A
Δ:			

FUTURECOM SYSTEMS GROUP INC.
 MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz
 Frequency: 174 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz
 Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz
TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 27 2000
 Tested by: Hung Trinh



*** Multi Marker List ***

No.	Freq. (MHz)	Power (dBm)	Label
No. 1:	25.7	-26.47	A
No. 2:	147.9	-25.28	A
No. 3:	173.9	41.44	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			



UltraTech
Engineering Labs Inc.

FUTURECOM SYSTEMS GROUP INC.


MOBEXCOM-VEHICULAR REPEATER, VHF 136 – 174 MHz

Frequency: 174 MHz, Power Rating: 10 W, Channel Spacing: 25 kHz

Modulation: FM Modulation with 2.5 kHz Sine Wave Signal, Freq.Dev.: 4 kHz

TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS

Date: June 27 2000
Tested by: Hung Trinh



*** Multi Marker List ***

No. 1:	347 MHz	-35.03 dBm	A
No. 2:	524 MHz	-33.84 dBm	A
No. 3:	869 MHz	-56.53 dBm	A
No. 4:	1.043 GHz	-51.47 dBm	A
No. 5:	1.216 GHz	-54.31 dBm	A
No. 6:	1.391 GHz	-41.38 dBm	A
No. 7:	1.565 GHz	-42.84 dBm	A
No. 8:	1.740 GHz	-46.97 dBm	A
Δ:			