


LOCATION

NOTE: silver letter and graphic with black Background

REV: 01	DESCRIPTION		
TOLERANCE TABLE FOR UNTOLERANCED DIMENSIONS		PACKING INFORMATION	
DIMENSIONS	TOLERANCE	TITLE	FCC NO ON BASE
0.00 TO 25.00	±0.10		MODEL 257813
25.01 TO 50.00	±0.15	MATERIAL	80G
50.01 TO 100.00	±0.40	DRAWING NO.	
100.00 AND ABOVE	±0.50	PROJECTION	UNIT
ANGLES	±.00	SCALE	DRAWN BY
SIZE:		CM	HUYOUDA
			DATE
			CHECKED BY
			DATE

2 3 4 5 6 7 8 9 10 11 12

A
B
C
D
E
F



1:1

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.

9VDC 200mA TEL LINE


⚠ USE ONLY WITH CLASS 2 (CLASSE 2) POWER SOURCE 9VDC 200mA

T/P


2:1

REV: 00	DESCRIPTION			
TOLERANCE TABLE FOR UNTOLERANCED DIMENSIONS		PACKING INFORMATION		
DIMENSIONS	TOLERANCE	TITLE ENGRAVING		MODEL 257813
0.00 TO 25.00	±0.10	MATERIAL		DRAWING NO.
25.01 TO 50.00	±0.15	PROJECTION		UNIT
50.01 TO 100.00	±0.40	SCALE		DRAWN BY HUYOUDA
100.00 AND ABOVE	±0.50	DATE		CHECKED BY
ANGLES	±.00 ANGLES	CM		DATE
SIZE: 41(L)x18(W)mm				

2 3 4 5 6



Location



NOTE: silver letter with background translucent

REV: 01	DESCRIPTION			
TOLERANCE TABLE FOR UNTOLERANCED DIMENSIONS		PACKING INFORMATION		
DIMENSIONS	TOLERANCE	TITLE	FCC ID LABEL	MODEL 257813
0.00 TO 25.00	±0.10	MATERIAL	PVC	DRAWING NO.
25.01 TO 50.00	±0.15	PROJECTION	UNIT	SCALE
50.01 TO 100.00	±0.40		CM	DRAWN BY
100.00 AND ABOVE	±0.50			DATE
ANGLES	±.00			CHECKED BY
				DATE
SIZE: 20(L) x3.5(W)mm				