

Applicant:

Page 1 of 16

MGA Entertainment (H.K.) Ltd. 9th Floor, Tower 6, The Gateway, Harbour City, 9 Canton Road, Tsimshatsui, Kowloon, Hong Kong.

Description of Samples:

Model no.: Brand name: FCC ID:

2007-03-05

Bratz Dancing Divaz Asst - FM Wireless Model name: Microphone 355083 N/A LU9355083

Date Samples Received:

Investigation Requested:

Date Tested:

FCC Part 15 Subpart C

2007-03-08 to 2007-03-23

Conclusions:

The submitted product COMPLIED with the requirements of Federal Communications Commission [FCC] Rules and Regulations Part 15. The tests were performed in accordance with the standards described above and on Section 2.2 in this Test Report.

Remarks:

LEE Kam Chuen, EMD For and on behalf of The Hong Kong Standards and Testing Centre Ltd.

The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org This report shall not be reproduced unless with prior written approval from the Hong Kong Standards and Testing Centre Ltd. For full text of "Conditions of Issuance of Test Report", please refer to overleaf or refer to the website of Homepage.



No. :	HM158303	J. J
CONT	ENT: Cover Content	Page 1 of 16 Page 2-3 of 16
<u>1.0</u>	General Details	
1.1	Test Laboratory	Page 4 of 16
1.2	Applicant Details Applicant HKSTC Code Number for Applicant Manufacturer	Page 4 of 16
1.3	Equipment Under Test [EUT] Description of EUT operation	Page 5 of 16
1.4	Date of Order	Page 5 of 16
1.5	Submitted Samples	Page 5 of 16
1.6	Test Duration	Page 5 of 16
1.7	Country of Origin	Page 5 of 16

<u>2.0</u> **Technical Details**

Date : 2007-03-23

- 2.1 Investigations Requested
- 2.2 Test Standards and Results Summary
- <u>3.0</u> **Test Results**
- 3.1 Emission
- 3.2 **Bandwidth Measurement**
- 3.3 **Operation Description**



Page 2 of 16

Page 6 of 16

Page 6 of 16

Page 7-10 of 16

Page 11-12 of 16

Page 13 of 16

The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Page 3 of 16







The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Date : 2007-03-23

No. : HM158303

1.0 General Details

1.1 Test Laboratory

The Hong Kong Standards and Testing Centre Ltd. EMC Laboratory 10 Dai Wang Street, Taipo Industrial Estate New Territories, Hong Kong

Telephone:852 2666 1888Fax:852 2664 4353

1.2 Applicant Details Applicant

MGA Entertainment (H.K.) Ltd. 9th Floor, Tower 6, The Gateway, Harbour City, 9 Canton Road, Tsimshatsui, Kowloon, Hong Kong.

Manufacturer

N/A



The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testi ng Centre Ltd. For Conditions of Issuance of this test report, please refer to the overleaf or Homepage

Page 4 of 16



Date : 2007-03-23

No. : HM158303

Page 5 of 16

1.3 Equipment Under Test [EUT] Description of Sample

Model Name: Manufacturer: Brand Name: Model Number: Input Voltage: Bratz Dancing Divaz Asst – FM Wireless Microphone N/A N/A 355083

1.3.1 Description of EUT Operation

The Equipment Under Test (EUT) is a MGA Entertainment (H.K.) Ltd., Bratz Dancing Divaz Asst – FM Wireless Microphone. The transmitter is a 1 button transmitter. The EUT continues to transmit while button is being pressed. It is voice transmitter, modulation by Microphone and type is frequency modulation.

3Vd.c. ("AAA" size battery x 2)

1.4 Date of Order

2007-03-05

1.5 Submitted Sample(s):

2 Sample

1.6 Test Duration

2007-03-08 to 2007-03-23

1.7 Country of Origin

China



The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Page 6 of 16

2.0 <u>Technical Details</u>

2.1 Investigations Requested

Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15: 2005 and ANSI C63.4: 2003 for FCC Certification.

2.2 Test Standards and Results Summary Tables

EMISSION Results Summary						
Test Condition	Test Requirement	Test Method	Class /	T	est Result	
			Severity	Pass	Failed	N/A
Field Strength of Fundamental Emissions & Spurious Emissions	FCC 47CFR 15.239	ANSI C63.4:2003	N/A	\boxtimes		
Radiated Emissions, 30MHz to 1GHz	FCC 47CFR 15.209	ANSI C63.4:2003	Class B	\boxtimes		
Conducted Emissions on AC, 0.15MHz to 30MHz	FCC 47CFR 15.207	ANSI C63.4:2003	Class B	\boxtimes		Л

Note: N/A - Not Applicable





Page 7 of 16

3.0 Test Results

3.1 Emission


3.1.1 Radiated Emissions (30 – 1000MHz)

Test Requirement: Test Method: Test Date: Mode of Operation: FCC 47CFR 15.239 ANSI C63.4:2003 2007-03-23 Tx mode

Test Method:

The sample was placed 0.8m above the ground plane of semi-anechoic Chamber*. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigated all operating modes, rotated about all 3 axis (X, Y & Z) and considered typical configuration to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. The emissions worst-case are shown in Test Results of the following pages.

*: Semi-anechoic chamber located on the G/F of HKSTC with a metal ground plane filed with the FCC pursuant to section 2.948 of the FCC rules, with Registration Number: 607756.





Page 8 of 16

Limits for Field Strength of Fundamental Emissions [FCC 47CFR 15.239]:

[µV/m]	[µV/m]
2,500	250

Results of Tx mode: PASS

Field Strength of Fundamental Emissions Peak Value						
Frequency	Measured	Correction	Field	Field	Limit @3m	E-Field
	Level @3m	Factor	Strength	Strength		Polarity
MHz	dBµV	dB/m	dBµV/m	μV/m	μV/m	
100.04	32.60	9.9	42.5	133.4	2,500	Horizontal

Field Strength of Fundamental Emissions Average Value						
Frequency	Measured	Correction	Field	Field	Limit @3m	E-Field
	Level @3m	Factor	Strength	Strength		Polarity
MHz	dBµV	dB/m	dBµV/m	μV/m	μV/m	
100.04	32.40	9.9	42.3	130.3	250	Horizontal

Remarks:

Correction Factor included Antenna Factor and Cable Attenuation. Calculated measurement uncertainty : 30MHz to 1GHz ±5.2dB

According to FCC 47CFR15.35, the limit on the radio frequency emissions as measured using instrumentation with a peak detector function, corresponding to 20dB above the maximum permitted average limit for the frequency being investigated unless a different peak emission limit is otherwise specified in the rules.



The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Page 9 of 16

Limits for Radiated Emissions [FCC 47 CFR 15.209 Class B]:

Frequency Range	Limits
[MHz]	[µV/m]
30-88	100
88-216	150
216-960	200
Above960	500

The emission limits shown in the above table are based on measurement employing a CISPR quasi-peak detector and above 1000MHz are based on measurements employing an average detector.

Results of Tx mode: PASS

Radiated Emissions Quasi-Peak									
Frequency	Me	easured	Correction		Field		Field	Limit @3m	E-Field
	Lev	vel @3m	Factor	S	trength	S	strength		Polarity
MHz	C	lBμV	dB/m	d	BµV/m		μV/m	μV/m	
200.08	۷	1.0	11.0	<	12.0	<	4.0	150	Vertical
300.00	Ĭ	12.5	15.2	J.	27.7		24.3	200	Horizontal
400.16	<	1.0	17.5	<	18.5	<	8.4	200	Vertical
500.20	<	1.0	10.2	<	11.2	<	3.6	200	Vertical
600.24	۷	1.0	11.9	<	12.9	<	4.4	200	Vertical
700.28	۷	1.0	12.4	<	13.4	<	4.7	200	Vertical
800.32	<	1.0	13.2	<	14.2	<	5.1	200	Vertical
900.36	<	1.0	15.0	<	16.0	<	6.3	200	Vertical
1000.40	۷	1.0	16.1	v	17.1	<	7.2	200	Vertical

Remarks:

Correction Factor included Antenna Factor and Cable Attenuation. Calculated measurement uncertainty : 30MHz to 1GHz

±5.2dB

The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Page 10 of 16

3.1.2 Conducted Emissions (0.15MHz to 30MHz)

Test Requirement: Test Method:	FCC 47CFR 15.207 ANSI C63.4:2003	
Test Date: Mode of Operation:	N/A N/A	
Results: N/A		

The EUT is operated by a single source of internal battery power [located in the battery compartment], therefore power line conducted emission was deemed unnecessary.





Page 11 of 16

3.2 20B Bandwidth of Fundamental Emission

Test Requirement: Test Method: Test Date: Mode of Operation: FCC 47 CFR 15.227 ANSI C63.4:2003 (Section 13.1.7) 2007-03-23 Tx mode

Test Method:

The bandwidth is measured at an amplitude level reduced from the reference level by a specified ratio. The reference level is the level of the highest amplitude signal observed from the transmitter at the fundamental frequency. Once the reference level is established, the equipment is conditioned with typical modulating signal to produce the worst-case (i.e. the widest) bandwidth.

Test Setup:

As Test Setup of clause 3.1.1 in this test report.








Page 12 of 16

Limits for 20dB Bandwidth of Fundamental Emission:

Frequency Range	20dB Bandwidth	FCC Limits	
[MHz]	[kHz]	[kHz]	
99.96	45	200	

Result:

The following figure is the measured bandwidth of Fundamental Emission.



The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Page 13 of 16

3.3 Operation Description

The transmitter is a voice transmitter operating at 99.95MHz band. The transmitter is powered by a 3V battery "AAA" size battery x 2. The operation is achieved by frequency modulating signal on the 99.95MHz carrier frequency.



The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Appendix A

List of Measurement Equipment

		Radiated Emission				
EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.		
EM007	SPECTRUM ANALYZER	HEWLETT PACKARD	HP85660B	3144A21192		
EM008	SPECTRUM ANALYZER DISPLAY	HEWLETT PACKARD	HP85662A	3144A20514		
EM009	QUASI PEAK ADAPTOR	HEWLETT PACKARD	HP85650A	3303A01702		
EM010	RF PRESELECTOR	HEWLETT PACKARD	HP85685A	3221A01410		
EM011	ATTENUATOR/SWITCH	HEWLETT PACKARD	HP11713A	2508A10595		
EM012	PRE-AMPLIFIER	HEWLETT PACKARD	HP8449B	3008A00262		
EM020	HORN ANTENNA	ETS-Linggren	3115	4032		
EM022	LOOP ANTENNA	ETS-Linggren	6502	1189-2424		
EM072	SIGNAL GENERATOR	HEWLETT PACKARD	8640B	1948A11892		
EM083	OPEN AREA TEST SITE	HKSTC	N/A	N/A		
EM131	EMC ANALYZER	HEWLETT PACKARD	8595EM	3710A00155		
EM145	EMI TEST RECEIVER	ROHDE & SCHWARZ	ESCS 30	830245/021		
EM195	ANTENNA POSITIONING MAST	ETS-Linggren	2075	2368		
EM196	MULTI-DEVICE CONTROLLER	ETS-Linggren	2090	1662		
EM215	MULTIDEVICE CONTROLER	ETS-Linggren	2090	00024676		
EM216	MINI MAST SYSTEM	ETS-Linggren	2075	00026842		
EM217	ELECTRIC POWERED TURNTABLE	ETS-Linggren	2088	00029144		
EM218	ANECHOIC CHAMBER	ETS-Linggren	FACT-3			
EM219	BICONILOG ANTENNA	ETS-Linggren	3142C	00029071		
EM229	EMI TEST RECEIVER	ROHDE & SCHWARZ	ESIB40	100248		

Line Conducted

Line Conducted					
EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	
EM078	VARIAC	SHANGHAI VOLTAGE	TDGC-3/0.5	N/A	
EM081	SMALL SCREENED ROOM	MIKO INST HK	N/A	N/A	
EM119	LISN	ROHDE & SCHWARZ	ESH3-Z5	0831.5518.52	
EM127	ISOLATION TRANSFORMER 220 TO 300V	WING SUN	N/A	N/A	
EM233	PULSE LIMITER	ROHDE & SCHWARZ	ESH3-Z2	100314	
EM181	EMI TEST RECEIVER	ROHDE & SCHWARZ	ESIB7	100072	
EM154	SHIELDING ROOM	SIEMENA MATSUSHITA COMPONENTS	N/A	803-740-057-99A	
M197	LISN	ETS-Linggren	4825/2	1193	

Remarks:-

- СМ **Corrective Maintenance**
- N/A Not Applicable or Not Available
- TBD To Be Determined

The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org




Page 15 of 16

Appendix **B**

Photographs of EUT



Front View of the product





Rear View of the product







The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org



Page 16 of 16



***** End of Test Report *****



The Hong Kong Standards and Testing Centre Ltd. 10 Dai Wang Street, Taipo Industrial Estate, N.T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E-mail: hkstc@hkstc.org