

FCC ID: LW2-RMCT /
IC ID: 2731A-RMCT

WirelessHART™

ROSEMOUNT
CHAMBERLAIN

SERIAL NO. DEMO 36
MODEL 2051TG2X2B21PWA3WP5
MAX W.P. 150 PSIG
CAL. -14.7 TO 150 PSIG
MADE IN USA

FOR USE WITH EMERSON
SMARTPOWER OPTIMIZER

WARNING - POTENTIAL ELECTRIC SHOCK

U.S.A.

SW 1.0.0

SERIAL NO. DEMO001

MAX W.P. 150

MODEL 30511000X1821PNU

CAL. -14.7 cc @ 150 psi

FOR USE WITH EMMERSON POWER
SMARTPOWER OPTION

WARNING - POTENTIAL ELECTROSTATIC
CHARGING HAZARD - SEE INSTRUCTIONS

SW 1.80.0

SERIAL NO. DEMO 21

MAX W.P. 1.50 ps1

MODEL 3051TG2X2B21PWA3WP5

CAL. -14.7 Co 1.50 ps1g

FOR USE WITH EMERSON PROCESS MANAGER
SMARTPOWER OPTION 701POMG.

WARNING - POTENTIAL ELECTROSTATIC
CHARGING HAZARD - SEE INSTRUCTIONS.

FCC ID: [unreadable]
IC ID: [unreadable]

CHAS



ROSEMOUNT

CHANHASSEN, MINNESOTA, U.S.A.

21PWA3WP5

psig

PROCESS MANAGEMENT
OPTION 701PGNKF.

MANUAL
INSTRUCTIONS

FCC ID:LW2-RMCT
IC ID 2731A-RMCT