

Rhea

Dual Band Internal PCB Antenna

Features

- ◆ Groundplane Independent
- ◆ Covers 2.4 and 5.8 GHz bands
- ◆ Various cable/connector options
- ◆ Ideal for fixed and mobile terminals

Specifications	
Radiating element	1/2 Wave Element
Frequency range	2.4 and 5.8 GHz
Peak gain	2.0 dBi
Polarisation	Linear
Return loss	-14 dB @ 2.4 GHz / -8.0 dB at 5.8 GHz
Power rating	10W
Cable / Connector	Various including MMCX, U.FL, SMA
Dimensions	50 x 16mm

Popular Ordering Options	
FRHE35121-MR-16	Rhea with 160mm RG-178 and MMCX Connector
FRHE35121-UF-10	Rhea with 100mm cable and U.FL Connector



Specifications subject to change without notice.

5 Little Balmer
Buckingham Industrial Park
Buckingham
MK18 1TF
UK

Tel: +44 (0)1280 824055
Fax: +44 (0)1280 817179
Email: sales@ead-ltd.com
Web: www.ead-ltd.com

EAD
embedded antenna design ltd
Delivering Antenna Innovation

Rhea | Dual Band Internal PCB Antenna



Specifications subject to change without notice.

5 Little Balmer
Buckingham Industrial Park
Buckingham
MK18 1TF
UK

Tel: +44 (0)1280 824055
 Fax: +44 (0)1280 817179
 Email: sales@ead-ltd.com
 Web: www.ead-ltd.com

EAD
 embedded antenna design Ltd
Delivering Antenna Innovation