



Exhibit: Test Setup Photos

FCC ID: LW3-CLIK64TR
IC: 1747A-CLIK64TR

Report File #: 7169011268R-000


Client	Active Secure Inc.	
Product	CLIK64-T	
Standard(s)	RSS 210 Issue 10:2020, Annex A FCC Part 15 Subpart 15.231	



Figure 1 – EUT Close Up


Client	Active Secure Inc.	
Product	CLIK64-T	
Standard(s)	RSS 210 Issue 10:2020, Annex A FCC Part 15 Subpart 15.231	



Figure 2 – Radiated Emissions Setup
EUT in Y-Axis Position


Client	Active Secure Inc.	
Product	CLIK64-T	
Standard(s)	RSS 210 Issue 10:2020, Annex A FCC Part 15 Subpart 15.231	



Figure 3 – Radiated Emissions Setup
9kHz – 30MHz



Client	Active Secure Inc.	
Product	CLIK64-T	
Standard(s)	RSS 210 Issue 10:2020, Annex A FCC Part 15 Subpart 15.231	



Figure 4 – Radiated Emissions Setup
30MHz – 1GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.

Client	Active Secure Inc.	
Product	CLIK64-T	
Standard(s)	RSS 210 Issue 10:2020, Annex A FCC Part 15 Subpart 15.231	




Figure 5 – Radiated Emissions Setup
1GHz – 6GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.