



HSUPA B2 MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6




WCDMA_B4_LowCH1312-1712.4

Page: 49 of 110


Report No.: ER/2021/50133



WCDMA_B4_MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 50 of 110


HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4



HSDPA_B4_MidCH1413-1732.6




HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 51 of 110


WCDMA_B5_LowCH4132-826.4




HSDPA_B5_LowCH4132-826.4



WCDMA_B5_MidCH4183-836.6



HSDPA_B5_MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




HSUPA_B5_LowCH4132-826.4



HSUPA_B5_MidCH4183-836.6




HSUPA_B5_HighCH4233-846.6




Report No.: ER/2021/50133

Page: 52 of 110





GSM_850MHz_MidCH190-836.6



GSM_850MHz_HighCH251-848.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*


PREFERENT

*





GPRS_850MHz__LowCH128-824.2



GPRS_850MHz__MidCH190-836.6



Report No.: ER/2021/50133

Page: 53 of 110





EDGE_850MHz__MidCH190-836.6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*





GSM_1900MHz_MidCH661-1880

Page: 54 of 110


Report No.: ER/2021/50133




EDGE_850MHz__HighCH251-848.8



GSM_1900MHz_HighCH810-1909.8



GSM_1900MHz_LowCH512-1850.2



GPRS_1900MHz_LowCH512-1850.2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*


PREFERENT

*






GPRS_1900MHz_MidCH661-1880





GPRS_1900MHz_HighCH810-1909.8



Report No.: ER/2021/50133

Page: 55 of 110





EDGE_1900MHz_HighCH810-1909.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*


PREFERENT

*




RL RI 50 0 DC PNO: Fost Atten: 30 dB Avg Type: Log-Pwr Ref Offset 13.7 dB Ref 30.00 dBm Center Fre CF Ste Freq Offs

WCDMA_B2_LowCH9262-1852.4




WCDMA_B2_MidCH9400-1880




Report No.: ER/2021/50133

Page: 56 of 110


WCDMA_B2_HighCH9538-1907.6



HSDPA_B2_LowCH9262-1852.4



HSDPA_B2_MidCH9400-1880



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



HSDPA_B2_HighCH9538-1907.6



HSUPA_B2_LowCH9262-1852.4




HSUPA_B2_MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6

Page: 57 of 110

Report No.: ER/2021/50133



WCDMA_B4_LowCH1312-1712.4



WCDMA_B4_MidCH1413-1732.6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT


*









HSDPA_B4_LowCH1312-1712.4



Report No.: ER/2021/50133

Page: 58 of 110





HSUPA_B4_LowCH1312-1712.4

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT


*




WCDMA_B5_LowCH4132-826.4

Page: 59 of 110


Report No.: ER/2021/50133



HSUPA_B4_MidCH1413-1732.6



WCDMA_B5_MidCH4183-836.6



HSUPA_B4_HighCH1513-1752.6



WCDMA_B5_HighCH4233-846.6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*


PREFERENT

*






HSDPA_B5_LowCH4132-826.4



HSDPA_B5_MidCH4183-836.6




Report No.: ER/2021/50133 Page: 60 of 110

HSDPA_B5_HighCH4233-846.6



HSUPA_B5_LowCH4132-826.4



HSUPA_B5_MidCH4183-836.6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*


PREFERENT

*





HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本務告表總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: ER/2021/50133

Page: 61 of 110



Page: 62 of 110

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable


According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)


Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

9.2 **EUT Setup**

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor



Page: 63 of 110

9.3 **Measurement Procedure:**

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 64 of 110

9.4 Measurement Equipment Used:

	Radiated	Emission Te	est Site: SAC 1		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBEC K	VULB9168	443	01/19/2021	01/18/2022
Horn Antenna	SCHWAZBEC K	BBHA9120 D	320	02/05/2021	02/04/2022
Horn Antenna	SCHWAZBEC K	BBHA9170	184	12/11/2020	12/10/2021
Horn Antenna	SCHWAZBEC K	BBHA9170	185	07/30/2020	07/29/2021
Site Cal	SGS	SAC I chamber	N/A	01/01/2021	12/31/2021
Horn Antenna	Schwarzbeck	BBHA9120 D	D803	12/17/2020	12/16/2021
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT- N0555	01/13/2021	01/12/2022
Spectrum Analyzer	Agilent	E4446A	MY51100003	10/29/2020	10/28/2021
DC Power Supply	Agilent	E3640A	MY40005907	10/29/2020	10/28/2021
Test Software	audix	e3	Ver. 6.11- 20180413	01/01/2021	12/31/2021
Pre-Amplifier	EMC Instruments	EMC184045 B	980135	12/16/2020	12/15/2021
Pre-Amplifier	HP	8449B	3008A01973	12/16/2020	12/15/2021
Pre-Amplifier	HP	8447D	2944A09469	12/16/2020	12/15/2021
Bandreject Filter 635- 920	Micro-Tronics	WI	4	12/16/2020	12/15/2021
Bandreject Filter 800- 1000	Micro-Tronics	EWT	M1	12/16/2020	12/15/2021
Bandreject Filter 1700- 2000	Micro-Tronics	EWT	M3	12/16/2020	12/15/2021
Bandreject Filter 2240- 2700	Micro-Tronics	WI	2	12/16/2020	12/15/2021
1.3G-15GHz High Pass Filter	WI	WHKX10- 1066-80SS	19	04/20/2021	12/15/2021
3.2GHz High Pass Filter	WI	WHKX10- 2624-80SS	3	04/20/2021	12/15/2021
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	EMC 104- SM-SM- 2000	160123	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 104	160125	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 106	76096/6	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 102	SN 520430/2	12/16/2020	12/15/2021

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本務告表總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 65 of 110

9.5 **Measurement Result:**


Test Site :SAC I Chamber Report Number :ER/2021/50133

Operation Mode Test Date :GPRS 850 :2021-06-07

Test Mode :Tx CH Low :26.8/62 Temp./Humi.

EUT Pol :H Plane Antenna Pol. : VERTICAL

Test Frequency :824.2 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
149.31	-58.31	-55.52	-1.64	-1.15	-13.00	-45.31
204.60	-54.84	-57.89	4.50	-1.45	-13.00	-41.84
224.00	-55.63	-59.13	5.02	-1.52	-13.00	-42.63
395.69	-60.23	-62.45	4.31	-2.09	-13.00	-47.23
420.91	-60.16	-62.47	4.21	-1.90	-13.00	-47.16
500.45	-57.45	-59.29	4.25	-2.41	-13.00	-44.45
1648.40	-51.47	-56.72	9.50	-4.25	-13.00	-38.47
2472.60	-54.26	-59.64	10.55	-5.17	-13.00	-41.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 66 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 850

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :824.2 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
154.16	-54.92	-52.34	-1.39	-1.19	-13.00	-41.92
202.66	-58.78	-61.76	4.42	-1.44	-13.00	-45.78
250.19	-58.91	-61.66	4.34	-1.59	-13.00	-45.91
332.64	-61.71	-64.07	4.27	-1.91	-13.00	-48.71
395.69	-60.58	-62.80	4.31	-2.09	-13.00	-47.58
420.91	-60.07	-62.38	4.21	-1.90	-13.00	-47.07
1648.40	-51.50	-56.75	9.50	-4.25	-13.00	-38.50
2472.60	-57.42	-62.80	10.55	-5.17	-13.00	-44.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*




Page: 67 of 110

Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 850

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL **Test Frequency** :836.6 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
149.31	-60.57	-57.78	-1.64	-1.15	-13.00	-47.57
222.06	-60.57	-64.10	5.03	-1.50	-13.00	-47.57
371.44	-64.26	-66.62	4.35	-1.99	-13.00	-51.26
416.06	-59.66	-62.11	4.32	-1.87	-13.00	-46.66
500.45	-57.77	-59.61	4.25	-2.41	-13.00	-44.77
735.19	-60.39	-60.82	3.00	-2.57	-13.00	-47.39
1673.20	-55.51	-60.77	9.55	-4.29	-13.00	-42.51
2509.80	- 53.70	-59.12	10.62	-5.20	-13.00	-40.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 68 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 850

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :836.6 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	- 55.55	- 52.76	-1.64	-1.15	-13.00	-42.55
178.41	-58.29	-58.02	1.09	-1.36	-13.00	-45.29
250.19	-58.81	-61.56	4.34	-1.59	-13.00	-45.81
416.06	-57.78	-60.23	4.32	-1.87	-13.00	-44.78
500.45	-63.17	-65.01	4.25	-2.41	-13.00	-50.17
745.86	-57.34	-57.72	2.83	-2.45	-13.00	-44.34
1673.20	-56.63	-61.89	9.55	-4.29	-13.00	-43.63
2509.80	-56.27	-61.69	10.62	-5.20	-13.00	-43.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 69 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 850

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :848.8 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-60.31	-57.73	-1.39	-1.19	-13.00	-47.31
222.06	-60.71	-64.24	5.03	-1.50	-13.00	-47.71
416.06	-60.39	-62.84	4.32	-1.87	-13.00	-47.39
500.45	-57.59	-59.43	4.25	-2.41	-13.00	-44.59
600.36	-65.51	-66.51	3.64	-2.64	-13.00	-52.51
728.40	-57.72	-58.16	3.16	-2.72	-13.00	-44.72
1697.60	-53.61	-58.89	9.60	-4.32	-13.00	-40.61
2546.40	-48.69	-54.14	10.69	-5.24	-13.00	-35.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 70 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 850

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :848.8 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-55.20	-52.49	-1.55	-1.16	-13.00	-42.20
178.41	-57.90	-57.63	1.09	-1.36	-13.00	-44.90
202.66	-59.01	-61.99	4.42	-1.44	-13.00	-46.01
224.00	-59.40	-62.90	5.02	-1.52	-13.00	-46.40
390.84	-60.08	-62.42	4.39	-2.05	-13.00	-47.08
416.06	-58.14	-60.59	4.32	-1.87	-13.00	-45.14
1697.60	-51.57	-56.85	9.60	-4.32	-13.00	-38.57
2546.40	-56.39	-61.84	10.69	-5.24	-13.00	-43.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 71 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 1900

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1850.2 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-60.47	-57.76	-1.55	-1.16	-13.00	-47.47
222.06	-60.99	-64.52	5.03	-1.50	-13.00	-47.99
416.06	-60.54	-62.99	4.32	-1.87	-13.00	-47.54
500.45	-57.29	-59.13	4.25	-2.41	-13.00	-44.29
730.34	-59.17	-59.58	3.14	-2.73	-13.00	-46.17
745.86	-58.35	-58.73	2.83	-2.45	-13.00	-45.35
3700.40	-53.16	-57.94	12.30	-7.52	-13.00	-40.16
5550.60	-54.16	-57.48	12.90	-9.58	-13.00	-41.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 72 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 1900

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

:1850.2 MHz Engineer **Test Frequency** :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-55.30	-52.51	-1.64	-1.15	-13.00	-42.30
178.41	-58.07	-57.80	1.09	-1.36	-13.00	-45.07
251.16	-59.58	-62.32	4.33	-1.59	-13.00	-46.58
390.84	-60.81	-63.15	4.39	-2.05	-13.00	-47.81
416.06	-58.20	-60.65	4.32	-1.87	-13.00	-45.20
500.45	-63.15	-64.99	4.25	-2.41	-13.00	-50.15
3700.40	-54.59	-59.37	12.30	-7.52	-13.00	-41.59
5550.60	-53.44	-56.76	12.90	-9.58	-13.00	-40.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*




Page: 73 of 110

Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 1900

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. : VERTICAL **Test Frequency** :1880 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-60.45	-57.87	-1.39	-1.19	-13.00	- 47.45
222.06	-60.12	-63.65	5.03	-1.50	-13.00	-47.12
371.44	-64.10	-66.46	4.35	-1.99	-13.00	-51.10
416.06	-59.90	-62.35	4.32	-1.87	-13.00	-46.90
500.45	-57.58	-59.42	4.25	-2.41	-13.00	-44.58
730.34	-61.88	-62.29	3.14	-2.73	-13.00	-48.88
3760.00	-55.39	-60.16	12.40	-7.63	-13.00	-42.39
5640.00	-54.32	-58.09	13.00	-9.23	-13.00	-41.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 74 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 1900

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :1880 MHz :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-55.57	-52.78	-1.64	-1.15	-13.00	-42.57
180.35	-58.42	-58.51	1.47	-1.38	-13.00	-45.42
253.10	-59.26	-61.98	4.32	-1.60	-13.00	-46.26
390.84	-60.69	-63.03	4.39	-2.05	-13.00	-47.69
416.06	-57.99	-60.44	4.32	-1.87	-13.00	-44.99
500.45	-63.04	-64.88	4.25	-2.41	-13.00	-50.04
3760.00	-55.51	-60.28	12.40	-7.63	-13.00	-42.51
5640.00	-54.16	-57.93	13.00	-9.23	-13.00	-41.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 75 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 1900

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

:1909.8 MHz Engineer :GN Lin **Test Frequency**



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-60.42	-57.71	-1.55	-1.16	-13.00	-47.42
222.06	-60.39	-63.92	5.03	-1.50	-13.00	-47.39
257.95	-64.43	-67.15	4.35	-1.63	-13.00	-51.43
371.44	-64.55	-66.91	4.35	-1.99	-13.00	-51.55
416.06	-59.73	-62.18	4.32	-1.87	-13.00	-46.73
500.45	-57.47	-59.31	4.25	-2.41	-13.00	-44.47
3819.60	-52.25	-56.97	12.36	-7.64	-13.00	-39.25
5729.40	-53.92	-57.69	12.80	-9.03	-13.00	-40.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 76 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :GPRS 1900

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1909.8 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-55.38	-52.59	-1.64	-1.15	-13.00	-42.38
180.35	-58.45	-58.54	1.47	-1.38	-13.00	-45.45
224.00	-59.37	-62.87	5.02	-1.52	-13.00	-46.37
251.16	-59.88	-62.62	4.33	-1.59	-13.00	-46.88
390.84	-60.71	-63.05	4.39	-2.05	-13.00	-47.71
416.06	-58.42	-60.87	4.32	-1.87	-13.00	-45.42
3819.60	-53.55	-58.27	12.36	-7.64	-13.00	-40.55
5729.40	-53.27	-57.04	12.80	-9.03	-13.00	-40.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 77 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B2

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1852.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
154.16	-60.75	-58.17	-1.39	-1.19	-13.00	-47.75
222.06	-60.39	-63.92	5.03	-1.50	-13.00	-47.39
257.95	-63.32	-66.04	4.35	-1.63	-13.00	-50.32
371.44	-64.32	-66.68	4.35	-1.99	-13.00	-51.32
420.91	-60.88	-63.19	4.21	-1.90	-13.00	-47.88
500.45	-57.50	-59.34	4.25	-2.41	-13.00	-44.50
3704.80	-53.37	-58.15	12.31	-7.53	-13.00	-40.37
5557.20	-55.20	-58.56	12.91	-9.55	-13.00	-42.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 78 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B2

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1852.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-56.04	-53.46	-1.39	-1.19	-13.00	-43.04
167.74	-57.94	-56.13	-0.55	-1.26	-13.00	-44.94
202.66	-58.88	-61.86	4.42	-1.44	-13.00	-45.88
253.10	-59.63	-62.35	4.32	-1.60	-13.00	-46.63
393.75	-60.55	-62.80	4.33	-2.08	-13.00	-47.55
420.91	-59.79	-62.10	4.21	-1.90	-13.00	-46.79
3704.80	-54.56	-59.34	12.31	-7.53	-13.00	-41.56
5557.20	-54.18	-57.54	12.91	-9.55	-13.00	-41.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 79 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B2

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. : VERTICAL

Test Frequency Engineer :GN Lin :1880 MHz



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-61.08	-58.50	-1.39	-1.19	-13.00	-48.08
222.06	-60.75	-64.28	5.03	-1.50	-13.00	-47.75
257.95	-64.27	-66.99	4.35	-1.63	-13.00	-51.27
371.44	-63.02	-65.38	4.35	-1.99	-13.00	-50.02
419.94	-60.67	-63.03	4.25	-1.89	-13.00	-47.67
500.45	-57.53	-59.37	4.25	-2.41	-13.00	-44.53
3760.00	-48.15	-52.92	12.40	-7.63	-13.00	-35.15
5640.00	- 52.89	-56.66	13.00	-9.23	-13.00	-39.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 80 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B2

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1880 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
154.16	- 55.97	-53.39	-1.39	-1.19	-13.00	-42.97
178.41	-58.21	-57.94	1.09	-1.36	-13.00	-45.21
202.66	-58.30	-61.28	4.42	-1.44	-13.00	-45.30
250.19	-59.70	-62.45	4.34	-1.59	-13.00	-46.70
393.75	-60.53	-62.78	4.33	-2.08	-13.00	-47.53
419.94	-59.46	-61.82	4.25	-1.89	-13.00	-46.46
3760.00	-50.57	-55.34	12.40	-7.63	-13.00	-37.57
5640.00	-53.14	-56.91	13.00	-9.23	-13.00	-40.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Test Frequency

Report No.: ER/2021/50133

Page: 81 of 110

:GN Lin

Engineer


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B2

Test Mode :Tx CH High Temp./Humi. :26.8/62

:1907.6 MHz

EUT Pol :H Plane Antenna Pol. : VERTICAL



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-60.86	-58.28	-1.39	-1.19	-13.00	- 47.86
222.06	-60.79	-64.32	5.03	-1.50	-13.00	-47.79
257.95	-64.59	-67.31	4.35	-1.63	-13.00	-51.59
371.44	-63.48	-65.84	4.35	-1.99	-13.00	-50.48
419.94	-61.16	-63.52	4.25	-1.89	-13.00	-48.16
500.45	-57.37	-59.21	4.25	-2.41	-13.00	-44.37
3815.20	-45.57	-50.28	12.37	-7.66	-13.00	-32.57
5722.80	-52.54	-56.29	12.80	-9.05	-13.00	-39.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 82 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B2

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1907.6 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
154.16	-55.48	-52.90	-1.39	-1.19	-13.00	-42.48
178.41	-58.17	-57.90	1.09	-1.36	-13.00	-45.17
202.66	-58.54	-61.52	4.42	-1.44	-13.00	-45.54
393.75	-60.53	-62.78	4.33	-2.08	-13.00	-47.53
419.94	-59.49	-61.85	4.25	-1.89	-13.00	-46.49
500.45	-61.98	-63.82	4.25	-2.41	-13.00	-48.98
3815.20	-47.63	-52.34	12.37	-7.66	-13.00	-34.63
5722.80	-54.06	-57.81	12.80	-9.05	-13.00	-41.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 83 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B4

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :1712.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-60.60	-58.02	-1.39	-1.19	-13.00	- 47.60
222.06	-60.43	-63.96	5.03	-1.50	-13.00	-47.43
257.95	-64.57	-67.29	4.35	-1.63	-13.00	-51.57
371.44	-63.92	-66.28	4.35	-1.99	-13.00	-50.92
419.94	-60.30	-62.66	4.25	-1.89	-13.00	-47.30
500.45	-57.40	-59.24	4.25	-2.41	-13.00	-44.40
3424.80	-52.10	-58.80	12.55	-5.85	-13.00	-39.10
5137.20	-53.98	-58.13	12.10	-7.95	-13.00	-40.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 84 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B4

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1712.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-54.73	-52.02	-1.55	-1.16	-13.00	-41.73
202.66	-58.37	-61.35	4.42	-1.44	-13.00	-45.37
224.00	- 59.19	-62.69	5.02	-1.52	-13.00	- 46.19
250.19	-59.47	-62.22	4.34	-1.59	-13.00	-46.47
391.81	-60.36	-62.67	4.37	-2.06	-13.00	-47.36
419.94	-59.27	-61.63	4.25	-1.89	-13.00	-46.27
3424.80	-52.68	-59.38	12.55	-5.85	-13.00	-39.68
5137.20	-52.58	-56.73	12.10	-7.95	-13.00	-39.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 85 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B4

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. : VERTICAL

Test Frequency :1732.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
154.16	-60.20	-57.62	-1.39	-1.19	-13.00	-47.20
222.06	-60.83	-64.36	5.03	-1.50	-13.00	-47.83
257.95	-64.16	-66.88	4.35	-1.63	-13.00	-51.16
371.44	-63.64	-66.00	4.35	-1.99	-13.00	-50.64
418.00	-60.37	-62.77	4.28	-1.88	-13.00	-47.37
500.45	-57.65	-59.49	4.25	-2.41	-13.00	-44.65
3464.80	-50.20	-56.57	12.47	-6.10	-13.00	-37.20
5197.20	-53.82	-58.32	12.38	-7.88	-13.00	-40.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 86 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B4

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1732.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-55.28	-52.49	-1.64	-1.15	-13.00	-42.28
202.66	-58.58	-61.56	4.42	-1.44	-13.00	-45.58
224.00	-59.46	-62.96	5.02	-1.52	-13.00	-46.46
391.81	-60.67	-62.98	4.37	-2.06	-13.00	-47.67
418.00	-58.84	-61.24	4.28	-1.88	-13.00	-45.84
500.45	-62.34	-64.18	4.25	-2.41	-13.00	-49.34
3464.80	-52.88	-59.25	12.47	-6.10	-13.00	-39.88
5197.20	-52.50	-57.00	12.38	-7.88	-13.00	-39.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



4024.

Report No.: ER/2021/50133

Page: 87 of 110

Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B4

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. : VERTICAL **Test Frequency** :1752.6 MHz Engineer :GN Lin

0 Level (dBm/m) -30 -40 -50 -60 -70 -80 -100<mark>30</mark>

Frequency (MHz)

8018.

Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-60.30	-57.72	-1.39	-1.19	-13.00	-47.30
222.06	-60.70	-64.23	5.03	-1.50	-13.00	-47.70
257.95	-63.91	-66.63	4.35	-1.63	-13.00	-50.91
371.44	-64.35	-66.71	4.35	-1.99	-13.00	-51.35
418.00	-59.82	-62.22	4.28	-1.88	-13.00	-46.82
500.45	-57.56	-59.40	4.25	-2.41	-13.00	-44.56
3505.20	-49.73	-55.79	12.40	-6.34	-13.00	-36.73
5257.80	-53.15	-57.92	12.83	-8.06	-13.00	-40.15

12012.

16006.

20000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Test Frequency

Report No.: ER/2021/50133

Page: 88 of 110

:GN Lin

Engineer


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B4

Test Mode :Tx CH High Temp./Humi. :26.8/62

:1752.6 MHz

EUT Pol :H Plane Antenna Pol. :HORIZONTAL



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-55.22	-52.43	-1.64	-1.15	-13.00	-42.22
154.16	-55.54	-52.96	-1.39	-1.19	-13.00	-42.54
202.66	-57.93	-60.91	4.42	-1.44	-13.00	-44.93
253.10	-59.93	-62.65	4.32	-1.60	-13.00	-46.93
391.81	-60.62	-62.93	4.37	-2.06	-13.00	-47.62
418.00	-58.84	-61.24	4.28	-1.88	-13.00	-45.84
3505.20	-52.08	-58.14	12.40	-6.34	-13.00	-39.08
5257.80	-52.94	-57.71	12.83	-8.06	-13.00	-39.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 89 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B5

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :826.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-60.71	-58.00	-1.55	-1.16	-13.00	-47.71
154.16	-60.03	-57.45	-1.39	-1.19	-13.00	-47.03
222.06	-60.82	-64.35	5.03	-1.50	-13.00	-47.82
257.95	-63.99	-66.71	4.35	-1.63	-13.00	-50.99
418.00	-59.85	-62.25	4.28	-1.88	-13.00	-46.85
500.45	-57.62	-59.46	4.25	-2.41	-13.00	-44.62
1652.80	-59.46	-64.71	9.51	-4.26	-13.00	-46.46
2479.20	-56.53	-61.92	10.56	-5.17	-13.00	-43.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 90 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B5

Test Mode :Tx CH Low Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :826.4 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-55.33	-52.62	-1.55	-1.16	-13.00	-42.33
202.66	-59.05	-62.03	4.42	-1.44	-13.00	-46.05
251.16	-59.22	-61.96	4.33	-1.59	-13.00	-46.22
332.64	-61.07	-63.43	4.27	-1.91	-13.00	-48.07
418.00	-58.77	-61.17	4.28	-1.88	-13.00	-45.77
500.45	-63.34	-65.18	4.25	-2.41	-13.00	-50.34
1652.80	-59.52	-64.77	9.51	-4.26	-13.00	-46.52
2479.20	-56.27	-61.66	10.56	-5.17	-13.00	-43.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 91 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B5

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :836.6 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
149.31	-60.48	-57.69	-1.64	-1.15	-13.00	-47.48
222.06	-60.64	-64.17	5.03	-1.50	-13.00	-47.64
264.74	-64.67	-67.37	4.35	-1.65	-13.00	-51.67
371.44	-64.19	-66.55	4.35	-1.99	-13.00	-51.19
418.00	-60.27	-62.67	4.28	-1.88	-13.00	-47.27
500.45	-57.57	-59.41	4.25	-2.41	-13.00	-44.57
1673.20	-59.35	-64.61	9.55	-4.29	-13.00	-46.35
2509.80	-55.21	-60.63	10.62	-5.20	-13.00	-42.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 92 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B5

Test Mode :Tx CH Mid Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :836.6 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-55.31	-52.60	-1.55	-1.16	-13.00	-42.31
202.66	-58.49	-61.47	4.42	-1.44	-13.00	-45.49
224.00	-59.44	-62.94	5.02	-1.52	-13.00	-46.44
250.19	-59.76	-62.51	4.34	-1.59	-13.00	-46.76
418.00	-58.70	-61.10	4.28	-1.88	-13.00	-45.70
500.45	-62.74	-64.58	4.25	-2.41	-13.00	-49.74
1673.20	-58.21	-63.47	9.55	-4.29	-13.00	-45.21
2509.80	-56.91	-62.33	10.62	-5.20	-13.00	-43.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 93 of 110


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B5

Test Mode :Tx CH High Temp./Humi. :26.8/62

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :846.6 MHz Engineer :GN Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
154.16	-60.52	-57.94	-1.39	-1.19	-13.00	-47.52
222.06	-60.11	-63.64	5.03	-1.50	-13.00	-47.11
257.95	-63.34	-66.06	4.35	-1.63	-13.00	-50.34
418.00	-59.81	-62.21	4.28	-1.88	-13.00	-46.81
500.45	-57.53	-59.37	4.25	-2.41	-13.00	-44.53
745.86	-57.37	-57.75	2.83	-2.45	-13.00	-44.37
1693.20	-58.36	-63.63	9.59	-4.32	-13.00	-45.36
2539.80	- 57.18	-62.63	10.68	-5.23	-13.00	-44.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Test Frequency

Report No.: ER/2021/50133

Page: 94 of 110

:GN Lin

Engineer


Report Number **Test Site** :SAC I Chamber :ER/2021/50133

Operation Mode Test Date :2021-06-07 :WCDMA B5

Test Mode :Tx CH High Temp./Humi. :26.8/62

:846.6 MHz

EUT Pol :H Plane Antenna Pol. :HORIZONTAL



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
154.16	- 55.39	- 52.81	-1.39	-1.19	-13.00	-42.39
251.16	-59.45	-62.19	4.33	-1.59	-13.00	-46.45
328.76	-61.64	-64.00	4.24	-1.88	-13.00	-48.64
418.00	-58.45	-60.85	4.28	-1.88	-13.00	-45.45
500.45	-63.00	-64.84	4.25	-2.41	-13.00	-50.00
720.64	-62.22	-63.08	3.48	-2.62	-13.00	-49.22
1693.20	-57.37	-62.64	9.59	-4.32	-13.00	-44.37
2539.80	-56.29	-61.74	10.68	-5.23	-13.00	-43.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*




Page: 95 of 110


10 FREQUENCY STABILITY MEASUREMENT

10.1 Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 Test Set-up





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

10.3 **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached, the temperature of +60°C was requested by product spec.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor



Page: 96 of 110

10.4 Measurement Equipment Used

Conducted Emission Test Site: Conducted 4							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/27/2021	04/26/2022		
Temperature Chamber	Giant Force	GTH-150- 40-CP-AR	MAA0512-018	05/19/2021	05/18/2022		
Radio Communication Analyer	Anritsu	MT8815B	6200711454	04/07/2021	04/06/2022		
DC Power Supply	Agilent	E3640A	MY52410006	12/17/2020	12/16/2021		
Attenuator	Mini-Circuit	BW- S10W2+	2	12/16/2020	12/15/2021		
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021		
Power Divider	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412- 018	12/16/2020	12/15/2021		

10.5 Measurement Result

Note: The battery is rated 12Vdc.

The temperature of +60°C was requested by product spec.

THE C	GPRS 850 Mid Channel 836.6 MHz							
	Limit: +/- 2.5 ppm							
Vdc	Temp.(°℃)	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
	FREQUENCY ERROR vs. VOLTAGE							
13.2	20	836.600009	9	2091				
12	20	836.600001	1	2091				
10.8	20	836.599992	-8	2091				
6.3 (End point)	20	836.599992	-8	2091				
FREQUENCY ERROR vs. Temp.								
12	60	836.599992	-8	2091				
12	50	836.600001	1	2091				
12	40	836.600003	3	2091				
12	30	836.600002	2	2091				
12	20	836.599995	-5	2091				
12	10	836.599994	-6	2091				
12	0	836.599996	-4	2091				
12	-10	836.600009	9	2091				
12	-20	836.600004	4	2091				
12	-30	836.599997	-3	2091				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSTains It Identicated Terms 114 *

PREFERENT TERMS*

PREFERENT

*



Page: 97 of 110

	GPRS 1900 Mid Channel 1880 MHz						
Limit: +/- 2.5 ppm							
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)			
	FREQUE	NCY ERROR vs. V	OLTAGE				
13.2	20	1879.99999	-10	4700			
12	20	1879.999995	-5	4700			
10.8	20	1880.000001	1	4700			
6.3 (End point)	20	1880.00001	10	4700			
	FREQU	ENCY ERROR vs	. Temp.				
12	60	1880.000009	9	4700			
12	50	1879.999999	-1	4700			
12	40	1879.999989	-11	4700			
12	30	1880.000006	6	4700			
12	20	1880.000004	4	4700			
12	10	1880.000011	11	4700			
12	0	1880.000008	8	4700			
12	-10	1880.000005	5	4700			
12	-20	1880.000007	7	4700			
12	-30	1880	0	4700			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solor esponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 98 of 110

WCDMA II Mid Channel 1880 MHz							
Limit: +/- 2.5 ppm							
Vdc	Temp. ($^{\circ}$ C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)			
	FREQUE	NCY ERROR vs. V	OLTAGE				
13.2	20	1880.000005	5	4700			
12	20	1879.999991	-9	4700			
10.8	20	1880.000009	9	4700			
6.3 (End point)	20	1880.000004	4	4700			
	FREQU	IENCY ERROR vs	. Temp.				
12	60	1880.000008	8	4700			
12	50	1879.99999	-10	4700			
12	40	1879.999989	-11	4700			
12	30	1880.00001	10	4700			
12	20	1879.999989	-11	4700			
12	10	1880.000001	1	4700			
12	0	1880.000011	11	4700			
12	-10	1880.000007	7	4700			
12	-20	1879.999995	-5	4700			
12	-30	1879.999995	-5	4700			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本務告表總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 110

	WCDM	IA IV Mid Channel	1732.6	MHz			
Limit: +/- 2.5 ppm							
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)			
	FREQUE	NCY ERROR vs. V	OLTAGE				
13.2	20	1732.600001	1	4331			
12	20	1732.599998	-2	4331			
10.8	20	1732.600007	7	4331			
6.3 (End point)	20	1732.599992	-8	4331			
	FREQU	ENCY ERROR vs.	. Temp.				
12	60	1732.600012	12	4331			
12	50	1732.600009	9	4331			
12	40	1732.600004	4	4331			
12	30	1732.600002	2	4331			
12	20	1732.599995	-5	4331			
12	10	1732.600002	2	4331			
12	0	1732.59999	-10	4331			
12	-10	1732.600002	2	4331			
12	-20	1732.599992	-8	4331			
12	-30	1732.599993	-7	4331			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solor esponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 100 of 110

<u> </u>	WCDN	MA V Mid Channel	836.6	MHz			
Limit: +/- 2.5 ppm							
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)			
	FREQUE	NCY ERROR vs. V	OLTAGE				
13.2	20	836.599993	-7	2091			
12	20	836.600006	6	2091			
10.8	20	836.600007	7	2091			
6.3 (End point)	20	836.600006	6	2091			
	FREQU	IENCY ERROR vs.	. Temp.				
12	60	836.599991	-9	2091			
12	50	836.600009	9	2091			
12	40	836.60001	10	2091			
12	30	836.599995	-5	2091			
12	20	836.600001	1	2091			
12	10	836.599998	-2	2091			
12	0	836.600005	5	2091			
12	-10	836.599993	-7	2091			
12	-20	836.599999	-1	2091			
12	-30	836.600001	1	2091			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本務告表總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 101 of 110

11 PEAK TO AVERAGE RATIO

11.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 **Measurement Equipment Used**

Conducted Emission Test Site: Conducted 4						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/27/2021	04/26/2022	
Temperature Chamber	Giant Force	GTH-150- 40-CP-AR	MAA0512-018	05/19/2021	05/18/2022	
Radio Communication Analyer	Anritsu	MT8815B	6200711454	04/07/2021	04/06/2022	
DC Power Supply	Agilent	E3640A	MY52410006	12/17/2020	12/16/2021	
Attenuator	Mini-Circuit	BW- S10W2+	2	12/16/2020	12/15/2021	
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021	
Power Divider	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412- 018	12/16/2020	12/15/2021	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor



Page: 102 of 110

11.6 **Measurement Result**

Erog		Peak-to-Average Ratio (dB)		
Freq. (MHz)	CH	GSM	GPRS	EDGE
(IVITZ)		850	850	850
824.2	128	10.16	9.46	12.9
836.6	190	8.44	9.53	12.05
848.8	251	9.68	9.48	12.22

Freq.		Peak-to-Average Ratio (dB)		
(MHz)	CH	GSM	GPRS	EDGE
(IVITIZ)		1900	1900	1900
1850.2	512	9.4	9.5	12.29
1880	661	9.43	9.94	12.37
1909.8	810	10.36	10.28	12.8

I	Eroa		Peak-to-Average Ratio (dB)		
	Freq. (MHz)	CH	WCDMA	HSDPA	HSUPA
	(IVII IZ)		II	II	II
	1852.4	9262	2.99	4.01	4.13
	1880	9400	2.95	4.22	4.06
	1907.6	9538	2.81	4.08	3.81

Freq.		Peak-to-Average Ratio (dB)		
(MHz)	CH	WCDMA	HSDPA	HSUPA
(IVITIZ)		IV	IV	IV
1712.4	1312	3.02	3.88	4.04
1732.6	1413	3.02	4.14	4.02
1752.6	1513	2.97	3.60	3.80

Eroa		Peak-to-Average Ratio (dB)		
Freq. (MHz)	CH	WCDMA	HSDPA	HSUPA
(IVII IZ)		V	V	V
826.4	4132	3.31	4.22	3.89
836.6	4183	3.33	4.06	4.13
846.6	4233	3.50	4.20	4.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅保留則失。本務告表總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 103 of 110


GSM 850MHz LowCH128-824.2



GSM 850MHz MidCH190-836.6




GSM_850MHz_HighCH251-848.8




GPRS 850MHz LowCH128-824.2



GPRS 850MHz MidCH190-836.6



GPRS_850MHz__HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor



Page: 104 of 110


EDGE 850MHz LowCH128-824.2



EDGE 850MHz MidCH190-836.6




EDGE_850MHz__HighCH251-848.8




GSM 1900MHz LowCH512-1850.2



GSM 1900MHz MidCH661-1880



GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor




Page: 105 of 110

GPRS 1900MHz LowCH512-1850.2



GPRS 1900MHz MidCH661-1880




GPRS_1900MHz_HighCH810-1909.8




EDGE 1900MHz LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCSTainsal Idea | New York | New Yor




Page: 106 of 110


WCDMA B2 LowCH9262-1852.4



WCDMA B2 MidCH9400-1880




WCDMA B2 HighCH9538-1907.6




HSDPA B2 LowCH9262-1852.4



HSDPA B2 MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 107 of 110


HSUPA B2 LowCH9262-1852.4



HSUPA B2 MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6




WCDMA B4 LowCH1312-1712.4



WCDMA B4 MidCH1413-1732.6



WCDMA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prospected to the fullest extent of the law. of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.