


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5320MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	10640.000	53.43	54.00	-0.57	60.99	-7.56	Average
2	10640.000	67.83	74.00	-6.17	75.39	-7.56	Peak
3	15960.000	42.74	54.00	-11.26	45.74	-3.00	Average
4	15960.000	57.68	74.00	-16.32	60.68	-3.00	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5320MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	10640.000	49.28	54.00	-4.72	56.84	-7.56	Average
2	10640.000	64.88	74.00	-9.12	72.44	-7.56	Peak
3	15960.000	44.35	54.00	-9.65	47.35	-3.00	Average
4	15960.000	58.89	74.00	-15.11	61.89	-3.00	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5500MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.150	55.41	74.00	-18.59	33.82	21.59	Peak
2	5465.100	57.67	68.20	-10.53	36.08	21.59	Peak
3	5496.950	105.38	-----	-----	83.77	21.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5500MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.500	42.68	54.00	-11.32	21.09	21.59	Average
2	5502.900	96.25	-----	-----	74.63	21.62	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5500MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5454.950	54.51	74.00	-19.49	32.92	21.59	Peak
2	5470.000	55.17	68.20	-13.03	33.58	21.59	Peak
3	5503.250	102.59	-----	-----	80.97	21.62	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5500MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	41.73	54.00	-12.27	20.14	21.59	Average
2	5502.900	93.22	-----	-----	71.60	21.62	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	53.22	54.00	-0.78	60.38	-7.16	Average
2	11000.000	67.85	74.00	-6.15	75.01	-7.16	Peak
3	16500.000	58.98	68.20	-9.22	62.42	-3.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5500MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	47.08	54.00	-6.92	54.24	-7.16	Average
2	11000.000	62.48	74.00	-11.52	69.64	-7.16	Peak
3	16500.000	62.08	68.20	-6.12	65.52	-3.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5580MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5456.700	55.18	74.00	-18.82	33.59	21.59	Peak
2	5464.750	54.79	68.20	-13.41	33.20	21.59	Peak
3	5572.200	108.21	-----	-----	86.40	21.81	Peak
4	5745.975	54.99	68.20	-13.21	32.67	22.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5580MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5419.600	42.12	54.00	-11.88	20.55	21.57	Average
2	5571.850	98.91	-----	-----	77.10	21.81	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5580MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5422.925	54.59	74.00	-19.41	33.02	21.57	Peak
2	5468.250	53.17	68.20	-15.03	31.58	21.59	Peak
3	5572.200	104.45	-----	-----	82.64	21.81	Peak
4	5741.775	54.70	68.20	-13.50	32.38	22.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5580MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5422.925	54.59	74.00	-19.41	33.02	21.57	Peak
2	5468.250	53.17	68.20	-15.03	31.58	21.59	Peak
3	5572.200	104.45	-----	-----	82.64	21.81	Peak
4	5741.775	54.70	68.20	-13.50	32.38	22.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5580MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	53.21	54.00	-0.79	60.01	-6.80	Average
2	11160.000	67.86	74.00	-6.14	74.66	-6.80	Peak
3	16740.000	59.14	68.20	-9.06	62.68	-3.54	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5580MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	47.27	54.00	-6.73	54.07	-6.80	Average
2	11160.000	62.44	74.00	-11.56	69.24	-6.80	Peak
3	16740.000	63.02	68.20	-5.18	66.56	-3.54	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5700MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5696.975	108.79	-----	-----	86.62	22.17	Peak
2	5725.500	64.29	68.20	-3.91	42.02	22.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5700MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5692.250	104.53	-----	-----	82.36	22.17	Peak
2	5725.325	61.01	68.20	-7.19	38.74	22.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5700MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11400.000	53.78	54.00	-0.22	60.07	-6.29	Average
2	11440.000	68.20	74.00	-5.80	74.49	-6.29	Peak
3	17100.000	59.27	68.20	-8.93	62.80	-3.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5700MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11400.000	48.77	54.00	-5.23	55.06	-6.29	Average
2	11440.000	63.13	74.00	-10.87	69.42	-6.29	Peak
3	17100.000	61.57	68.20	-6.63	65.10	-3.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5720MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11440.000	53.97	54.00	-0.03	60.17	-6.20	Average
2	11440.000	69.19	74.00	-4.81	75.39	-6.20	Peak
3	17160.000	58.35	68.20	-9.85	61.81	-3.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5720MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11440.000	48.71	54.00	-5.29	54.91	-6.20	Average
2	11440.000	63.26	74.00	-10.74	69.46	-6.20	Peak
3	17160.000	62.46	68.20	-5.74	65.92	-3.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5745MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5561.000	56.01	68.20	-12.19	34.22	21.79	Peak
2	5653.250	55.56	70.61	-15.05	33.50	22.06	Peak
3	5721.750	71.67	114.79	-43.12	49.41	22.26	Peak
4	5753.250	108.80	-----	-----	86.45	22.35	Peak
5	5898.750	57.32	93.55	-36.23	34.58	22.74	Peak
6	5920.000	56.66	71.91	-15.25	33.83	22.83	Peak
7	6017.250	56.58	68.20	-11.62	33.43	23.15	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5745MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5634.500	54.60	68.20	-13.60	32.61	21.99	Peak
2	5652.000	52.49	69.69	-17.20	30.45	22.04	Peak
3	5724.250	69.79	120.49	-50.70	47.53	22.26	Peak
4	5748.250	106.66	-----	-----	84.33	22.33	Peak
5	5878.250	55.56	102.80	-47.24	32.86	22.70	Peak
6	5920.500	54.01	71.54	-17.53	31.18	22.83	Peak
7	5957.000	55.85	68.20	-12.35	32.92	22.93	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5745MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	53.40	54.00	-0.60	59.49	-6.09	Average
2	11490.000	68.58	74.00	-5.42	74.67	-6.09	Peak
3	17235.000	60.56	68.20	-7.64	63.93	-3.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5745MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	49.25	54.00	-4.75	55.34	-6.09	Average
2	11490.000	64.11	74.00	-9.89	70.20	-6.09	Peak
3	17235.000	62.77	68.20	-5.43	66.14	-3.37	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5785MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5568.250	56.55	68.20	-11.65	34.75	21.80	Peak
2	5653.250	54.61	70.61	-16.00	32.55	22.06	Peak
3	5661.750	55.29	76.90	-21.61	33.21	22.08	Peak
4	5788.500	108.79	-----	-----	86.34	22.45	Peak
5	5858.750	57.99	109.75	-51.76	35.34	22.65	Peak
6	5922.500	54.95	70.06	-15.11	32.12	22.83	Peak
7	5955.750	57.27	68.20	-10.93	34.34	22.93	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5785MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5634.750	54.62	68.20	-13.58	32.63	21.99	Peak
2	5652.000	52.33	69.69	-17.36	30.29	22.04	Peak
3	5669.500	54.65	82.63	-27.98	32.54	22.11	Peak
4	5788.000	105.46	-----	-----	83.01	22.45	Peak
5	5895.750	55.57	89.85	-34.28	32.81	22.76	Peak
6	5922.000	54.12	70.43	-16.31	31.29	22.83	Peak
7	5942.750	56.04	68.20	-12.16	33.15	22.89	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5785MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	53.44	54.00	-0.56	59.48	-6.04	Average
2	11570.000	68.75	74.00	-5.25	74.79	-6.04	Peak
3	17355.000	60.18	68.20	-8.02	63.41	-3.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5785MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	48.95	54.00	-5.05	54.99	-6.04	Average
2	11570.000	63.51	74.00	-10.49	69.55	-6.04	Peak
3	17355.000	61.41	68.20	-6.79	64.64	-3.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5825MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5553.500	55.35	68.20	-12.85	33.58	21.77	Peak
2	5653.750	52.91	70.98	-18.07	30.85	22.06	Peak
3	5696.750	55.25	102.80	-47.55	33.08	22.17	Peak
4	5822.000	107.11	-----	-----	84.57	22.54	Peak
5	5850.000	60.94	122.20	-61.26	38.31	22.63	Peak
6	5922.500	55.47	70.06	-14.59	32.64	22.83	Peak
7	5984.750	57.07	68.20	-11.13	34.06	23.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5825MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5620.250	54.15	68.20	-14.05	32.19	21.96	Peak
2	5652.750	53.39	70.24	-16.85	31.35	22.04	Peak
3	5713.250	54.23	108.91	-54.68	32.01	22.22	Peak
4	5821.750	105.13	-----	-----	82.59	22.54	Peak
5	5866.000	56.88	107.72	-50.84	34.20	22.68	Peak
6	5922.500	53.94	70.06	-16.12	31.11	22.83	Peak
7	5957.000	55.54	68.20	-12.66	32.61	22.93	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_5825MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	53.10	54.00	-0.90	59.09	-5.99	Average
2	11650.000	68.31	74.00	-5.69	74.30	-5.99	Peak
3	17475.000	59.50	68.20	-8.70	62.58	-3.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_5825MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11650.000	48.38	54.00	-5.62	54.37	-5.99	Average
2	11650.000	62.84	74.00	-11.16	68.83	-5.99	Peak
3	17475.000	61.49	68.20	-6.71	64.57	-3.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5190MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	63.32	74.00	-10.68	41.90	21.42	Peak
2	5183.000	103.92	-----	-----	82.48	21.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5190MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.350	50.63	54.00	-3.37	29.21	21.42	Average
2	5186.300	94.50	-----	-----	73.06	21.44	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5190MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.450	62.85	74.00	-11.15	41.43	21.42	Peak
2	5183.900	102.51	-----	-----	81.07	21.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5190MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	49.98	54.00	-4.02	28.56	21.42	Average
2	5185.550	93.39	-----	-----	71.95	21.44	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5190MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	67.65	68.20	-0.55	75.60	-7.95	Peak
2	15570.000	43.25	54.00	-10.75	46.45	-3.20	Average
3	15570.000	56.46	74.00	-17.54	59.66	-3.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5190MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	61.98	68.20	-6.22	69.93	-7.95	Peak
2	15570.000	43.88	54.00	-10.12	47.08	-3.20	Average
3	15570.000	57.57	74.00	-16.43	60.77	-3.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5230MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5085.350	57.25	74.00	-16.75	35.86	21.39	Peak
2	5214.950	104.33	-----	-----	82.87	21.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5230MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5142.350	41.90	54.00	-12.10	20.48	21.42	Average
2	5214.200	95.32	-----	-----	73.86	21.46	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5230MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5135.000	58.51	74.00	-15.49	37.10	21.41	Peak
2	5214.950	103.31	-----	-----	81.85	21.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5230MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	42.96	54.00	-11.04	21.54	21.42	Average
2	5214.350	94.32	-----	-----	72.86	21.46	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5230MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10460.000	67.60	68.20	-0.60	75.41	-7.81	Peak
2	15690.000	44.64	54.00	-9.36	47.77	-3.13	Average
3	15690.000	58.99	74.00	-15.01	62.12	-3.13	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5230MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10460.000	62.37	68.20	-5.83	70.18	-7.81	Peak
2	15690.000	45.26	54.00	-8.74	48.39	-3.13	Average
3	15690.000	60.67	74.00	-13.33	63.80	-3.13	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5270MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5254.950	104.63	-----	-----	83.15	21.48	Peak
2	5401.500	63.76	74.00	-10.24	42.20	21.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5270MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5255.100	95.09	-----	-----	73.61	21.48	Average
2	5352.150	44.53	54.00	-9.47	23.00	21.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5270MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5284.050	104.05	-----	-----	82.56	21.49	Peak
2	5393.850	64.40	74.00	-9.60	42.85	21.55	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5270MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5285.400	94.51	-----	-----	73.02	21.49	Average
2	5352.750	43.35	54.00	-10.65	21.82	21.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5270MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	10540.000	67.91	68.20	-0.29	75.59	-7.68	Peak
2	15810.000	42.93	54.00	-11.07	46.01	-3.08	Average
3	15810.000	56.80	74.00	-17.20	59.88	-3.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5270MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	10540.000	65.39	68.20	-2.81	73.07	-7.68	Peak
2	15810.000	45.46	54.00	-8.54	48.54	-3.08	Average
3	15810.000	59.96	74.00	-14.04	63.04	-3.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5310MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5307.750	102.74	-----	-----	81.23	21.51	Peak
2	5355.900	64.24	74.00	-9.76	42.71	21.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5310MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5305.500	93.27	-----	-----	71.77	21.50	Average
2	5350.950	50.52	54.00	-3.48	28.99	21.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5310MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5324.100	101.88	-----	-----	80.36	21.52	Peak
2	5356.050	63.23	74.00	-10.77	41.70	21.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5310MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5325.450	92.58	-----	-----	71.06	21.52	Average
2	5350.200	49.82	54.00	-4.18	28.29	21.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5310MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10620.000	53.29	54.00	-0.71	60.89	-7.60	Average
2	10620.000	66.01	74.00	-7.99	73.61	-7.60	Peak
3	15930.000	45.21	54.00	-8.79	48.23	-3.02	Average
4	15930.000	58.89	74.00	-15.11	61.91	-3.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5310MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10620.000	49.51	54.00	-4.49	57.11	-7.60	Average
2	10620.000	62.19	74.00	-11.81	69.79	-7.60	Peak
3	15930.000	42.59	54.00	-11.41	45.61	-3.02	Average
4	15930.000	57.96	74.00	-16.04	60.98	-3.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5510MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.150	60.92	74.00	-13.08	39.33	21.59	Peak
2	5470.000	64.03	68.20	-4.17	42.44	21.59	Peak
3	5524.075	105.22	-----	-----	83.55	21.67	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5510MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	48.08	54.00	-5.92	26.49	21.59	Average
2	5525.300	95.81	-----	-----	74.12	21.69	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5510MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	58.83	74.00	-15.17	37.24	21.59	Peak
2	5467.900	61.35	68.20	-6.85	39.76	21.59	Peak
3	5495.025	101.76	-----	-----	80.15	21.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5510MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	46.15	54.00	-7.85	24.56	21.59	Average
2	5494.325	92.50	-----	-----	70.89	21.61	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5510MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11020.000	53.85	54.00	-0.15	60.97	-7.12	Average
2	11020.000	66.41	74.00	-7.59	73.53	-7.12	Peak
3	16530.000	59.72	68.20	-8.48	63.17	-3.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5510MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11020.000	48.72	54.00	-5.28	55.84	-7.12	Average
2	11020.000	61.03	74.00	-12.97	68.15	-7.12	Peak
3	16530.000	62.81	68.20	-5.39	66.26	-3.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5550MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5447.075	55.69	74.00	-18.31	34.11	21.58	Peak
2	5464.050	56.85	68.20	-11.35	35.26	21.59	Peak
3	5565.900	106.92	-----	-----	85.12	21.80	Peak
4	5737.750	55.22	68.20	-12.98	32.92	22.30	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5550MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.750	43.41	54.00	-10.59	21.82	21.59	Average
2	5565.550	97.45	-----	-----	75.65	21.80	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5550MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5430.975	54.36	74.00	-19.64	32.79	21.57	Peak
2	5467.025	55.21	68.20	-12.99	33.62	21.59	Peak
3	5506.600	102.87	-----	-----	81.07	21.80	Peak
4	5749.475	54.40	68.20	-13.80	32.07	22.33	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5550MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5458.975	42.12	54.00	-11.88	20.53	21.59	Average
2	5565.375	93.73	-----	-----	71.93	21.80	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5550MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11100.000	53.75	54.00	-0.25	60.69	-6.94	Average
2	11100.000	66.24	74.00	-7.76	73.18	-6.94	Peak
3	16650.000	59.46	68.20	-8.74	62.96	-3.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5550MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11100.000	47.93	54.00	-6.07	54.87	-6.94	Average
2	11100.000	61.11	74.00	-12.89	68.05	-6.94	Peak
3	16650.000	62.43	68.20	-5.77	65.93	-3.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5670MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5684.200	107.10	-----	84.96	22.14	Peak	
2	5727.075	67.86	68.20	-0.34	45.59	22.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5670MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5686.650	103.74	-----	81.58	22.16	Peak	
2	5725.850	61.51	68.20	-6.69	39.24	22.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5670MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11340.000	51.95	54.00	-2.05	58.37	-6.42	Average
2	11340.000	64.05	74.00	-9.95	70.47	-6.42	Peak
3	17010.000	56.70	68.20	-11.50	60.35	-3.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5670MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11340.000	46.29	54.00	-7.71	52.71	-6.42	Average
2	11340.000	60.36	74.00	-13.64	66.78	-6.42	Peak
3	17010.000	60.70	68.20	-7.50	64.35	-3.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5710MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11420.000	53.40	54.00	-0.60	59.64	-6.24	Average
2	11420.000	65.81	74.00	-8.19	72.05	-6.24	Peak
3	17130.000	58.84	68.20	-9.36	62.34	-3.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5710MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11420.000	48.09	54.00	-5.91	54.33	-6.24	Average
2	11420.000	60.74	74.00	-13.26	66.98	-6.24	Peak
3	17130.000	61.87	68.20	-6.33	65.37	-3.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5755MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5618.000	63.10	68.20	-5.10	41.15	21.95	Peak
2	5653.500	59.44	70.80	-11.36	37.38	22.06	Peak
3	5723.750	82.33	119.35	-37.02	60.07	22.26	Peak
4	5769.000	100.34	-----	-----	85.95	22.39	Peak
5	5851.500	68.03	118.78	-50.75	45.40	22.63	Peak
6	5923.000	60.76	69.69	-8.93	37.93	22.83	Peak
7	5933.750	60.79	68.20	-7.41	37.92	22.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5755MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5635.250	57.48	68.20	-10.72	35.49	21.99	Peak
2	5651.000	57.29	68.95	-11.66	35.25	22.04	Peak
3	5719.250	80.27	110.59	-30.32	58.02	22.25	Peak
4	5740.250	105.38	-----	-----	83.07	22.31	Peak
5	5852.250	65.05	117.07	-52.02	42.42	22.63	Peak
6	5922.250	55.32	70.24	-14.92	32.49	22.83	Peak
7	5956.500	56.39	68.20	-11.81	33.46	22.93	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5755MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11510.000	53.66	54.00	-0.34	59.72	-6.06	Average
2	11510.000	66.31	74.00	-7.69	72.37	-6.06	Peak
3	17265.000	59.05	68.20	-9.15	62.38	-3.33	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5755MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11510.000	48.11	54.00	-5.89	54.17	-6.06	Average
2	11510.000	62.28	74.00	-11.72	68.34	-6.06	Peak
3	17265.000	61.10	68.20	-7.10	64.43	-3.33	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5795MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5645.500	57.77	68.20	-10.43	35.74	22.03	Peak
2	5651.500	56.27	69.32	-13.05	34.23	22.04	Peak
3	5701.500	61.20	105.62	-44.42	39.01	22.19	Peak
4	5809.250	107.65	-----	-----	85.14	22.51	Peak
5	5853.000	74.79	115.36	-40.57	52.15	22.64	Peak
6	5922.000	59.92	70.43	-10.51	37.09	22.83	Peak
7	5934.250	62.62	68.20	-5.58	39.75	22.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5795MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5551.500	54.27	68.20	-13.93	32.52	21.75	Peak
2	5654.000	53.08	71.17	-18.09	31.02	22.06	Peak
3	5712.750	57.52	108.77	-51.25	35.30	22.22	Peak
4	5811.500	105.12	-----	-----	82.61	22.51	Peak
5	5850.250	70.42	121.63	-51.21	47.79	22.63	Peak
6	5921.750	57.75	70.61	-12.86	34.92	22.83	Peak
7	5937.000	58.48	68.20	-9.72	35.60	22.88	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_5795MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	53.24	54.00	-0.76	59.27	-6.03	Average
2	11590.000	66.15	74.00	-7.85	72.18	-6.03	Peak
3	17385.000	58.99	68.20	-9.21	62.18	-3.19	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_5795MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	46.97	54.00	-7.03	53.00	-6.03	Average
2	11590.000	61.44	74.00	-12.56	67.47	-6.03	Peak
3	17385.000	60.73	68.20	-7.47	63.92	-3.19	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5210MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5147.750	66.99	74.00	-7.01	45.57	21.42	Peak
2	5185.400	101.54	-----	-----	80.10	21.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5210MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5145.050	53.69	54.00	-0.31	32.27	21.42	Average
2	5186.300	91.18	-----	-----	69.74	21.44	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5210MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5127.950	66.43	74.00	-7.57	45.02	21.41	Peak
2	5189.900	100.13	74.00	26.13	78.69	21.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5210MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5145.200	52.80	74.00	-21.20	31.38	21.42	Average
2	5186.450	89.62	74.00	15.62	68.18	21.44	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5210MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	66.48	68.20	-1.72	74.36	-7.88	Peak
2	15630.000	40.33	54.00	-13.67	43.50	-3.17	Average
3	15630.000	55.01	74.00	-18.99	58.18	-3.17	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5210MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	61.94	68.20	-6.26	69.82	-7.88	Peak
2	15630.000	42.16	54.00	-11.84	45.33	-3.17	Average
3	15630.000	56.71	74.00	-17.29	59.88	-3.17	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5290MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5312.700	99.20	-----	-----	77.69	21.51	Peak
2	5352.750	66.74	74.00	-7.26	45.21	21.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5290MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5307.450	88.89	-----	-----	67.38	21.51	Average
2	5350.500	53.30	54.00	-0.70	31.77	21.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5290MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5312.850	98.36	-----	-----	76.85	21.51	Peak
2	5359.350	66.71	74.00	-7.29	45.18	21.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5290MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5307.450	87.77	-----	-----	66.26	21.51	Average
2	5350.500	51.51	54.00	-2.49	29.98	21.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5290MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10580.000	65.03	68.20	-3.17	72.67	-7.64	Peak
2	15870.000	53.65	74.00	-20.35	56.70	-3.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5290MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10580.000	61.84	68.20	-6.36	69.48	-7.64	Peak
2	15870.000	51.04	74.00	-22.96	54.09	-3.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5530MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5447.950	66.94	74.00	-7.06	45.36	21.58	Peak
2	5469.825	66.34	68.20	-1.86	44.75	21.59	Peak
3	5505.175	101.33	-----	-----	79.71	21.62	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5530MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5458.625	53.39	54.00	-0.61	31.00	21.59	Average
2	5498.000	90.94	-----	-----	69.33	21.61	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5530MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5450.400	62.55	74.00	-11.45	40.97	21.58	Peak
2	5467.200	63.39	68.20	-4.81	41.80	21.59	Peak
3	5509.900	97.96	-----	-----	76.32	21.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5530MHz
Test By :Ling Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	49.99	54.00	-4.01	28.40	21.59	Average
2	5506.400	87.82	-----	-----	66.20	21.62	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5530MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11060.000	50.77	54.00	-3.23	57.80	-7.03	Average
2	11060.000	63.99	74.00	-10.01	71.02	-7.03	Peak
3	16590.000	51.88	68.20	-16.32	55.35	-3.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5530MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11060.000	44.83	54.00	-9.17	51.86	-7.03	Average
2	11060.000	58.04	74.00	-15.96	65.07	-7.03	Peak
3	16590.000	58.26	68.20	-9.94	61.73	-3.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5610MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5452.150	62.44	74.00	-11.56	40.86	21.58	Peak
2	5466.675	62.66	68.20	-5.54	41.07	21.59	Peak
3	5596.350	103.37	-----	-----	81.48	21.89	Peak
4	5730.225	67.27	68.20	-0.93	45.00	22.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5610MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5458.625	47.38	54.00	-6.62	25.79	21.59	Average
2	5643.075	93.20	-----	-----	71.17	22.03	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5610MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5451.275	59.49	74.00	-14.51	37.91	21.58	Peak
2	5467.200	59.47	68.20	-8.73	37.88	21.59	Peak
3	5596.350	99.38	-----	-----	77.49	21.89	Peak
4	5732.150	59.53	68.20	-8.67	37.25	22.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5610MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.325	45.61	54.00	-8.39	24.02	21.59	Average
2	5588.650	89.20	-----	-----	67.34	21.86	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5610MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	51.56	54.00	-2.44	58.24	-6.68	Average
2	11220.000	64.91	74.00	-9.09	71.59	-6.68	Peak
3	16830.000	51.08	68.20	-17.12	54.65	-3.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5610MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	45.69	54.00	-8.31	52.37	-6.68	Average
2	11220.000	58.92	74.00	-15.08	65.60	-6.68	Peak
3	16830.000	59.37	68.20	-8.83	62.94	-3.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5690MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11380.000	48.94	54.00	-5.06	55.26	-6.32	Average
2	11380.000	62.06	74.00	-11.94	68.38	-6.32	Peak
3	17070.000	51.65	68.20	-16.55	55.21	-3.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5690MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11380.000	42.15	54.00	-11.85	48.47	-6.32	Average
2	11380.000	55.10	74.00	-18.90	61.42	-6.32	Peak
3	17070.000	54.67	68.20	-13.53	58.23	-3.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5775MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5641.000	64.53	68.20	-3.67	42.51	22.02	Peak
2	5652.750	63.31	70.24	-6.93	41.27	22.04	Peak
3	5693.250	73.72	100.21	-26.49	51.55	22.17	Peak
4	5797.750	104.38	-----	-----	81.91	22.47	Peak
5	5854.250	74.86	112.51	-37.65	52.22	22.64	Peak
6	5921.250	64.68	70.98	-6.30	41.85	22.83	Peak
7	5932.250	64.12	68.20	-4.08	41.25	22.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5775MHz
Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5541.000	59.10	68.20	-9.10	37.37	21.73	Peak
2	5654.000	57.50	71.17	-13.67	35.44	22.06	Peak
3	5693.250	68.50	100.21	-31.71	46.33	22.17	Peak
4	5809.000	100.85	-----	-----	78.34	22.51	Peak
5	5850.250	70.72	121.63	-50.91	48.09	22.63	Peak
6	5921.750	59.59	70.61	-11.02	36.76	22.83	Peak
7	5931.000	60.47	68.20	-7.73	37.60	22.87	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5775MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	50.76	54.00	-3.24	56.80	-6.04	Average
2	11550.000	63.41	74.00	-10.59	69.45	-6.04	Peak
3	17325.000	56.31	68.20	-11.89	59.57	-3.26	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5775MHz
Test By :Ling Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	46.86	54.00	-7.14	52.90	-6.04	Average
2	11550.000	60.18	74.00	-13.82	66.22	-6.04	Peak
3	17325.000	58.32	68.20	-9.88	61.58	-3.26	Peak

Note:


1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix E. Test Result of Radiated Emissions Co-location

WWAN LTE + WiFi 2.4 GHz

30 MHz ~ 1 GHz:

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_WWAN LTE+NLAN_2.4G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	106.679	38.58	43.50	-4.92	44.71	-6.13	QP
2	199.993	34.12	43.50	-9.38	40.13	-6.01	QP
3	385.020	31.45	46.00	-14.55	31.10	0.35	QP
4	500.014	35.51	46.00	-10.49	32.55	2.96	QP
5	600.021	41.46	46.00	-4.54	36.11	5.35	QP
6	701.483	32.18	46.00	-13.82	25.21	6.97	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_WWAN LTE+NLAN_2.4G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	94.311	37.03	43.50	-6.47	45.14	-8.11	QP
2	199.993	32.82	43.50	-10.68	38.83	-6.01	QP
3	300.000	32.07	46.00	-13.93	34.13	-2.06	QP
4	432.744	36.10	46.00	-9.90	34.46	1.64	QP
5	600.021	38.89	46.00	-7.11	33.54	5.35	QP
6	650.703	36.91	46.00	-9.09	30.69	6.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Above 1 GHz:

Site :HC-CB02
Condition :3m ,Horizontal
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_2.4G+WLAN LTE
Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	1638.000	56.07	-----	-----	82.55	-26.48	Peak
2	2457.000	35.73	-----	-----	59.15	-23.42	Peak
3	3276.000	47.57	-----	-----	68.20	-20.63	Peak
4	4095.000	46.01	-----	-----	63.31	-17.30	Peak
5	4874.000	42.62	74.00	-31.38	57.10	-14.48	Peak
6	7311.000	49.44	74.00	-24.56	57.32	-7.88	Peak
7	9748.000	50.56	74.00	-23.44	54.04	-4.28	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.

Site :HC-CB02
Condition :3m ,Vertical
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_2.4G+WLAN LTE
Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	1638.000	61.43	-----	-----	87.91	-26.48	Peak
2	2457.000	34.82	-----	-----	58.24	-23.42	Peak
3	3276.000	45.33	-----	-----	65.96	-20.63	Peak
4	4095.000	45.62	-----	-----	62.92	-17.30	Peak
5	4874.000	42.64	74.00	-31.36	57.12	-14.48	Peak
6	7311.000	49.56	74.00	-24.44	57.44	-7.88	Peak
7	9748.000	51.30	74.00	-22.70	55.58	-4.28	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.

WWAN LTE + WiFi 5 GHz**30 MHz ~ 1 GHz:**

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_WWAN LTE+NLAN_5G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	148.146	35.63	43.50	-7.87	38.43	-2.80	QP
2	199.993	33.85	43.50	-9.65	39.86	-6.01	QP
3	300.000	30.85	46.00	-15.15	32.91	-2.06	QP
4	429.349	35.07	46.00	-10.93	33.56	1.51	QP
5	534.061	33.80	46.00	-12.20	30.24	3.56	QP
6	600.021	40.27	46.00	-5.73	34.92	5.35	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_WWAN LTE+NLAN_5G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	95.766	34.92	43.50	-8.58	42.72	-7.80	QP
2	144.703	31.89	43.50	-11.61	34.84	-2.95	QP
3	382.401	36.29	46.00	-9.71	35.99	0.30	QP
4	441.232	36.32	46.00	-9.68	34.42	1.90	QP
5	522.663	34.27	46.00	-11.73	30.89	3.38	QP
6	650.703	38.46	46.00	-7.54	32.24	6.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Above 1 GHz:

Site :HC-CB02
 Condition :3m Horizontal
 RBW:1000 kHz VBW:3000 kHz
 Mode :WLAN_5G+WWAN LTE
 Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	1638.000	76.26	-----	-----	102.74	-26.48	Peak
2	2457.000	62.56	-----	-----	85.98	-23.42	Peak
3	3276.000	53.92	-----	-----	74.55	-20.63	Peak
4	4095.000	60.20	-----	-----	77.50	-17.30	Peak
5	11510.000	53.93	74.00	-20.07	55.67	-1.74	Peak
6	17265.000	52.73	68.20	-15.47	51.17	1.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.
6. "-----" is WWAN signal, and the test result complies with limit -13dBm.

Please refer to report number 2480097R-RFUSV225-A & 2480097R-RFUSV235-A for more detailed information.

Site :HC-CB02
 Condition :3m Vertical
 RBW:1000 kHz VBW:3000 kHz
 Mode :WLAN_5G+WWAN LTE
 Test by :Gary Liao



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	1638.000	75.62	-----	-----	102.10	-26.48	Peak
2	2457.000	55.90	-----	-----	79.32	-23.42	Peak
3	3276.000	50.91	-----	-----	71.54	-20.63	Peak
4	4095.000	54.82	-----	-----	72.12	-17.30	Peak
5	11510.000	51.50	74.00	-22.50	53.24	-1.74	Peak
6	17265.000	52.75	68.20	-15.45	51.19	1.56	Peak


Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.
6. "-----" is WWAN signal, and the test result complies with limit -13dBm.

Please refer to report number 2480097R-RFUSV225-A & 2480097R-RFUSV235-A for more detailed information.

WWAN LTE + Bluetooth**30 MHz ~ 1 GHz:**

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_WWAN LTE+HLAN_BT
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	84.951	36.65	40.00	-3.35	44.53	-7.88	QP
2	145.236	36.40	43.50	-7.10	39.36	-2.96	QP
3	428.379	35.74	46.00	-10.26	34.26	1.48	QP
4	500.014	35.26	46.00	-10.74	32.30	2.96	QP
5	600.021	38.51	46.00	-7.49	33.16	5.35	QP
6	739.555	31.82	46.00	-14.18	24.03	7.79	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_WWAN LTE+HLAN_BT
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	108.764	33.00	43.50	-10.50	38.76	-5.76	QP
2	199.993	31.83	43.50	-11.67	37.84	-6.01	QP
3	389.601	35.65	46.00	-10.35	35.39	0.26	QP
4	443.948	36.93	46.00	-9.07	34.91	2.02	QP
5	600.021	41.91	46.00	-4.09	36.56	5.35	QP
6	650.703	38.20	46.00	-7.80	31.98	6.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Above 1 GHz:

Site :HC-CB02
Condition :3m ,Horizontal
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_BT+WWAN LTE
Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	1638.000	70.90	-----	-----	97.38	-26.48	Peak
2	2457.000	34.85	-----	-----	58.27	-23.42	Peak
3	3276.000	59.37	-----	-----	80.00	-20.63	Peak
4	4095.000	42.17	-----	-----	59.47	-17.30	Peak
5	4804.000	52.42	74.00	-21.58	67.17	-14.75	Peak
6	7206.000	47.92	74.00	-26.08	55.91	-7.99	Peak
7	9608.000	50.26	74.00	-23.74	54.82	-4.56	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.

Site :HC-CB02
Condition :3m ,Vertical
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_BT+WWAN LTE
Test by :Gary Liao



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	1638.000	70.95	-----	-----	97.43	-26.48	Peak
2	2457.000	34.80	-----	-----	58.22	-23.42	Peak
3	3276.000	55.56	-----	-----	76.19	-20.63	Peak
4	4095.000	41.77	-----	-----	59.07	-17.30	Peak
5	4804.000	45.82	74.00	-28.18	60.57	-14.75	Peak
6	7206.000	47.94	74.00	-26.06	55.93	-7.99	Peak
7	9608.000	50.48	74.00	-23.52	55.04	-4.56	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.