




802.11g / 20 MHz / 6M / 2412 MHz / Ch1




802.11g / 20 MHz / 6M / 2412 MHz / Ch1




802.11g / 20 MHz / 6M / 2437 MHz / Ch6




802.11g / 20 MHz / 6M / 2437 MHz / Ch6




802.11g / 20 MHz / 6M / 2462 MHz / Ch11




802.11g / 20 MHz / 6M / 2462 MHz / Ch11




VHT / 20 MHz / MCS0 / 2412MHz / Ch1




VHT / 20 MHz / MCS0 / 2412 MHz / Ch1




VHT / 20 MHz / MCS0 / 2437 MHz / Ch6




VHT / 20 MHz / MCS0 / 2437 MHz / Ch6




VHT / 20 MHz / MCS0 / 2462 MHz / Ch11




VHT / 20 MHz / MCS0 / 2462 MHz / Ch11




VHT / 40 MHz / MCS0 / 2422 MHz / Ch3




VHT / 40 MHz / MCS0 / 2422 MHz / Ch3




VHT / 40 MHz / MCS0 / 2437 MHz / Ch6




VHT / 40 MHz / MCS0 / 2437 MHz / Ch6




VHT / 40 MHz / MCS0 / 2452 MHz / Ch9




VHT / 40 MHz / MCS0 / 2452 MHz / Ch9




802.11b / 20 MHz / 1M / 2412 MHz / Ch1 (Band Edge)




802.11b / 20 MHz / 1M / 2437 MHz / Ch6 (Band Edge)




802.11b / 20 MHz / 1M / 2462 MHz / Ch11 (Band Edge)




802.11g / 20 MHz / 6M / 2412 MHz / Ch1 (Band Edge)




802.11g / 20 MHz / 6M / 2437 MHz / Ch6 (Band Edge)




802.11g / 20 MHz / 6M / 2462 MHz / Ch11 (Band Edge)




VHT / 20 MHz / MCS0 / 2412 MHz / Ch1 (Band Edge)




VHT / 20 MHz / MCS0 / 2437 MHz / Ch6 (Band Edge)




VHT / 20 MHz / MCS0 / 2462 MHz / Ch11 (Band Edge)




VHT / 40 MHz / MCS0 / 2422MHz / Ch3 (Band Edge)



VHT / 40 MHz / MCS0 / 2437 MHz / Ch6 (Band Edge)




VHT / 40 MHz / MCS0 / 2452 MHz / Ch9 (Band Edge)



Appendix E. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz

Site :HC-CB04
 Condition :3m Horizontal
 Mode :LF_ac40_TX_2437MHz
 Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	59.343	35.49	40.00	-4.51	38.44	-2.95	QP
2	143.296	37.26	43.50	-6.24	40.63	-3.37	QP
3	400.007	30.78	46.00	-15.22	30.92	-0.14	QP
4	497.589	36.23	46.00	-9.77	34.14	2.09	QP
5	609.381	31.23	46.00	-14.77	26.52	4.71	QP
6	927.347	31.32	46.00	-14.68	22.02	9.30	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
 Condition :3m Vertical
 Mode :LF_ac40_TX_2437MHz
 Test By :Ling Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	62.883	38.56	40.00	-1.44	42.19	-3.63	QP
2	148.098	27.46	43.50	-16.04	30.66	-3.20	QP
3	239.908	27.95	46.00	-18.05	32.69	-4.74	QP
4	500.014	35.14	46.00	-10.86	33.00	2.14	QP
5	658.415	32.01	46.00	-13.99	26.54	5.47	QP
6	941.267	32.28	46.00	-13.72	22.75	9.53	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2386.000	45.00	74.00	-29.00	34.60	10.40	Peak
2	2413.000	100.71	-----	-----	90.24	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2385.800	36.13	54.00	-17.87	25.74	10.39	Average
2	2412.800	98.13	-----	-----	87.66	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.100	44.14	74.00	-29.86	33.74	10.40	Peak
2	2413.000	97.28	-----	-----	86.81	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2387.200	35.71	54.00	-18.29	25.31	10.40	Average
2	2412.700	94.69	-----	-----	84.22	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4824.000	41.76	74.00	-32.24	59.52	-17.76	Peak
2	7236.000	45.55	74.00	-28.45	58.33	-12.78	Peak
3	9648.000	46.57	74.00	-27.43	55.66	-9.09	Peak
4	12060.000	49.97	74.00	-24.03	55.75	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4824.000	41.03	74.00	-32.97	58.79	-17.76	Peak
2	7236.000	45.51	74.00	-28.49	58.29	-12.78	Peak
3	9648.000	46.88	74.00	-27.12	55.97	-9.09	Peak
4	12060.000	49.96	74.00	-24.04	55.74	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2381.900	42.29	74.00	-31.71	31.91	10.38	Peak
2	2439.800	100.86	74.00	26.86	90.33	10.53	Peak
3	2495.300	46.20	74.00	-27.80	35.53	10.67	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2382.500	31.44	54.00	-22.56	21.05	10.39	Average
2	2438.800	98.22	54.00	44.22	87.70	10.52	Average
3	2495.700	37.13	54.00	-16.87	26.46	10.67	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.400	41.23	74.00	-32.77	30.83	10.40	Peak
2	2438.000	96.98	-----	-----	86.46	10.52	Peak
3	2491.500	43.09	74.00	-30.91	32.43	10.66	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2350.600	28.68	54.00	-25.32	18.37	10.31	Average
2	2437.800	94.46	-----	-----	83.94	10.52	Average
3	2491.200	33.78	54.00	-20.22	23.12	10.66	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	40.96	74.00	-33.04	58.58	-17.62	Peak
2	7311.000	45.46	74.00	-28.54	58.12	-12.66	Peak
3	9748.000	46.58	74.00	-27.42	55.56	-8.98	Peak
4	12185.000	49.18	74.00	-24.82	54.83	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	40.39	74.00	-33.61	58.01	-17.62	Peak
2	7311.000	44.83	74.00	-29.17	57.49	-12.66	Peak
3	9748.000	46.89	74.00	-27.11	55.87	-8.98	Peak
4	12185.000	49.31	74.00	-24.69	54.96	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.000	99.73	-----	-----	89.14	10.59	Peak
2	2490.000	47.13	74.00	-26.87	36.47	10.66	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2462.800	97.07	-----	-----	86.48	10.59	Average
2	2490.300	40.17	54.00	-13.83	29.51	10.66	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.000	96.12	-----	-----	85.53	10.59	Peak
2	2488.900	44.48	74.00	-29.52	33.83	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2462.800	93.51	-----	-----	82.92	10.59	Average
2	2488.700	34.28	54.00	-19.72	23.63	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4924.000	40.21	74.00	-33.79	57.70	-17.49	Peak
2	7386.000	45.74	74.00	-28.26	58.27	-12.53	Peak
3	9848.000	46.52	74.00	-27.48	55.37	-8.85	Peak
4	12310.000	50.35	74.00	-23.65	55.88	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4924.000	40.85	74.00	-33.15	58.34	-17.49	Peak
2	7386.000	45.41	74.00	-28.59	57.94	-12.53	Peak
3	9848.000	47.07	74.00	-26.93	55.92	-8.85	Peak
4	12310.000	49.82	74.00	-24.18	55.35	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.500	73.95	74.00	-0.05	63.54	10.41	Peak
2	2416.000	109.52	-----	-----	99.05	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.800	49.15	54.00	-4.85	38.74	10.41	Average
2	2414.400	99.32	-----	-----	88.85	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2388.800	67.68	74.00	-6.32	57.28	10.40	Peak
2	2407.900	106.04	-----	-----	95.58	10.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2390.000	43.58	54.00	-10.42	33.17	10.41	Average
2	2415.200	95.64	-----	-----	85.17	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4824.000	43.91	74.00	-30.09	61.67	-17.76	Peak
2	7236.000	47.18	74.00	-26.82	59.96	-12.78	Peak
3	9648.000	47.42	74.00	-26.58	56.51	-9.09	Peak
4	12060.000	50.08	74.00	-23.92	55.86	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4824.000	41.45	74.00	-32.55	59.21	-17.76	Peak
2	7236.000	47.54	74.00	-26.46	60.32	-12.78	Peak
3	9648.000	49.58	74.00	-24.42	58.67	-9.09	Peak
4	12060.000	51.20	74.00	-22.80	56.98	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.700	66.84	74.00	-7.16	56.44	10.40	Peak
2	2441.000	113.70	-----	-----	103.16	10.54	Peak
3	2484.000	73.39	74.00	-0.61	62.74	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	45.36	54.00	-8.64	34.95	10.41	Average
2	2444.200	103.81	-----	-----	93.27	10.54	Average
3	2483.600	52.34	54.00	-1.66	41.70	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.100	56.44	74.00	-17.56	46.04	10.40	Peak
2	2432.900	109.35	-----	-----	98.83	10.52	Peak
3	2484.800	63.18	74.00	-10.82	52.53	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	37.88	54.00	-16.12	27.47	10.41	Average
2	2440.100	99.56	-----	-----	89.03	10.53	Average
3	2483.700	43.50	54.00	-10.50	32.85	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	45.21	74.00	-28.79	62.83	-17.62	Peak
2	7311.000	46.93	74.00	-27.07	59.59	-12.66	Peak
3	9748.000	46.75	74.00	-27.25	55.73	-8.98	Peak
4	12185.000	49.33	74.00	-24.67	54.98	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	43.83	74.00	-30.17	61.45	-17.62	Peak
2	7311.000	48.53	74.00	-25.47	61.19	-12.66	Peak
3	9748.000	48.97	74.00	-25.03	57.95	-8.98	Peak
4	12185.000	52.88	74.00	-21.12	58.53	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2466.100	110.11	-----	-----	99.51	10.60	Peak
2	2484.900	71.37	74.00	-2.63	68.72	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2464.400	99.86	-----	-----	89.26	10.60	Average
2	2483.600	49.54	54.00	-4.46	38.90	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2466.100	106.77	81.3	-	96.17	10.60	Peak
2	2485.500	71.54	74.00	-2.46	60.89	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2469.300	96.55	81.3	-	85.94	10.61	Average
2	2483.700	45.05	54.00	-8.95	34.40	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	43.19	74.00	-30.81	60.68	-17.49	Peak
2	7386.000	45.71	74.00	-28.29	58.24	-12.53	Peak
3	9848.000	47.62	74.00	-26.38	56.47	-8.85	Peak
4	12310.000	49.12	74.00	-24.88	54.65	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	41.96	74.00	-32.04	59.45	-17.49	Peak
2	7386.000	45.69	74.00	-28.31	58.22	-12.53	Peak
3	9848.000	47.25	74.00	-26.75	56.10	-8.85	Peak
4	12310.000	50.72	74.00	-23.28	56.25	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.200	68.62	74.00	-5.38	58.22	10.40	Peak
2	2409.000	107.92	-----	-----	97.46	10.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.900	50.80	54.00	-3.20	40.39	10.41	Average
2	2415.000	98.95	-----	-----	88.48	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.300	59.92	74.00	-14.08	49.52	10.40	Peak
2	2415.200	104.11	-----	-----	93.64	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	41.54	54.00	-12.46	31.13	10.41	Average
2	2415.000	94.85	-----	-----	84.38	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4824.000	42.83	74.00	-31.17	60.59	-17.76	Peak
2	7236.000	45.71	74.00	-28.29	58.49	-12.78	Peak
3	9648.000	47.26	74.00	-26.74	56.35	-9.09	Peak
4	12060.000	49.38	74.00	-24.62	55.16	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	4824.000	41.48	74.00	-32.52	59.24	-17.76	Peak
2	7236.000	47.12	74.00	-26.88	59.90	-12.78	Peak
3	9648.000	47.97	74.00	-26.03	57.06	-9.09	Peak
4	12060.000	50.94	74.00	-23.06	56.72	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2386.300	67.02	74.00	-6.98	56.62	10.40	Peak
2	2440.400	113.25	-----	-----	102.71	10.54	Peak
3	2486.100	73.89	74.00	-0.11	63.24	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	2389.900	47.34	54.00	-6.66	36.93	10.41	Average
2	2440.100	103.85	-----	-----	93.32	10.53	Average
3	2484.800	53.23	54.00	-0.77	42.58	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.400	58.94	74.00	-15.06	48.54	10.40	Peak
2	2434.100	108.35	-----	-----	97.83	10.52	Peak
3	2484.100	66.43	74.00	-7.57	55.78	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.400	39.86	54.00	-14.14	29.45	10.41	Average
2	2440.000	99.60	-----	-----	89.07	10.53	Average
3	2483.700	46.12	54.00	-7.88	35.47	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	44.90	74.00	-29.10	62.52	-17.62	Peak
2	7311.000	46.12	74.00	-27.88	58.78	-12.66	Peak
3	9748.000	46.56	74.00	-27.44	55.54	-8.98	Peak
4	12185.000	49.77	74.00	-24.23	55.42	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.08	74.00	-31.92	59.79	-17.62	Peak
2	7311.000	47.17	74.00	-26.83	59.83	-12.66	Peak
3	9748.000	48.78	74.00	-25.22	57.76	-8.98	Peak
4	12185.000	51.28	74.00	-22.72	56.93	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2469.600	108.95	-----	-----	98.34	10.61	Peak
2	2485.000	67.10	74.00	-6.90	56.45	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2465.000	99.93	-----	-----	89.33	10.60	Average
2	2483.600	52.82	54.00	-1.18	42.18	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2469.700	105.51	-----	-----	94.90	10.61	Peak
2	2484.300	59.97	74.00	-14.03	49.32	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2470.100	96.44	-----	-----	85.83	10.61	Average
2	2483.700	44.67	54.00	-9.33	34.02	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	41.97	74.00	-32.03	59.46	-17.49	Peak
2	7386.000	45.57	74.00	-28.43	58.10	-12.53	Peak
3	9848.000	48.09	74.00	-25.91	56.94	-8.85	Peak
4	12310.000	49.75	74.00	-24.25	55.28	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac20_TX_2462MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	40.63	74.00	-33.37	58.12	-17.49	Peak
2	7386.000	45.41	74.00	-28.59	57.94	-12.53	Peak
3	9848.000	46.69	74.00	-27.31	55.54	-8.85	Peak
4	12310.000	51.72	74.00	-22.28	57.25	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2422MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2381.600	62.58	74.00	-11.42	52.20	10.38	Peak
2	2436.100	105.87	-----	-----	95.35	10.52	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2422MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	50.56	54.00	-3.44	40.15	10.41	Average
2	2437.500	96.72	-----	-----	86.20	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2422MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.700	52.99	74.00	-21.01	42.59	10.40	Peak
2	2436.100	101.38	-----	-----	90.86	10.52	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2422MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	40.55	54.00	-13.45	30.14	10.41	Average
2	2437.400	92.28	-----	-----	81.76	10.52	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2422MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	41.65	74.00	-32.35	59.35	-17.70	Peak
2	7266.000	44.55	74.00	-29.45	57.28	-12.73	Peak
3	9688.000	46.37	74.00	-27.63	55.42	-9.05	Peak
4	12110.000	49.14	74.00	-24.86	54.87	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2422MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	40.31	74.00	-33.69	58.01	-17.70	Peak
2	7266.000	44.93	74.00	-29.07	57.66	-12.73	Peak
3	9688.000	46.78	74.00	-27.22	55.83	-9.05	Peak
4	12110.000	50.10	74.00	-23.90	55.83	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.700	62.37	74.00	-11.63	51.96	10.41	Peak
2	2452.900	107.62	-----	-----	97.06	10.56	Peak
3	2487.000	69.58	74.00	-4.42	58.93	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.500	47.65	54.00	-6.35	37.24	10.41	Average
2	2452.400	98.18	-----	-----	87.62	10.56	Average
3	2483.600	51.96	54.00	-2.04	41.32	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.700	54.68	74.00	-19.32	44.27	10.41	Peak
2	2452.900	104.59	-----	-----	94.03	10.56	Peak
3	2485.400	66.81	74.00	-7.19	56.16	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2389.600	39.07	54.00	-14.93	28.66	10.41	Average
2	2452.400	95.13	-----	-----	84.57	10.56	Average
3	2483.700	46.85	54.00	-7.15	36.20	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.37	74.00	-31.63	59.99	-17.62	Peak
2	7311.000	45.37	74.00	-28.63	58.03	-12.66	Peak
3	9748.000	46.44	74.00	-27.56	55.42	-8.98	Peak
4	12185.000	50.01	74.00	-23.99	55.66	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	40.35	74.00	-33.65	57.97	-17.62	Peak
2	7311.000	45.59	74.00	-28.41	58.25	-12.66	Peak
3	9748.000	46.60	74.00	-27.40	55.58	-8.98	Peak
4	12185.000	50.15	74.00	-23.85	55.80	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2466.000	106.47	-----	-----	95.87	10.60	Peak
2	2485.200	69.38	74.00	-4.62	58.73	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2467.500	97.24	-----	-----	86.64	10.60	Average
2	2483.600	53.89	54.00	-0.11	43.25	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2466.100	102.78	-----	-----	92.18	10.60	Peak
2	2484.800	66.78	74.00	-7.22	56.13	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2467.400	93.66	-----	-----	83.06	10.60	Average
2	2483.600	50.73	54.00	-3.27	40.09	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac40_TX_2452MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	42.11	74.00	-31.89	59.65	-17.54	Peak
2	7356.000	46.08	74.00	-27.92	58.65	-12.57	Peak
3	9808.000	46.82	74.00	-27.18	55.72	-8.90	Peak
4	12260.000	49.39	74.00	-24.61	54.97	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac40_TX_2452MHz
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4904.000	40.51	74.00	-33.49	58.05	-17.54	Peak
2	7356.000	46.25	74.00	-27.75	58.82	-12.57	Peak
3	9808.000	46.47	74.00	-27.53	55.37	-8.90	Peak
4	12260.000	50.91	74.00	-23.09	56.49	-5.58	Peak

Note:


1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix F. Test Result of Radiated Emissions Co-location

WWAN LTE + WiFi 2.4 GHz

30 MHz ~ 1 GHz:

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_WWAN LTE+NLAN_2.4G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	106.679	38.58	43.50	-4.92	44.71	-6.13	QP
2	199.993	34.12	43.50	-9.38	40.13	-6.01	QP
3	385.020	31.45	46.00	-14.55	31.10	0.35	QP
4	500.014	35.51	46.00	-10.49	32.55	2.96	QP
5	600.021	41.46	46.00	-4.54	36.11	5.35	QP
6	701.483	32.18	46.00	-13.82	25.21	6.97	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_WWAN LTE+NLAN_2.4G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	94.311	37.03	43.50	-6.47	45.14	-8.11	QP
2	199.993	32.82	43.50	-10.68	38.83	-6.01	QP
3	300.000	32.07	46.00	-13.93	34.13	-2.06	QP
4	432.744	36.10	46.00	-9.90	34.46	1.64	QP
5	600.021	38.89	46.00	-7.11	33.54	5.35	QP
6	650.703	36.91	46.00	-9.09	30.69	6.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Above 1 GHz:

Site :HC-CB02
Condition :3m ,Horizontal
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_2.4G+WLAN LTE
Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	1638.000	56.07	-----	-----	82.55	-26.48	Peak
2	2457.000	35.73	-----	-----	59.15	-23.42	Peak
3	3276.000	47.57	-----	-----	68.20	-20.63	Peak
4	4095.000	46.01	-----	-----	63.31	-17.30	Peak
5	4874.000	42.62	74.00	-31.38	57.10	-14.48	Peak
6	7311.000	49.44	74.00	-24.56	57.32	-7.88	Peak
7	9748.000	50.56	74.00	-23.44	54.84	-4.28	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.

Site :HC-CB02
Condition :3m ,Vertical
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_2.4G+WLAN LTE
Test by :Gary Liao



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	1638.000	61.43	-----	-----	87.91	-26.48	Peak
2	2457.000	34.82	-----	-----	58.24	-23.42	Peak
3	3276.000	45.33	-----	-----	65.96	-20.63	Peak
4	4095.000	45.62	-----	-----	62.92	-17.30	Peak
5	4874.000	42.64	74.00	-31.36	57.12	-14.48	Peak
6	7311.000	49.56	74.00	-24.44	57.44	-7.88	Peak
7	9748.000	51.30	74.00	-22.70	55.58	-4.28	Peak


Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.

WWAN LTE + WiFi 5 GHz

30 MHz ~ 1 GHz:

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_WWAN LTE+NLAN_5G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	148.146	35.63	43.50	-7.87	38.43	-2.80	QP
2	199.993	33.85	43.50	-9.65	39.86	-6.01	QP
3	300.000	30.85	46.00	-15.15	32.91	-2.06	QP
4	429.349	35.07	46.00	-10.93	33.56	1.51	QP
5	534.061	33.80	46.00	-12.20	30.24	3.56	QP
6	600.021	40.27	46.00	-5.73	34.92	5.35	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_WWAN LTE+NLAN_5G
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	95.766	34.92	43.50	-8.58	42.72	-7.80	QP
2	144.703	31.89	43.50	-11.61	34.84	-2.95	QP
3	382.401	36.29	46.00	-9.71	35.99	0.30	QP
4	441.232	36.32	46.00	-9.68	34.42	1.90	QP
5	522.663	34.27	46.00	-11.73	30.89	3.38	QP
6	650.703	38.46	46.00	-7.54	32.24	6.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Above 1 GHz:

Site :HC-CB02
Condition :3m Horizontal
RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_5G+WWAN LTE
Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	1638.000	76.26	-----	-----	102.74	-26.48	Peak
2	2457.000	62.56	-----	-----	85.98	-23.42	Peak
3	3276.000	53.92	-----	-----	74.55	-20.63	Peak
4	4095.000	60.20	-----	-----	77.50	-17.30	Peak
5	11510.000	53.93	74.00	-20.07	55.67	-1.74	Peak
6	17265.000	52.73	68.20	-15.47	51.17	1.56	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV225-A & 2480097R-RFUSV235-A for more detailed information.

Site :HC-CB02
Condition :3m Vertical
RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_5G+WWAN LTE
Test by :Gary Liao



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	1638.000	75.62	-----	-----	102.10	-26.48	Peak
2	2457.000	55.90	-----	-----	79.32	-23.42	Peak
3	3276.000	50.91	-----	-----	71.54	-20.63	Peak
4	4095.000	54.82	-----	-----	72.12	-17.30	Peak
5	11510.000	51.50	74.00	-22.50	53.24	-1.74	Peak
6	17265.000	52.75	68.20	-15.45	51.19	1.56	Peak


Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV225-A & 2480097R-RFUSV235-A for more detailed information.

WWAN LTE + Bluetooth

30 MHz ~ 1 GHz:

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_WWAN LTE+HLAN_BT
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	84.951	36.65	40.00	-3.35	44.53	-7.88	QP
2	145.236	36.40	43.50	-7.10	39.36	-2.96	QP
3	428.379	35.74	46.00	-10.26	34.26	1.48	QP
4	500.014	35.26	46.00	-10.74	32.30	2.96	QP
5	600.021	38.51	46.00	-7.49	33.16	5.35	QP
6	739.555	31.82	46.00	-14.18	24.03	7.79	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_WWAN LTE+HLAN_BT
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	108.764	33.00	43.50	-10.50	38.76	-5.76	QP
2	199.993	31.83	43.50	-11.67	37.84	-6.01	QP
3	389.601	35.65	46.00	-10.35	35.39	0.26	QP
4	443.948	36.93	46.00	-9.07	34.91	2.02	QP
5	600.021	41.91	46.00	-4.09	36.56	5.35	QP
6	650.703	38.20	46.00	-7.80	31.98	6.22	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Above 1 GHz:

Site :HC-CB02
Condition :3m ,Horizontal
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_BT+WWAN LTE
Test by :Gary Liao




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	1638.000	70.90	-----	-----	97.38	-26.48	Peak
2	2457.000	34.85	-----	-----	58.27	-23.42	Peak
3	3276.000	59.37	-----	-----	80.00	-20.63	Peak
4	4095.000	42.17	-----	-----	59.47	-17.30	Peak
5	4804.000	52.42	74.00	-21.58	67.17	-14.75	Peak
6	7206.000	47.92	74.00	-26.08	55.91	-7.99	Peak
7	9608.000	50.26	74.00	-23.74	54.82	-4.56	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.

Site :HC-CB02
Condition :3m ,Vertical
:RBW:1000 kHz VBW:3000 kHz
Mode :WLAN_BT+WWAN LTE
Test by :Gary Liao



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	1638.000	70.95	-----	-----	97.43	-26.48	Peak
2	2457.000	34.80	-----	-----	58.22	-23.42	Peak
3	3276.000	55.56	-----	-----	76.19	-20.63	Peak
4	4095.000	41.77	-----	-----	59.07	-17.30	Peak
5	4804.000	45.82	74.00	-28.18	60.57	-14.75	Peak
6	7206.000	47.94	74.00	-26.06	55.93	-7.99	Peak
7	9608.000	50.48	74.00	-23.52	55.04	-4.56	Peak

Note:

1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.
 6. "-----" is WWAN signal, and the test result complies with limit -13dBm.
- Please refer to report number 2480097R-RFUSV22S-A & 2480097R-RFUSV23S-A for more detailed information.