




Appendix B

RF Power Output




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 32.77 dBm VBW 3 MHz
36 dBm 824.16993988 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 128
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 12:49:47




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 33.02 dBm VBW 3 MHz
36 dBm 836.04969940 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 188
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 12:52:26




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 33.21 dBm VBW 3 MHz
36 dBm 848.83006012 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 251
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 12:54:18




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.23 dBm VBW 3 MHz
36 dBm 1.84992946 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 512
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:29:59




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.12 dBm VBW 3 MHz
36 dBm 1.87990982 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 661
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:30:50



Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 29.51 dBm VBW 3 MHz
36 dBm 1.90970982 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 810
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:31:37




Appendix C

ERP, EIRP


**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.528MHz, Pmax: 8.17dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.472MHz, Pmax: 25.20dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.320MHz, Pmax: 12.62dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.427MHz, Pmax: 28.12dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 849.213MHz, Pmax: 17.58dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.760MHz, Pmax: 31.50dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 18.52dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 30.75dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 17.49dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 29.81dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 15.34dBm, RBW: 3MHz



**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 28.66dBm, RBW: 3MHz





Appendix D

Modulation Requirements



Appendix E

Audio Filter Characteristics



Appendix F

Emission Limitation




Appendix G

Occupied Bandwidth




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 21.52 dBm VBW 3 kHz
36 dBm 1.85023507 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth \ Channel: 512
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:45:31




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 21.43 dBm VBW 3 kHz
36 dBm 1.87995892 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 661
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:42:19




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 22.38 dBm VBW 3 kHz
36 dBm 1.90978297 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 810
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:41:16




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 318.63727455 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 512
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:50:47




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 316.63326653 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 661
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:49:21




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 322.64529058 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 810
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:47:52




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 25.78 dBm VBW 3 kHz
36 dBm 824.18496994 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 128
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:04:51




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 25.33 dBm VBW 3 kHz
36 dBm 836.18296593 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 188
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:06:46




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 25.19 dBm VBW 3 kHz
36 dBm 848.73486974 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 251
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:08:36




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 322.64529058 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 128
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:19:03




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 316.63326653 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 188
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:20:57



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 314.62925852 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 251
Comment A: Wavecom MD 720-3
Date: 23.NOV.2005 13:22:13



Appendix H

Out of Band Emission at Antenna Terminals Mobile Emissions In Base Frequency Range




Appendix I

Spurious Radiation


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 48.511MHz, Pmax: -45.52dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 199.433MHz, Pmax: -48.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 823.994MHz, Pmax: -26.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 864.869MHz, Pmax: -38.13dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.653GHz, Pmax: -22.97dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.983GHz, Pmax: -22.61dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.560GHz, Pmax: -45.05dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.978GHz, Pmax: -43.83dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.884GHz, Pmax: -55.42dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.693GHz, Pmax: -54.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 34.911MHz, Pmax: -45.38dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 198.678MHz, Pmax: -48.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 128
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 996.107MHz, Pmax: -38.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 872.818MHz, Pmax: -38.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.677GHz, Pmax: -17.93dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.977GHz, Pmax: -22.22dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 7.982GHz, Pmax: -44.75dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 7.978GHz, Pmax: -44.52dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 11.111GHz, Pmax: -55.33dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 188
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.742GHz, Pmax: -53.93dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 34.911MHz, Pmax: -45.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 200.000MHz, Pmax: -48.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.017MHz, Pmax: -20.80dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.011MHz, Pmax: -35.52dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.703GHz, Pmax: -13.68dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.970GHz, Pmax: -22.50dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 4.244GHz, Pmax: -38.60dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 7.982GHz, Pmax: -44.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 11.982GHz, Pmax: -55.19dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 251
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 10.707GHz, Pmax: -54.81dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 48.511MHz, Pmax: -46.00dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 195.278MHz, Pmax: -48.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 993.778MHz, Pmax: -40.01dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 855.111MHz, Pmax: -38.33dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -18.01dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.991GHz, Pmax: -22.48dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 5.551GHz, Pmax: -42.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: H1025, ampl.+HP.
Comment 2: Freq: 7.991GHz, Pmax: -44.20dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.253GHz, Pmax: -40.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HI025, ampl.+HP.
Comment 2: Freq: 10.751GHz, Pmax: -40.79dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.440GHz, Pmax: -31.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.427GHz, Pmax: -31.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HLO25, amplif.
Comment 2: Freq: 26.443GHz, Pmax: -25.62dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 512
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.358GHz, Pmax: -25.72dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 33.967MHz, Pmax: -45.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 195.278MHz, Pmax: -48.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 984.889MHz, Pmax: -39.42dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 866.667MHz, Pmax: -38.54dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.650GHz, Pmax: -22.75dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HLO25
Comment 2: Freq: 3.963GHz, Pmax: -22.38dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -38.96dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -39.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 9.404GHz, Pmax: -40.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HLO25, ampl.+HP.
Comment 2: Freq: 10.742GHz, Pmax: -40.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.447GHz, Pmax: -32.15dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.360GHz, Pmax: -31.67dBm, RBW: 1MHz




**Radiated Emissions Tx
FCC RULES PART 24 SUBPART E**

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.462GHz, Pmax: -26.57dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 661
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.434GHz, Pmax: -25.75dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 34.533MHz, Pmax: -46.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.600MHz, Pmax: -48.49dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 988.444MHz, Pmax: -39.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 854.222MHz, Pmax: -39.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -20.81dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.975GHz, Pmax: -22.83dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -37.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -42.17dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.551GHz, Pmax: -39.55dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.707GHz, Pmax: -40.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.447GHz, Pmax: -31.93dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.453GHz, Pmax: -31.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.933GHz, Pmax: -26.60dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Company: Siemens AG
EUT : GSM Modem
Model / Channel: MD720-3 / Channel 810
Temperature/ Voltage: Temp.: 23°C / Unom.: 24.00 V DC
Test Site / Operator: ETS / Mr. Schostek
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.396GHz, Pmax: -24.96dBm, RBW: 1MHz





Appendix J

Line Conducted Emissions



Appendix K

Frequency Stability vs. Temperature

No diagrams
Refer to point 13.2



Appendix L

Frequency Stability vs. Voltage

No diagrams
Refer to point 14.2