



Radio Technology = WLAN a MIMO, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC01)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.280	65.3	---	74.00	8.72	1000.0	1000.000	150.0	V	93.0	-11.0	-1.4
1071.280	---	37.5	54.00	16.46	1000.0	1000.000	150.0	V	93.0	-11.0	-1.4
1150.840	54.6	---	74.00	19.40	1000.0	1000.000	150.0	H	82.0	105.0	-1.0
1150.840	---	29.4	54.00	24.63	1000.0	1000.000	150.0	H	82.0	105.0	-1.0
5149.188	---	42.5	54.00	11.48	1000.0	1000.000	150.0	V	146.0	-10.0	13.5
5149.188	55.2	---	74.00	18.80	1000.0	1000.000	150.0	V	146.0	-10.0	13.5


Radio Technology = WLAN a MIMO, Operating Frequency = mid, Measurement range = 30MHz
 - 1GHz, Subband = U-NII-1
 (S02_AC02)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
433.860000	21.01	46.00	24.99	1000.0	120.000	136.0	H	-34.0	18.0
535.500000	23.36	46.00	22.64	1000.0	120.000	108.0	V	78.0	20.1
600.090000	17.90	46.00	28.10	1000.0	120.000	109.0	V	102.0	21.3
831.270000	30.44	46.00	15.56	1000.0	120.000	142.0	H	-97.0	25.1
935.490000	30.51	46.00	15.49	1000.0	120.000	144.0	H	-27.0	26.0
990.750000	35.18	54.00	18.82	1000.0	120.000	128.0	V	-134.0	26.7


Radio Technology = WLAN a MIMO, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC01)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.160	---	34.9	54.00	19.12	1000.0	1000.000	150.0	H	139.0	-4.0	-1.4
1071.160	61.2	---	74.00	12.84	1000.0	1000.000	150.0	H	139.0	-4.0	-1.4
1151.440	---	29.8	54.00	24.22	1000.0	1000.000	150.0	H	84.0	98.0	-1.0
1151.440	55.2	---	74.00	18.77	1000.0	1000.000	150.0	H	84.0	98.0	-1.0


Radio Technology = WLAN a MIMO, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.160	---	36.3	54.00	17.71	1000.0	1000.000	150.0	V	-45.0	-5.0	-1.4
1071.160	62.7	---	74.00	11.30	1000.0	1000.000	150.0	V	-45.0	-5.0	-1.4


Radio Technology = WLAN a MIMO, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.040	---	40.6	54.00	13.38	1000.0	1000.000	150.0	V	-45.0	2.0	-1.4
1071.040	61.4	---	68.20	6.79	1000.0	1000.000	150.0	V	-45.0	2.0	-1.4
5724.800	---	62.5	---	---	1000.0	1000.000	150.0	V	125.0	-12.0	14.2
5724.800	87.0	---	121.7	34.78	1000.0	1000.000	150.0	V	125.0	-12.0	14.2


Radio Technology = WLAN a MIMO, Operating Frequency = mid, Measurement range = 30MHz
 - 1GHz, Subband = U-NII-3
 (S02_AC02)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
314.550000	16.72	46.00	29.28	1000.0	120.000	109.0	H	-77.0	14.3
535.500000	24.06	46.00	21.94	1000.0	120.000	103.0	V	92.0	20.1
599.970000	18.14	46.00	27.86	1000.0	120.000	108.0	V	92.0	21.3
831.300000	28.16	46.00	17.84	1000.0	120.000	102.0	H	-164.0	25.1
966.990000	33.19	54.00	20.81	1000.0	120.000	182.0	H	-22.0	26.1
991.080000	36.17	54.00	17.83	1000.0	120.000	117.0	V	-76.0	26.7


Radio Technology = WLAN a MIMO, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.040	---	36.0	54.00	17.97	1000.0	1000.000	150.0	H	144.0	94.0	-1.4
1071.040	62.2	---	68.20	5.96	1000.0	1000.000	150.0	H	144.0	94.0	-1.4
1150.480	---	30.2	54.00	23.77	1000.0	1000.000	150.0	H	-188.0	105.0	-1.0
1150.480	57.3	---	68.20	10.88	1000.0	1000.000	150.0	H	-188.0	105.0	-1.0


Radio Technology = WLAN a MIMO, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1070.920	---	40.4	54.00	13.63	1000.0	1000.000	150.0	V	-45.0	-6.0	-1.4
1070.920	67.6	---	68.20	0.61	1000.0	1000.000	150.0	V	-45.0	-6.0	-1.4
1150.960	---	29.7	54.00	24.25	1000.0	1000.000	150.0	H	136.0	103.0	-1.0
1150.960	55.5	---	68.20	12.68	1000.0	1000.000	150.0	H	136.0	103.0	-1.0
5850.200	---	47.7	---	---	1000.0	1000.000	150.0	V	-176.0	1.0	14.9
5850.200	61.9	---	121.7	59.87	1000.0	1000.000	150.0	V	-176.0	1.0	14.9


Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.160	---	35.4	54.00	18.58	1000.0	1000.000	150.0	H	-79.0	-4.0	-1.4
1071.160	60.6	---	74.00	13.41	1000.0	1000.000	150.0	H	-79.0	-4.0	-1.4
1091.920	---	30.5	54.00	23.46	1000.0	1000.000	150.0	V	-37.0	-15.0	-1.4
1091.920	56.1	---	74.00	17.90	1000.0	1000.000	150.0	V	-37.0	-15.0	-1.4
1250.650	---	29.0	---	---	1000.0	1000.000	150.0	V	-180.0	-6.0	-0.9
1250.650	48.9	---	68.20	19.30	1000.0	1000.000	150.0	V	-180.0	-6.0	-0.9
1962.533	---	33.7	---	---	1000.0	1000.000	150.0	V	45.0	-15.0	3.8
1962.533	53.5	---	68.20	14.71	1000.0	1000.000	150.0	V	45.0	-15.0	3.8


Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.760	---	32.6	54.00	21.39	1000.0	1000.000	150.0	V	-50.0	-4.0	-1.4
1071.760	57.8	---	74.00	16.25	1000.0	1000.000	150.0	V	-50.0	-4.0	-1.4


Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.760	---	33.2	54.00	20.78	1000.0	1000.000	150.0	V	-34.0	1.0	-1.4
1071.760	60.1	---	74.00	13.94	1000.0	1000.000	150.0	V	-34.0	1.0	-1.4


Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.040	---	35.8	54.00	18.18	1000.0	1000.000	150.0	H	90.0	105.0	-1.4
1071.040	60.2	---	68.20	7.96	1000.0	1000.000	150.0	H	90.0	105.0	-1.4
1071.400	---	36.5	54.00	17.48	1000.0	1000.000	150.0	V	-2.0	-12.0	-1.4
1071.400	63.2	---	68.20	5.05	1000.0	1000.000	150.0	V	-2.0	-12.0	-1.4
5725.000	---	57.3	---	---	1000.0	1000.000	150.0	V	-191.0	-15.0	14.2
5725.000	72.4	---	122.2	49.82	1000.0	1000.000	150.0	V	-191.0	-15.0	14.2


Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1050.280	---	30.5	54.00	23.54	1000.0	1000.000	150.0	H	-85.0	-2.0	-1.4
1050.280	56.3	---	68.20	11.87	1000.0	1000.000	150.0	H	-85.0	-2.0	-1.4
1071.040	---	36.5	54.00	17.47	1000.0	1000.000	150.0	V	-191.0	0.0	-1.4
1071.040	61.2	---	68.20	7.05	1000.0	1000.000	150.0	V	-191.0	0.0	-1.4
1747.285	---	31.3	---	---	1000.0	1000.000	150.0	V	-133.0	105.0	1.9
1747.285	44.5	---	68.20	23.68	1000.0	1000.000	150.0	V	-133.0	105.0	1.9


Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = low, Measurement range = 30MHz - 1GHz, Subband = U-NII-1 (S02_AC02)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
535.500000	30.06	46.00	15.94	1000.0	120.000	102.0	V	102.0	20.1
713.700000	29.72	46.00	16.28	1000.0	120.000	110.0	V	-18.0	23.2
840.060000	27.34	46.00	18.66	1000.0	120.000	100.0	H	-164.0	24.9
893.820000	32.17	46.00	13.83	1000.0	120.000	102.0	V	-101.0	25.5
967.050000	28.91	54.00	25.09	1000.0	120.000	100.0	H	-181.0	26.1
987.840000	35.46	54.00	18.54	1000.0	120.000	124.0	V	-82.0	26.6


Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1070.920	---	31.7	54.00	22.34	1000.0	1000.000	150.0	V	-174.0	6.0	-1.4
1070.920	52.8	---	74.00	21.21	1000.0	1000.000	150.0	V	-174.0	6.0	-1.4
5148.700	---	50.2	54.00	3.82	1000.0	1000.000	150.0	H	-2.0	91.0	13.5
5148.700	66.1	---	74.00	7.87	1000.0	1000.000	150.0	H	-2.0	91.0	13.5
5149.513	---	49.9	54.00	4.07	1000.0	1000.000	150.0	H	-1.0	91.0	13.5
5149.513	65.1	---	74.00	8.90	1000.0	1000.000	150.0	H	-1.0	91.0	13.5


Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1070.320	---	35.0	54.00	18.98	1000.0	1000.000	150.0	V	-42.0	15.0	-1.4
1070.320	62.4	---	74.00	11.61	1000.0	1000.000	150.0	V	-42.0	15.0	-1.4


Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1049.560	---	29.2	54.00	24.81	1000.0	1000.000	150.0	V	141.0	-15.0	-1.4
1049.560	49.5	---	68.20	18.67	1000.0	1000.000	150.0	V	141.0	-15.0	-1.4
1071.040	---	37.9	54.00	16.06	1000.0	1000.000	150.0	H	-136.0	82.0	-1.4
1071.040	62.5	---	68.20	5.66	1000.0	1000.000	150.0	H	-136.0	82.0	-1.4


Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = high, Measurement range = 30MHz - 1GHz, Subband = U-NII-3 (S02_AC02)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
535.500000	30.18	46.00	15.82	1000.0	120.000	108.0	V	96.0	20.1
713.760000	27.49	46.00	18.51	1000.0	120.000	183.0	H	-163.0	23.2
834.630000	28.98	46.00	17.02	1000.0	120.000	100.0	H	-171.0	25.1
892.440000	31.85	46.00	14.15	1000.0	120.000	108.0	V	-105.0	25.5
966.990000	33.31	54.00	20.69	1000.0	120.000	182.0	H	-23.0	26.1
987.660000	35.50	54.00	18.50	1000.0	120.000	129.0	V	-81.0	26.6


Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.040	---	34.5	54.00	19.52	1000.0	1000.000	150.0	H	101.0	105.0	-1.4
1071.040	58.2	---	68.20	9.97	1000.0	1000.000	150.0	H	101.0	105.0	-1.4
1071.400	---	34.9	54.00	19.05	1000.0	1000.000	150.0	H	146.0	105.0	-1.4
1071.400	60.2	---	68.20	8.01	1000.0	1000.000	150.0	H	146.0	105.0	-1.4


Radio Technology = WLAN ac 40 MHz, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---


Radio Technology = WLAN ac 40 MHz, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---


Radio Technology = WLAN ac 40 MHz, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---


Radio Technology = WLAN ac 40 MHz, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1071.400	---	32.1	54.00	21.95	1000.0	1000.000	150.0	V	-83.0	75.0	-1.4
1071.400	55.0	---	68.20	13.20	1000.0	1000.000	150.0	V	-83.0	75.0	-1.4
1071.640	---	32.0	54.00	22.03	1000.0	1000.000	150.0	H	39.0	-4.0	-1.4
1071.640	56.1	---	68.20	12.10	1000.0	1000.000	150.0	H	39.0	-4.0	-1.4
5852.600	---	51.0	---	---	1000.0	1000.000	150.0	H	-41.0	81.0	14.9
5852.600	67.1	---	116.2	49.19	1000.0	1000.000	150.0	H	-41.0	81.0	14.9
5929.540	---	43.5	---	---	1000.0	1000.000	150.0	V	-126.0	84.0	15.0
5929.540	57.5	---	68.20	10.69	1000.0	1000.000	150.0	V	-126.0	84.0	15.0


Radio Technology = WLAN ax 40 MHz, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1070.080	---	31.7	54.00	22.25	1000.0	1000.000	150.0	V	90.0	-15.0	-1.4
1070.080	56.5	---	74.00	17.52	1000.0	1000.000	150.0	V	90.0	-15.0	-1.4
1071.520	---	30.6	54.00	23.41	1000.0	1000.000	150.0	V	-138.0	-15.0	-1.4
1071.520	53.5	---	74.00	20.55	1000.0	1000.000	150.0	V	-138.0	-15.0	-1.4
1743.820	---	32.0	---	---	1000.0	1000.000	150.0	H	83.0	84.0	1.9
1743.820	47.4	---	68.20	20.79	1000.0	1000.000	150.0	H	83.0	84.0	1.9
5148.700	---	47.4	54.00	6.57	1000.0	1000.000	150.0	H	42.0	84.0	13.5
5148.700	61.9	---	74.00	12.06	1000.0	1000.000	150.0	H	42.0	84.0	13.5

Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S03_AC02)



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5149.675	55.4	---	74.00	18.58	1000.0	1000.000	150.0	V	-10.0	75.0	13.5
5149.675	---	42.3	54.00	11.73	1000.0	1000.000	150.0	V	-10.0	75.0	13.5
5150.000	59.9	---	---	---	1000.0	1000.000	150.0	V	-1.0	97.0	13.5
5150.000	---	42.3	---	---	1000.0	1000.000	150.0	V	-1.0	97.0	13.5
5376.070	---	42.8	54.00	11.21	1000.0	1000.000	150.0	V	-10.0	89.0	14.2
5376.070	56.8	---	74.00	17.18	1000.0	1000.000	150.0	V	-10.0	89.0	14.2