



Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 3 / PWL 13 / 9 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Single	5.4	0.5	5.9	5.7	0.5	6.2

Channel	Port 3		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Single	5.4	0.5	5.9

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Single	5.9	6.2	5.9	10.8	21.0	10.2	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Single	10.8	9.0	19.8	30.0	10.2	Complied


Result: **Pass**

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna Group



Single Channel Port 1



Single Channel Port 2



Single Channel Port 3

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1+2+3+4 / PWL 11 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	5.0	0.3	5.3	5.1	0.3	5.4
Middle	4.6	0.3	4.9	4.5	0.3	4.8
Top	4.5	0.3	4.8	4.6	0.3	4.9

Channel	Port 3			Port 4		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	4.5	0.3	4.8	5.1	0.3	5.4
Middle	4.3	0.3	4.6	5.0	0.3	5.3
Top	4.3	0.3	4.6	4.8	0.3	5.1

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Corrected Conducted Power Port 4 (dBm)	Port 1+2+3+4 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	5.3	5.4	4.8	5.4	11.3	21.0	9.7	Complied
Middle	4.9	4.8	4.6	5.3	10.9	21.0	10.1	Complied
Top	4.8	4.9	4.6	5.1	10.9	21.0	10.1	Complied

De Facto EIRP Limit Comparison


Channel	Port 1+2+3+4 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.3	9.0	20.3	30.0	9.7	Complied
Middle	10.9	9.0	19.9	30.0	10.1	Complied
Top	10.9	9.0	19.9	30.0	10.1	Complied

Result: **Pass**




Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 2 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 3 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 4 / PWL 11 / 9 dBi Antenna Group



Bottom Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2+3+4 / PWL 11 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	4.6	0.5	5.1	4.8	0.5	5.3
Middle	4.6	0.5	5.1	4.6	0.5	5.1
Top	4.5	0.5	5.0	4.6	0.5	5.1

Channel	Port 3			Port 4		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	4.3	0.5	4.8	5.0	0.5	5.5
Middle	4.4	0.5	4.9	4.4	0.5	4.9
Top	4.2	0.5	4.7	4.9	0.5	5.4

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Corrected Conducted Power Port 4 (dBm)	Port 1+2+3+4 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	5.1	5.3	4.8	5.5	11.2	21.0	9.8	Complied
Middle	5.1	5.1	4.9	4.9	11.0	21.0	10	Complied
Top	5.0	5.1	4.7	5.4	11.1	21.0	9.9	Complied

De Facto EIRP Limit Comparison


Channel	Port 1+2+3+4 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.2	9.0	20.2	30.0	9.8	Complied
Middle	11.0	9.0	20.0	30.0	10.0	Complied
Top	11.1	9.0	20.1	30.0	9.9	Complied

Result: **Pass**




Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 3 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 4 / PWL 11 / 9 dBi Antenna Group



Bottom Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2+3+4 / PWL 11 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	5.0	0.4	5.4	5.0	0.4	5.4
Middle	4.6	0.4	5.0	4.5	0.4	4.9
Top	4.6	0.4	5.0	4.4	0.4	4.8

Channel	Port 3			Port 4		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	4.3	0.4	4.7	5.0	0.4	5.4
Middle	4.0	0.4	4.4	4.8	0.4	5.2
Top	3.9	0.4	4.3	4.2	0.4	4.6

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Corrected Conducted Power Port 4 (dBm)	Port 1+2+3+4 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	5.4	5.4	4.7	5.4	11.3	21.0	9.7	Complied
Middle	5.0	4.9	4.4	5.2	10.9	21.0	10.1	Complied
Top	5.0	4.8	4.3	4.6	10.7	21.0	10.3	Complied

De Facto EIRP Limit Comparison


Channel	Port 1+2+3+4 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.3	9.0	20.3	30.0	9.7	Complied
Middle	10.9	9.0	19.9	30.0	10.1	Complied
Top	10.7	9.0	19.7	30.0	10.3	Complied

Result: Pass




Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 3 / PWL 11 / 9 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 4 / PWL 11 / 9 dBi Antenna Group



Bottom Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	7.7	0.4	8.1	7.7	0.4	8.1
Top	7.2	0.4	7.6	7.2	0.4	7.6

Channel	Port 3			Port 4		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	7.2	0.4	7.6	7.7	0.4	8.1
Top	7.1	0.4	7.5	7.6	0.4	8.0

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Corrected Conducted Power Port 4 (dBm)	Port 1+2+3+4 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	8.1	8.1	7.6	8.1	14.0	21.0	7	Complied
Top	7.6	7.6	7.5	8.0	13.7	21.0	7.3	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3+4 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	14.0	9.0	23.0	30.0	-7	Complied
Top	13.7	9.0	22.7	30.0	-7.3	Complied


Result: **Pass**

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 2 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 3 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 4 / PWL 15 / 9 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	7.3	0.4	7.7	6.7	0.4	7.1
Top	6.9	0.4	7.3	6.9	0.4	7.3

Channel	Port 3			Port 4		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	6.6	0.4	7.0	7.1	0.4	7.5
Top	6.5	0.4	6.9	6.9	0.4	7.3

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Corrected Conducted Power Port 4 (dBm)	Port 1+2+3+4 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.7	7.1	7.0	7.5	13.4	21.0	7.6	Complied
Top	7.3	7.3	6.9	7.3	13.2	21.0	7.8	Complied

De Facto EIRP Limit Comparison


Channel	Port 1+2+3+4 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	13.4	9.0	22.4	30.0	7.6	Complied
Top	13.2	9.0	22.2	30.0	7.8	Complied

Result: **Pass**




Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 2 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 3 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 4 / PWL 15 / 9 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3 / PWL 14 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Single	6.2	0.5	6.7	6.0	0.5	6.5

Channel	Port 3			Port 4		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Single	5.9	0.5	6.4	6.3	0.5	6.8

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Corrected Conducted Power Port 4 (dBm)	Port 1+2+3+4 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Single	6.7	6.5	6.4	6.8	12.6	21.0	8.4	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3+4 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Single	12.6	9.0	21.6	30.0	8.4	Complied


Result: **Pass**

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group




Single Channel Port 1



Single Channel Port 2



Single Channel Port 3



Single Channel Port 4

Transmitter Maximum Conducted Output Power (continued)

23 dBi Antenna Group

Results: 802.11a / 20 MHz / 6 Mbps / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom +1	11.9	0.3	12.2	15.8	3.6	Complied
Middle	11.9	0.3	12.2	15.8	3.6	Complied
Top	12.2	0.3	12.5	15.8	2.3	Complied


De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	12.2	14.2	26.4	30.0	3.6	Complied
Middle	12.2	14.2	26.4	30.0	3.6	Complied
Top	12.5	14.2	24.7	30.0	5.3	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6 Mbps / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6 Mbps / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom	6.7	0.3	7.0	15.8	8.8	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	7.0	14.2	21.2	30.0	8.8	Complied



Bottom Channel

Result: **Pass**

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / 20 MHz / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom +1	11.6	0.5	12.1	15.8	3.7	Complied
Middle	11.4	0.5	11.9	15.8	3.9	Complied
Top	11.9	0.5	12.4	15.8	3.4	Complied


De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	12.1	14.2	26.3	30.0	3.7	Complied
Middle	11.9	14.2	26.1	30.0	3.9	Complied
Top	12.4	14.2	26.6	30.0	3.4	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / 20 MHz / MCS0 / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom	6.3	0.5	6.8	15.8	9	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	6.8	14.2	21.0	30.0	9	Complied



Bottom Channel

Result: Pass

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / 20 MHz / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom +1	11.0	0.4	11.4	15.8	4.4	Complied
Middle	11.6	0.4	12.0	15.8	3.8	Complied
Top	12.0	0.4	12.4	15.8	4.2	Complied


De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	11.4	14.2	25.6	30.0	4.4	Complied
Middle	12.0	14.2	26.2	30.0	3.8	Complied
Top	12.4	14.2	24.6	30.0	5.4	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / 20 MHz / MCS0 / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom	6.2	0.4	6.6	15.8	9.2	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	6.6	14.2	20.8	30.0	9.2	Complied



Bottom Channel

Result: Pass


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / HT40 / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group


Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom	11.5	0.4	11.9	15.8	3.9	Complied
Top	11.4	0.4	11.8	15.8	4	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.9	14.2	26.1	30.0	3.9	Complied
Top	11.8	14.2	26.0	30.0	4	Complied



Bottom Channel



Top Channel

Result: Pass


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group


Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Bottom	11.0	0.4	11.4	15.8	4.4	Complied
Top	11.4	0.4	11.8	15.8	4	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.4	14.2	25.6	30.0	4.4	Complied
Top	11.8	14.2	26.0	30.0	4	Complied



Bottom Channel



Top Channel

Result: **Pass**


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT80 / MCS0 / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Limit (dBm)	Margin (dB)	Result
Single	5.2	0.5	5.7	15.8	10.1	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Single	5.7	14.2	19.9	30.0	10.1	Complied



Single Channel

Result: **Pass**

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1+2 / PWL 11 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom +1	8.1	0.3	8.4	7.6	0.3	7.9
Middle	7.6	0.3	7.9	7.4	0.3	7.7
Top	7.8	0.3	8.1	7.6	0.3	7.9

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom +1	8.4	7.9	11.2	15.8	4.6	Complied
Middle	7.9	7.7	10.8	15.8	5	Complied
Top	8.1	7.9	11.0	15.8	4.8	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	11.2	14.2	25.4	30.0	4.6	Complied
Middle	10.8	14.2	25.0	30.0	5.0	Complied
Top	11.0	14.2	25.2	30.0	5	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 2 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	3.4	0.3	3.7	3.6	0.3	3.9

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	3.7	3.9	6.8	15.8	9	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	6.8	14.2	21.0	30.0	9.0	Complied

Result: **Pass**


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 11 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom +1	7.8	0.5	8.3	7.3	0.5	7.8
Middle	7.4	0.5	7.9	7.4	0.5	7.9
Top	7.5	0.5	8.0	7.4	0.5	7.9

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom +1	8.3	7.8	11.1	15.8	4.7	Complied
Middle	7.9	7.9	10.9	15.8	4.9	Complied
Top	8.0	7.9	11.0	15.8	4.8	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	11.1	14.2	25.3	30.0	4.7	Complied
Middle	10.9	14.2	25.1	30.0	4.9	Complied
Top	11.0	14.2	25.2	30.0	4.9	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	3.1	0.5	3.6	3.1	0.5	3.6

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	3.6	3.6	6.6	15.8	9.2	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	6.6	14.2	20.8	30.0	9.2	Complied

Result: **Pass**


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 11 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom +1	7.5	0.4	7.9	7.1	0.4	7.5
Middle	7.1	0.4	7.5	7.1	0.4	7.5
Top	7.2	0.4	7.6	7.1	0.4	7.5

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom +1	7.9	7.5	10.7	15.8	5.1	Complied
Middle	7.5	7.5	10.5	15.8	5.3	Complied
Top	7.6	7.5	10.6	15.8	5.2	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	10.7	14.2	24.9	30.0	5.1	Complied
Middle	10.5	14.2	24.7	30.0	5.3	Complied
Top	10.6	14.2	24.8	30.0	5.2	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	2.8	0.4	3.2	3.1	0.4	3.5

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	3.2	3.5	6.4	15.8	9.4	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	6.4	14.2	20.6	30.0	9.4	Complied

Result: Pass


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1+2 / PWL 13 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	8.8	0.4	9.2	8.5	0.4	8.9
Top	8.9	0.4	9.3	8.5	0.4	8.9

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	9.2	8.9	12.1	15.8	3.7	Complied
Top	9.3	8.9	12.1	15.8	3.7	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	12.1	14.2	26.3	30.0	3.7	Complied
Top	12.1	14.2	26.3	30.0	3.7	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1 / PWL 13 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 2 / PWL 13 / 23 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1+2 / PWL 13 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	8.3	0.4	8.7	7.8	0.4	8.2
Top	7.7	0.4	8.1	7.3	0.4	7.7

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	8.7	8.2	11.5	15.8	4.3	Complied
Top	8.1	7.7	10.9	15.8	4.9	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.5	14.2	25.7	30.0	4.3	Complied
Top	10.9	14.2	25.1	30.0	4.9	Complied


Result: Pass

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1 / PWL 13 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 2 / PWL 13 / 23 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Single	1.4	0.5	1.9	1.7	0.5	2.2


Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Single	1.9	2.2	5.1	15.8	10.7	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Single	5.1	14.2	19.3	30.0	10.7	Complied



Single Channel Port 1



Single Channel Port 2

Result: **Pass**

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1+2+3 / PWL 9 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom +1	4.0	0.3	4.3	4.0	0.3	4.3
Middle	3.6	0.3	3.9	3.5	0.3	3.8
Top	3.4	0.3	3.7	3.3	0.3	3.6

Channel	Port 3		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom +1	3.4	0.3	3.7
Middle	3.3	0.3	3.6
Top	3.2	0.3	3.5

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom +1	4.3	4.3	3.7	8.9	15.8	6.9	Complied
Middle	3.9	3.8	3.6	8.5	15.8	7.3	Complied
Top	3.7	3.6	3.5	8.4	15.8	7.4	Complied

De Facto EIRP Limit Comparison


Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom +1	8.9	14.2	23.1	30.0	6.9	Complied
Middle	8.5	14.2	22.7	30.0	7.3	Complied
Top	8.4	14.2	22.6	30.0	7.4	Complied

Result: Pass




Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 2 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Conducted Output Power (continued)


Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 3 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Conducted Output Power (continued)

Results: 802.11a / 20 MHz / 6Mbps / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	2.2	0.3	2.5	2.5	0.3	2.8

Channel	Port 3		
	Conducted Power (dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)
Bottom	2.0	0.3	2.3

Channel	Corrected Conducted Power Port 1 (dBm)	Corrected Conducted Power Port 2 (dBm)	Corrected Conducted Power Port 3 (dBm)	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	2.5	2.8	2.3	7.3	15.8	8.5	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	7.3	14.2	21.5	30.0	8.5	Complied

Result: **Pass**