

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-6.7	0.4	-6.3	-6.6	0.4	-6.2
Top	-7.1	0.4	-6.7	-7.3	0.4	-6.9


Channel	Port 3			Port 4		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-6.9	0.4	-6.5	-6.4	0.4	-6.0
Top	-7.2	0.4	-6.8	-6.9	0.4	-6.5

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Corrected PSD Port 4 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-6.3	-6.2	-6.5	-6.0	-0.2	1.9	2.1	Complied
Top	-6.7	-6.9	-6.8	-6.5	-0.7	1.9	2.6	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 2 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 3 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 4 / PWL 15 / 9 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-7.0	0.4	-6.6	-7.5	0.4	-7.1
Top	-7.3	0.4	-6.9	-7.1	0.4	-6.7


Channel	Port 3			Port 4		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-7.9	0.4	-7.5	-7.4	0.4	-7.0
Top	-8.0	0.4	-7.6	-8.0	0.4	-7.6

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Corrected PSD Port 4 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-6.6	-7.1	-7.5	-7.0	-1.0	1.9	2.9	Complied
Top	-6.9	-6.7	-7.6	-7.6	-1.2	1.9	3.1	Complied


Result: **Pass**

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 2 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 3 / PWL 15 / 9 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 4 / PWL 15 / 9 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Single	-11.2	0.5	-10.7	-11.1	0.5	-10.6


Channel	Port 3			Port 4		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Single	-11.5	0.5	-11.0	-11.1	0.5	-10.6

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Corrected PSD Port 4 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Single	-10.7	-10.6	-11.0	-10.6	-4.7	1.9	6.6	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3+4 / PWL 15 / 9 dBi Antenna Group




Single Channel Port 1



Single Channel Port 2



Single Channel Port 3




Single Channel Port 4

Transmitter Maximum Power Spectral Density (continued)


23 dBi Antenna Group

Results: 802.11a / 20 MHz / 6 Mbps / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group


Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom +1	0.7	0.3	1.0	2.8	1.8	Complied
Middle	0.7	0.3	1.0	2.8	1.8	Complied
Top	1.1	0.3	1.4	2.8	1.4	Complied



Bottom +1 Channel



Middle Channel




Top Channel

Result: Pass

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom	-4.6	0.3	-4.3	2.8	7.1	Complied




Bottom Channel

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group


Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom +1	0.2	0.5	0.7	2.8	2.1	Complied
Middle	-0.3	0.5	0.2	2.8	2.6	Complied
Top	0.4	0.5	0.9	2.8	1.9	Complied



Bottom +1 Channel



Middle Channel



Top Channel


Result: Pass



Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom	-5.2	0.5	-4.7	2.8	7.5	Complied




Bottom Channel

Result: **Pass**


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / SISO / Port 1 / PWL 13 / 23 dBi Antenna Group


Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom +1	-0.6	0.4	-0.2	2.8	3	Complied
Middle	-0.1	0.4	0.3	2.8	2.5	Complied
Top	0.4	0.4	0.8	2.8	2.0	Complied



Bottom +1 Channel



Middle Channel



Top Channel


Result: Pass



Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom	-5.6	0.4	-5.2	2.8	8	Complied




Bottom Channel

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / SISO / Port 1 / PWL 10 / 23 dBi Antenna Group

Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom	-3.0	0.4	-2.6	2.8	5.4	Complied
Top	-3.0	0.4	-2.6	2.8	5.4	Complied



Bottom Channel




Top Channel

Result: **Pass**


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / SISO / Port 1 / PWL 10 / 23 dBi Antenna Group

Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Bottom	-3.2	0.4	-2.8	2.8	5.6	Complied
Top	-3.2	0.4	-2.8	2.8	5.6	Complied



Bottom Channel




Top Channel

Result: **Pass**

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT80 / MCS0 / SISO / Port 1 / PWL 7 / 23 dBi Antenna Group

Channel	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	Limit (dBm /MHz)	Margin (dB)	Result
Single	-12.5	0.5	-12.0	2.8	14.8	Complied



Single Channel

Result: **Pass**

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1+2 / PWL 11 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom + 1	-4.9	0.3	-4.6	-4.7	0.3	-4.4
Middle	-4.4	0.3	-4.1	-4.9	0.3	-4.6
Top	-4.1	0.3	-3.8	-4.8	0.3	-4.5

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom + 1	-4.6	-3.8	-1.2	-0.3	0.9	Complied
Middle	-4.1	-4.6	-1.3	-0.3	1	Complied
Top	-3.8	-4.5	-1.1	-0.3	0.8	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 2 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-7.9	0.3	-7.6	-7.6	0.3	-7.3

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-7.6	-7.3	-4.4	-0.3	4.1	Complied

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 11 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom + 1	-4.4	0.5	-3.9	-4.6	0.5	-4.1
Middle	-4.6	0.5	-4.1	-4.7	0.5	-4.2
Top	-5.1	0.5	-4.6	-4.4	0.5	-3.9

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom + 1	-3.9	-4.1	-1.0	-0.3	0.7	Complied
Middle	-4.1	-4.2	-1.1	-0.3	0.8	Complied
Top	-4.6	-3.9	-1.2	-0.3	0.9	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-8.2	0.5	-7.7	-8.5	0.5	-8.0

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-7.7	-8.0	-4.8	-0.3	4.5	Complied

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 11 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom + 1	-4.2	0.4	-3.8	-4.9	0.4	-4.5
Middle	-4.5	0.4	-4.1	-4.4	0.4	-4.0
Top	-4.5	0.4	-4.1	-4.5	0.4	-4.1

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom + 1	-3.8	-4.5	-1.1	-0.3	0.8	Complied
Middle	-4.1	-4.0	-1.0	-0.3	0.7	Complied
Top	-4.1	-4.1	-1.1	-0.3	0.8	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 11 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-8.5	0.4	-8.1	-7.8	0.4	-7.4

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-8.1	-7.4	-4.7	-0.3	4.4	Complied

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1+2 / PWL 13 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-5.6	0.4	-5.2	-6.0	0.4	-5.6
Top	-5.8	0.4	-5.4	-5.8	0.4	-5.4

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-5.2	-5.6	-2.4	-0.3	2.1	Complied
Top	-5.4	-5.4	-2.4	-0.3	2.1	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1 / PWL 13 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 2 / PWL 13 / 23 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1+2 / PWL 13 / 23 dBi Antenna Group


Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-5.6	0.4	-5.2	-5.8	0.4	-5.4
Top	-5.9	0.4	-5.5	-6.9	0.4	-6.5

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-5.2	-5.4	-2.2	-0.3	1.9	Complied
Top	-5.5	-6.5	-3.0	-0.3	2.7	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1 / PWL 13 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 2 / PWL 13 / 23 dBi Antenna Group



Bottom Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Single	-15.4	0.5	-14.9	-15.6	0.5	-15.1

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Single	-14.9	-15.1	-11.9	-0.3	11.6	Complied



Single Channel Port 1



Single Channel Port 2

Result: **Pass**

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1+2+3 / PWL 9 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom +1	-7.8	0.3	-7.5	-7.9	0.3	-7.6
Middle	-7.8	0.3	-7.5	-7.6	0.3	-7.3
Top	-8.0	0.3	-7.7	-7.6	0.3	-7.3


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom +1	-7.9	0.3	-7.6
Middle	-8.1	0.3	-7.8
Top	-8.2	0.3	-7.9

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom +1	-7.5	-7.6	-7.6	-2.8	-2.0	0.8	Complied
Middle	-7.5	-7.3	-7.8	-2.8	-2.0	0.8	Complied
Top	-7.7	-7.3	-7.9	-2.9	-2.0	0.9	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 2 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 3 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-8.9	0.3	-8.6	-9.0	0.3	-8.7


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-9.2	0.3	-8.9

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-8.6	-8.6	-8.9	-3.9	-2.0	1.9	Complied

Result: **Pass**


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1 / PWL 8 / 23 dBi Antenna Group



Bottom Channel


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 2 / PWL 8 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 3 / PWL 8 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2+3 / PWL 9 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom +1	-7.9	0.5	-7.4	-7.9	0.5	-7.4
Middle	-8.2	0.5	-7.7	-8.3	0.5	-7.8
Top	-8.1	0.5	-7.6	-8.2	0.5	-7.7


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom +1	-8.3	0.5	-7.8
Middle	-8.0	0.5	-7.5
Top	-8.1	0.5	-7.6

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom +1	-7.4	-7.4	-7.8	-2.8	-2.0	0.8	Complied
Middle	-7.7	-7.8	-7.5	-2.9	-2.0	0.9	Complied
Top	-7.6	-7.7	-7.6	-2.9	-2.0	0.9	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 3 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-9.2	0.5	-8.7	-9.2	0.5	-8.7


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-9.6	0.5	-9.1

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-8.7	-8.7	-9.1	-4.1	-2.0	2.1	Complied

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 8 / 23 dBi Antenna Group



Bottom Channel


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 8 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 3 / PWL 8 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2+3 / PWL 9 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom +1	-7.9	0.4	-7.5	-8.7	0.4	-8.3
Middle	-8.5	0.4	-8.1	-7.6	0.4	-7.2
Top	-8.6	0.4	-8.2	-7.8	0.4	-7.4


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom +1	-8.1	0.4	-7.7
Middle	-8.9	0.4	-8.5
Top	-7.4	0.4	-7.0

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom +1	-7.5	-8.3	-7.7	-3.0	-2.0	1.0	Complied
Middle	-8.1	-7.2	-8.5	-3.1	-2.0	1.1	Complied
Top	-8.2	-7.4	-7.0	-2.7	-2.0	0.7	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 3 / PWL 9 / 23 dBi Antenna Group



Bottom +1 Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-9.2	0.4	-8.8	-7.7	0.4	-7.3


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-8.0	0.4	-7.6

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-8.8	-7.3	-7.6	-3.1	-2.0	1.1	Complied

Result: Pass


Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 1 / PWL 8 / 23 dBi Antenna Group



Bottom Channel


Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 2 / PWL 8 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / 20 MHz / MCS0 / MIMO / Port 3 / PWL 8 / 23 dBi Antenna Group



Bottom Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-12.2	0.4	-11.8	-12.2	0.4	-11.8
Top	-12.4	0.4	-12.0	-12.5	0.4	-12.1


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-12.8	0.4	-12.4
Top	-12.7	0.4	-12.3

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-11.8	-11.8	-12.4	-7.2	-2.0	5.2	Complied
Top	-12.0	-12.1	-12.3	-7.4	-2.0	5.4	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 1 / PWL 8 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11n / HT40 / MCS0 / MIMO / Port 2 / PWL 8 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / HT40 / MCS0 / MIMO / Port 3 / PWL 8 / 23 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-13.7	0.4	-13.3	-12.4	0.4	-12.0
Top	-14.7	0.4	-14.3	-13.3	0.4	-12.9


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-12.7	0.4	-12.3
Top	-13.0	0.4	-12.6

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-13.3	-12.0	-12.3	-7.7	-2.0	5.7	Complied
Top	-14.3	-12.9	-12.6	-8.4	-2.0	6.4	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 1 / PWL 8 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 2 / PWL 8 / 23 dBi Antenna Group




Bottom Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT40 / MCS0 / MIMO / Port 3 / PWL 8 / 23 dBi Antenna Group



Bottom Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Single	-16.5	0.5	-16.0	-15.9	0.5	-15.4


Channel	Port 3		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Single	-16.6	0.5	-16.1

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Single	-16.0	-15.4	-16.1	-11.1	-2.0	9.1	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11ac / HT80 / MCS0 / MIMO / Port 1+2+3 / PWL 8 / 23 dBi Antenna Group



Single Channel Port 1



Single Channel Port 2



Single Channel Port 3

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1+2+3+4 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-11.0	0.3	-10.7	-11.1	0.3	-10.8
Middle	-10.8	0.3	-10.5	-10.9	0.3	-10.6
Top	-10.9	0.3	-10.6	-11.0	0.3	-10.7


Channel	Port 3			Port 4		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-10.8	0.3	-10.5	-10.9	0.3	-10.6
Middle	-11.2	0.3	-10.9	-10.6	0.3	-10.9
Top	-11.3	0.3	-11.0	-10.8	0.3	-10.5

Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Corrected PSD Port 4 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-10.7	-10.8	-10.5	-10.6	-4.6	-3.3	1.3	Complied
Middle	-10.5	-10.6	-10.9	-10.9	-4.7	-3.3	1.4	Complied
Top	-10.6	-10.7	-11.0	-10.5	-4.7	-3.3	1.4	Complied


Result: Pass

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 3 / PWL 7 / 23 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11a / 20 MHz / 6 Mbps / MIMO / Port 4 / PWL 7 / 23 dBi Antenna Group



Bottom Channel



Middle Channel



Top Channel

Transmitter Maximum Power Spectral Density (continued)

Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1+2+3+4 / PWL 7 / 23 dBi Antenna Group

Channel	Port 1			Port 2		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-11.5	0.5	-11.0	-11.6	0.5	-11.1
Middle	-11.2	0.5	-10.7	-11.5	0.5	-11.0
Top	-11.1	0.5	-10.6	-11.4	0.5	-10.9

Channel	Port 3			Port 4		
	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)	PSD (dBm /MHz)	Duty Cycle Correction (dB)	Corrected PSD (dBm /MHz)
Bottom	-11.5	0.5	-11.0	-11.3	0.5	-10.8
Middle	-11.7	0.5	-11.2	-11.1	0.5	-10.6
Top	-11.6	0.5	-11.1	-11.6	0.5	-11.1


Channel	Corrected PSD Port 1 (dBm /MHz)	Corrected PSD Port 2 (dBm /MHz)	Corrected PSD Port 3 (dBm /MHz)	Corrected PSD Port 4 (dBm /MHz)	Combined PSD (dBm /MHz)	Limit (dBm/MHz)	Margin (dB)	Result
Bottom	-11.0	-11.1	-11.0	-10.8	-5.0	-3.3	1.7	Complied
Middle	-10.7	-11.0	-11.2	-10.6	-4.8	-3.3	1.5	Complied
Top	-10.6	-10.9	-11.1	-11.1	-4.9	-3.3	1.6	Complied

Result: Pass




Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 1 / PWL 7 / 23 dBi Antenna Group



Bottom Channel




Middle Channel




Top Channel

Transmitter Maximum Power Spectral Density (continued)


Results: 802.11n / 20 MHz / MCS0 / MIMO / Port 2 / PWL 7 / 23 dBi Antenna Group



Bottom Channel



Middle Channel



Top Channel