

TOYOTA INDUSTRIES CORPORATION

Head Office Advertising & Public Affairs Department 2-1,Toyoda-cho,Kariya-shi, Aichi 448-8671 Japan TEL: +81-566-27-5157

URL: www.tovota-industries.com

October 13, 2005

FCC ID : M4B6180210 IC Number : 5844A-6180210

Model : 6180110


Applicant : TOYOTA INDUSTRIES CORPORATION

Request for Modular Approval

The modular transmitter (Model: 6180110) is designed by TOYOTA INDUSTRIES CORPORATION. This modular transmitter can be equipped on any device, if the distance between the radiator and person's body keep at least 20cm or more. The modular transmitter complies the module basic requirement (Item 1 to 8) in FCC Public Notice: Part 15 Unlicensed Modular Transmitter Approval(DA00-1407) and Canada RSS-Gen, Issue 1, 7.1.1 as indicated below:

[Module basic requirement]

(1) Have its own RF shielding.: This modular transmitter has it own RF shielding. Please refer to the A1 Photo.



A1 Photo (Modular transmitter)

- (2) The modular transmitter must have buffered modulation/data inputs.: Data input to Modular transmitter is controlled as not generating excessive data speed and abnormal modulation.
- (3) The modular transmitter must have its own power supply regulation.: The module can regulate Power Supply by itself. (See Schematic)
- (4) The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c).: The antenna is connected to the module with unique connector and install inside of the end product. So, it is impossible for end users to disconnect it. Accordingly, it is complied.
- (5) The modular transmitter must be tested in a stand alone.: The modular transmitter has been performed the testing as a stand alone and then confirmed the compliance. Please refer to the Test report. (No. 25IE0043-YK-1/25IE0043-YK-2/26BE0140-YK-1/26BE0140-YK-2)
- (6) The modular transmitter must be labeled with its own FCC ID/ IC number, and, if the FCC ID/ IC number is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.: This modular transmitter is complied with this requirement. Please refer to the file of Label drawing and location.
- (7) The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements.: The necessary explanation to be complied with this requirement is contained in the manual.
- (8) The modular transmitter must comply with any applicable RF exposure requirements.: The modular transmitter complies with FCC/ IC radiation exposure requirement specified in the FCC Rules 15.247(i) and IC Rules RSS-102. Please refer to the RF exposure statement.

Mitsuhiro Mabuchi

Instruktio Mululi

Group Manager

Product Planning Office, Engineering Dept. Division 1, New Electronic Division