

# Intertek Testing Services


## RF VOLTAGE

EUT: XI-305B  
Manuf: Z-com  
Op Cond: LISN-L  
Operator: elton  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:825788/014  
120V 60Hz 22°C 62%RH Tx at low channel  
Date: 26. Mar 02 15:35

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-305B  
Manuf: Z-com  
Op Cond: LISN-N  
Operator: elton  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:825788/014  
120V 60Hz 22'C 62%RH Tx at low channel  
Date: 26. Mar 02 15:44

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-305B  
Manuf: Z-com  
Op Cond: LISN-L  
Operator: elton  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:825788/014  
120V 60Hz 22'C 62%RH Tx at middle channel  
Date: 26. Mar 02 15:33

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	10dB	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-305B  
Manuf: Z-com  
Op Cond: LISN-N  
Operator: elton  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:825788/014  
120V 60Hz 22'C 62%RH Tx at middle channel  
Date: 26. Mar 02 15:51

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	10dB	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-305B  
Manuf: Z-com  
Op Cond: LISN-L  
Operator: elton  
Test Spec: FCC 15 Class B  
Comment: EMI RCY:825788/014  
120V 60Hz 22'C 62%RH Tx at high channel  
Date: 26. Mar 02 15:25

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services

## RF VOLTAGE

EUT: XI-305B  
Manuf: Z-com  
Op Cond: LISN-N  
Operator: elton  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:825788/014  
120V 60Hz 22'C 62%RH Tx at high channel  
Date: 26. Mar 02 15:56

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	10dB LN	OFF

Final Measurement: x QP  
Meas Time: 1 s

