


Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 1
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCY:825788/014
120V 60Hz 24'C 62%RH tx at low channel
Date: 07. Jun 02 16:24

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 1
Manuf: Z-COM
Op Cond: LISN-M
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at low channel
Date: 07. Jun 02 16:30

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 1
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at middle channel
Date: 07. Jun 02 16:45

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: XI-305M for Antenna 1
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCY:825788/014
120V 60Hz 24'C 62%RH tx at middle channel
Date: 07. Jun 02 16:36

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 1
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at high channel
Date: 07. Jun 02 16:51

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: XI-305M for Antenna 1
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at high channel
Date: 07. Jun 02 16:57

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 2
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at low channel
Date: 07. Jun 02 17:55

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: XI-305M for Antenna 2
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at low channel
Date: 07. Jun 02 17:49

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 2
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at middle channel
Date: 07. Jun 02 17:37

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 2
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at middle channel
Date: 07. Jun 02 17:44

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 2
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at high channel
Date: 07. Jun 02 17:32

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 2
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at high channel
Date: 07. Jun 02 17:25

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 3
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at low channel
Date: 10. Jun 02 09:33

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: XI-305M for Antenna 3
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCY:825788/014
120V 60Hz 24'C 62%RH tx at low channel
Date: 10. Jun 02 09:42

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: XI-305M for Antenna 3
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at middle channel
Date: 10. Jun 02 09:54

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: XI-305M for Antenna 3
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 62%RH tx at middle channel
Date: 10. Jun 02 09:48

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: XI-305M for Antenna 3
Manuf: Z-COM
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCY:825788/014
120V 60Hz 24'C 62%RH tx at high channel
Date: 10. Jun 02 10:04

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE

EUT: XI-305M for Antenna 3
Manuf: Z-COM
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCY:825788/014
120V 60Hz 24'C 62%RH tx at high channel
Date: 10. Jun 02 10:09

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s

