

# Intertek Testing Services


## RF FIELD

EUT: XI-626  
Manuf: Z-COM  
Op Cond: AMN-L  
Operator: kaysi  
Test Spec: FCC CLASS B  
Comment: EMI RCV:833364/011  
120V 60Hz 22'C 62%RH transmitted at low channel  
Date: 15. Apr 02 09:54

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF FIELD

EUT: XI-626  
Manuf: Z-COM  
Op Cond: AMN-N  
Operator: kaysi  
Test Spec: FCC CLASS B  
Comment: EMI RCV:833364/011  
120V 60Hz 22'C 62%RH transmitted at low channel  
Date: 15. Apr 02 10:03

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF FIELD

EUT: XI-626  
Manuf: Z-COM  
Op Cond: AMN-L  
Operator: kaysi  
Test Spec: FCC CLASS B  
Comment: EMI RCV:833364/011  
120V 60Hz 22'C 62%RH transmitted at middle channel  
Date: 15. Apr 02 10:16

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF FIELD

EUT: XI-626  
Manuf: Z-COM  
Op Cond: AMN-N  
Operator: kaysi  
Test Spec: FCC CLASS B  
Comment: EMI RCV:833364/011  
120V 60Hz 22'C 62%RH transmitted at middle channel  
Date: 15. Apr 02 10:09

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s




# Intertek Testing Services RF FIELD

EUT: XI-626  
Manuf: Z-COM  
Op Cond: AMN-L  
Operator: kaysi  
Test Spec: FCC CLASS B  
Comment: EMI RCV:833364/011  
120V 60Hz 22'C 62%RH transmitted at high channel  
Date: 15. Apr 02 10:23

## Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services RF FIELD

EUT: XI-626  
Manuf: Z-COM  
Op Cond: AMN-N  
Operator: kaysi  
Test Spec: FCC CLASS B  
Comment: EMI RCV:833364/011  
120V 60Hz 22'C 62%RH transmitted at high channel  
Date: 15. Apr 02 10:52

## Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s

