

# Intertek Testing Services


## RF VOLTAGE

EUT: XI-835C  
Manuf: Z-COM  
Op Cond: AMN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/014  
120Vac 60Hz 26'C 55%RH tx at low channel card R/W mode  
Date: 07. Mar 03 11:00

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-835C  
Manuf: Z-COM  
Op Cond: AMN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/014  
120Vac 60Hz 26'C 55%RH tx at low channel card R/W mode  
Date: 07. Mar 03 10:54

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-835C  
Manuf: Z-COM  
Op Cond: AMN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/014  
120Vac 60Hz 26'C 55%RH tx at middle channel card R/W mode  
Date: 07. Mar 03 11:08

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-835C  
Manuf: Z-COM  
Op Cond: AMN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/014  
120Vac 60Hz 26'C 55%RH tx at middle channel card R/W mode  
Date: 07. Mar 03 11:22

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: XI-835C  
Manuf: Z-COM  
Op Cond: AMN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/014  
120Vac 60Hz 26'C 55%RH tx at high channel card R/W mode  
Date: 07. Mar 03 11:38

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services

## RF VOLTAGE

EUT: XI-835C  
Manuf: Z-COM  
Op Cond: AMN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/014  
120Vac 60Hz 26'C 55%RH tx at high channel card R/W mode  
Date: 07. Mar 03 11:32

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s

