



Sirit Inc.
1321 Valwood Parkway, Suite 620
Carrollton, TX
75006 USA

Tel: 972.243.7208
Toll Free: 877.492.0101
Fax: 972.243.8034
Web site: www.sirit.com

March 5, 2007

Nemko Canada Inc
303 River Road
Ottawa, Ontario, Canada
K1V 1H2

Attn: Director of Certification

Re: Identity 5100 Part 90 Operation Tuning Procedure

We believe it is not necessary to produce a separate tuning procedure document for the Part 90 operation of the Identity 5100 (ID 5100) RFID Transceiver system for the following reasons:

- The normal shipped version of the ID 5100 has an integral, non-removable antenna that is not replaceable by the end user.
- The optional external antenna that may be purchased from Sirit includes a supplied 10 meter cable with non-standard fittings on both the transceiver output as well as the antenna connector. All parameters for the cable loss and antenna gain are preprogrammed into the ID 5100 at the factory and are not accessible to the end user. This is the configuration at which the reader passed Part 90 certification testing procedures.
- An end user does not have access to the software controls to increase the ID 5100's output power for either the integral or optional external antenna. Note that a user may decrease output power.
- Only authorized professional installers under Sirit's control will ever have access to parameters which could increase the ERP of the transceiver. This access is tightly controlled by Sirit on a per unit basis by the use of an encrypted password system that resides only on Sirit's servers and is only accessible by Sirit personnel.

Sincerely,

Bruce B. Roesner

Bruce Roesner
Chief Technical Officer (CTO)/
Vice President of Engineering
Sirit Technologies Inc.