

December 31, 2002

American Telecommunications Certification Body 6731 Whittier Avenue McLean, VA 22101

Dear Sirs:

Please find attached below a summary compilation of the highest radiated spurious emissions in response to Issue 5 on the ATCB comments to the certification submission for FCC ID: M72BTMOD01.

Hyper Corporation attests that the transmitter testing that was performed at the low, middle, and high channels for testing emissions from the device. Emissions were maximized at each channel following the procedures in ANSI C63.4.

In addition, Hyper attests that all configurations meet the limits.

The following table reports the highest emissions measured from the device.

Radiated Emission Summary (Highest Reported Emissions) for FCC ID: M72BTMOD01

Frequency (MHz)	Channel	Peak (dBuV)	Average (dBuV)	Site CF	Peak CORR'D (dBuV/m)	Average CORR'D (dBuV/m)	Limit 15.209	Margin to Limit
4803.9	Low	51	35	4.3	55.3	39.3	54	-14.7
4881.6	Mid	48	34	4.5	52.5	38.5	54	-15.5
4960	High	51.4		4.7	51.4		54	-2.6
4803.7	Low	48.1		4.3	48.1		54	-5.9
2344.4	Low	47.5		-1.8	47.5		54	-6.5
2418.09	Low	45.8		-1.5	45.8		54	-8.2

Sincerely,

William Elliott Staff Engineer – Wireless Testing Hyper Corporation

Phone: 1-925-462-9105 ext. 208

Email: William. Elliott@hyperinterop.com