


ANNEX F TEST DATA

For

Project No.:	8228EU011509W
Client:	Hena Digital Technology (Shenzhen) Co., Ltd.
Product Name:	Tablet PC
Model No.:	EID-1400
FCC ID:	M7C-EID1400
Technology:	WiFi 2.4G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2024-04-20

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass




1. Duty Cycle



1.1 Ant1



1.1.1 Test Result



Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.193	8.350	98.12	0.08	0.12
		2437	8.193	8.350	98.12	0.08	0.12
		2462	8.194	8.360	98.01	0.09	0.28
802.11g	SISO	2412	1.360	1.531	88.83	0.51	1.60
		2437	1.362	1.532	88.90	0.51	1.60
		2462	1.361	1.513	89.95	0.46	0.57
802.11n (HT20)	SISO	2412	1.149	1.310	87.71	0.57	1.24
		2437	1.150	1.329	86.53	0.63	2.44
		2462	1.149	1.310	87.71	0.57	1.24
802.11n (HT40)	SISO	2422	0.573	0.725	79.03	1.02	2.01
		2437	0.573	0.725	79.03	1.02	1.01
		2452	0.573	0.725	79.03	1.02	1.01



1.1.2 Test Graph
















2. Bandwidth



2.1 OBW



2.1.1 Test Result



Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	12.102	/	Pass
		2437	1	12.074	/	Pass
		2462	1	12.075	/	Pass
802.11g	SISO	2412	1	17.358	/	Pass
		2437	1	17.575	/	Pass
		2462	1	17.453	/	Pass
802.11n (HT20)	SISO	2412	1	17.897	/	Pass
		2437	1	18.006	/	Pass
		2462	1	17.934	/	Pass
802.11n (HT40)	SISO	2422	1	36.401	/	Pass
		2437	1	36.835	/	Pass
		2452	1	36.865	/	Pass



2.1.2 Test Graph




















2.2 6dB BW
2.2.1 Test Result



Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	10.103	≥ 0.5	Pass
		2437	1	10.087	≥ 0.5	Pass
		2462	1	10.098	≥ 0.5	Pass
802.11g	SISO	2412	1	15.962	≥ 0.5	Pass
		2437	1	16.344	≥ 0.5	Pass
		2462	1	16.332	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	16.713	≥ 0.5	Pass
		2437	1	17.053	≥ 0.5	Pass
		2462	1	17.004	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	35.281	≥ 0.5	Pass
		2437	1	35.773	≥ 0.5	Pass
		2452	1	36.003	≥ 0.5	Pass



2.2.2 Test Graph
















3. Maximum Conducted Output Power



3.1 Power



3.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	14.13	<=30	Pass
		2437	16.09	<=30	Pass
		2462	15.54	<=30	Pass
802.11g	SISO	2412	17.38	<=30	Pass
		2437	17.13	<=30	Pass
		2462	16.59	<=30	Pass
802.11n (HT20)	SISO	2412	15.86	<=30	Pass
		2437	17.73	<=30	Pass
		2462	16.25	<=30	Pass
802.11n (HT40)	SISO	2422	15.81	<=30	Pass
		2437	17.59	<=30	Pass
		2452	16.14	<=30	Pass



3.1.2 Test Graph
















4. Maximum Power Spectral Density



4.1 PSD



4.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-8.67	<=8	Pass
		2437	-10.67	<=8	Pass
		2462	-9.59	<=8	Pass
802.11g	SISO	2412	-16.14	<=8	Pass
		2437	-17.08	<=8	Pass
		2462	-17.74	<=8	Pass
802.11n (HT20)	SISO	2412	-19.08	<=8	Pass
		2437	-16.96	<=8	Pass
		2462	-18.01	<=8	Pass
802.11n (HT40)	SISO	2422	-19.84	<=8	Pass
		2437	-20.27	<=8	Pass
		2452	-21.42	<=8	Pass



4.1.2 Test Graph















5. Unwanted Emissions In Non-restricted Frequency Bands


5.1 Ref



5.1.1 Test Result



Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	2.31
		2437	1	4.34
		2462	1	3.58
802.11g	SISO	2412	1	-1.13
		2437	1	-1.78
		2462	1	-2.18
802.11n (HT20)	SISO	2412	1	-3.25
		2437	1	-1.71
		2462	1	-2.99
802.11n (HT40)	SISO	2422	1	-5.82
		2437	1	-4.61
		2452	1	-6.23



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.



5.1.2 Test Graph
















5.2 CSE



5.2.1 Test Result



Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	4.34	-15.66	Pass
		2437	1	4.34	-15.66	Pass
		2462	1	4.34	-15.66	Pass
802.11g	SISO	2412	1	-1.13	-21.13	Pass
		2437	1	-1.13	-21.13	Pass
		2462	1	-1.13	-21.13	Pass
802.11n (HT20)	SISO	2412	1	-1.71	-21.71	Pass
		2437	1	-1.71	-21.71	Pass
		2462	1	-1.71	-21.71	Pass
802.11n (HT40)	SISO	2422	1	-4.61	-24.61	Pass
		2437	1	-4.61	-24.61	Pass
		2452	1	-4.61	-24.61	Pass



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.



5.2.2 Test Graph































----- End of Report -----