


APPENDIX F FIELD STRENGTH OF SPURIOUS RADIATION


CONTINUE ON NEXT PAGE

Test Mode	WCDMA_Band IV_Without Docking	Polarization	Vertical
-----------	-------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		48.4300	-64.63	-5.41	-70.04	-13.00	-57.04	peak	
2		69.7700	-68.90	-1.92	-70.82	-13.00	-57.82	peak	
3		124.0900	-67.02	-1.81	-68.83	-13.00	-55.83	peak	
4		250.1900	-67.39	-2.76	-70.15	-13.00	-57.15	peak	
5	*	342.3400	-68.73	0.60	-68.13	-13.00	-55.13	peak	
6		484.9300	-75.37	4.36	-71.01	-13.00	-58.01	peak	

Test Mode	WCDMA_Band IV_Without Docking	Polarization	Vertical
-----------	-------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		79.4700	-70.23	-1.98	-72.21	-13.00	-59.21	peak	
2		127.0000	-62.01	-2.01	-64.02	-13.00	-51.02	peak	
3	*	254.0700	-58.34	-2.74	-61.08	-13.00	-48.08	peak	
4		349.1300	-63.79	0.87	-62.92	-13.00	-49.92	peak	
5		411.2100	-73.79	3.49	-70.30	-13.00	-57.30	peak	
6		521.7900	-73.08	4.64	-68.44	-13.00	-55.44	peak	

Test Mode	WCDMA_Band IV_With Desk Docking	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		49.4000	-61.72	-4.80	-66.52	-13.00	-53.52	peak	
2		156.1000	-65.80	-0.47	-66.27	-13.00	-53.27	peak	
3	*	219.1500	-58.62	-4.69	-63.31	-13.00	-50.31	peak	
4		281.2300	-64.81	-1.35	-66.16	-13.00	-53.16	peak	
5		344.2800	-67.44	0.67	-66.77	-13.00	-53.77	peak	
6		406.3600	-67.24	3.43	-63.81	-13.00	-50.81	peak	

Test Mode	WCDMA_Band IV_With Desk Docking	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		94.0200	-63.07	-2.38	-65.45	-13.00	-52.45	peak	
2		194.9000	-55.23	-3.22	-58.45	-13.00	-45.45	peak	
3	*	219.1500	-51.54	-4.69	-56.23	-13.00	-43.23	peak	
4		244.3700	-53.96	-3.11	-57.07	-13.00	-44.07	peak	
5		336.5200	-58.04	0.37	-57.67	-13.00	-44.67	peak	
6		406.3600	-63.67	3.43	-60.24	-13.00	-47.24	peak	

Test Mode	WCDMA_Band IV_With VESA Docking	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		48.4300	-61.93	-5.41	-67.34	-13.00	-54.34	peak	
2		66.8600	-63.15	-3.24	-66.39	-13.00	-53.39	peak	
3	*	125.0600	-61.81	-1.87	-63.68	-13.00	-50.68	peak	
4		253.1000	-64.15	-2.75	-66.90	-13.00	-53.90	peak	
5		332.6400	-71.29	0.22	-71.07	-13.00	-58.07	peak	
6		409.2700	-73.72	3.47	-70.25	-13.00	-57.25	peak	

Test Mode	WCDMA_Band IV_With VESA Docking	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		65.8900	-68.65	-3.68	-72.33	-13.00	-59.33	peak	
2		123.1200	-61.43	-1.74	-63.17	-13.00	-50.17	peak	
3		250.1900	-56.52	-2.76	-59.28	-13.00	-46.28	peak	
4	*	280.2600	-55.64	-1.36	-57.00	-13.00	-44.00	peak	
5		338.4600	-62.17	0.45	-61.72	-13.00	-48.72	peak	
6		407.3300	-66.43	3.44	-62.99	-13.00	-49.99	peak	

Test Mode	WCDMA_Band IV_Without Docking	Polarization	Horizontal
-----------	-------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	3505.200	-50.36	-3.61	-53.97	-13.00	-40.97	peak	

Test Mode	WCDMA_Band IV_Without Docking	Polarization	Horizontal
-----------	-------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	3505.200	-51.02	-3.61	-54.63	-13.00	-41.63	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1	*	48.4300	-58.79	-5.41	-64.20	-13.00	-51.20	peak	
2		71.7100	-64.33	-1.85	-66.18	-13.00	-53.18	peak	
3		141.5500	-66.76	0.20	-66.56	-13.00	-53.56	peak	
4		191.0200	-64.55	-2.49	-67.04	-13.00	-54.04	peak	
5		248.2500	-61.98	-2.87	-64.85	-13.00	-51.85	peak	
6		339.4300	-67.37	0.48	-66.89	-13.00	-53.89	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1		70.7400	-71.39	-1.83	-73.22	-13.00	-60.22	peak	
2		136.7000	-64.37	-0.57	-64.94	-13.00	-51.94	peak	
3	*	241.4600	-54.74	-3.29	-58.03	-13.00	-45.03	peak	
4		347.1900	-64.22	0.79	-63.43	-13.00	-50.43	peak	
5		418.9700	-66.55	3.59	-62.96	-13.00	-49.96	peak	
6		506.2700	-70.13	4.56	-65.57	-13.00	-52.57	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		66.8600	-62.18	-3.24	-65.42	-13.00	-52.42	peak	
2		130.8800	-64.06	-2.00	-66.06	-13.00	-53.06	peak	
3	*	156.1000	-62.36	-0.47	-62.83	-13.00	-49.83	peak	
4		219.1500	-58.67	-4.69	-63.36	-13.00	-50.36	peak	
5		344.2800	-65.29	0.67	-64.62	-13.00	-51.62	peak	
6		406.3600	-68.80	3.43	-65.37	-13.00	-52.37	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		68.8000	-67.44	-2.36	-69.80	-13.00	-56.80	peak	
2		140.5800	-55.20	0.22	-54.98	-13.00	-41.98	peak	
3	*	187.1400	-46.12	-2.63	-48.75	-13.00	-35.75	peak	
4		250.1900	-50.18	-2.76	-52.94	-13.00	-39.94	peak	
5		347.1900	-58.05	0.79	-57.26	-13.00	-44.26	peak	
6		416.0600	-65.64	3.55	-62.09	-13.00	-49.09	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		49.4000	-62.19	-4.80	-66.99	-13.00	-53.99	peak	
2	*	125.0600	-61.44	-1.87	-63.31	-13.00	-50.31	peak	
3		175.5000	-66.84	-2.50	-69.34	-13.00	-56.34	peak	
4		251.1600	-64.07	-2.76	-66.83	-13.00	-53.83	peak	
5		337.4900	-67.70	0.41	-67.29	-13.00	-54.29	peak	
6		408.3000	-72.72	3.45	-69.27	-13.00	-56.27	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		69.7700	-68.88	-1.92	-70.80	-13.00	-57.80	peak	
2		125.0600	-60.20	-1.87	-62.07	-13.00	-49.07	peak	
3	*	251.1600	-52.68	-2.76	-55.44	-13.00	-42.44	peak	
4		344.2800	-59.81	0.67	-59.14	-13.00	-46.14	peak	
5		408.3000	-64.63	3.45	-61.18	-13.00	-48.18	peak	
6		502.3900	-69.95	4.54	-65.41	-13.00	-52.41	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	3440.000	-52.48	-3.74	-56.22	-13.00	-43.22	peak	

Test Mode	LTE_Band 4_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	3440.000	-52.70	-3.74	-56.44	-13.00	-43.44	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	49.4000	-60.38	-4.80	-65.18	-25.00	-40.18	peak	
2		71.7100	-67.22	-1.85	-69.07	-25.00	-44.07	peak	
3		127.0000	-69.05	-2.01	-71.06	-25.00	-46.06	peak	
4		155.1300	-72.88	-0.40	-73.28	-25.00	-48.28	peak	
5		415.0900	-76.42	3.54	-72.88	-25.00	-47.88	peak	
6		600.3600	-73.52	6.04	-67.48	-25.00	-42.48	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		70.7400	-70.49	-1.83	-72.32	-25.00	-47.32	peak	
2		151.2500	-71.80	-0.11	-71.91	-25.00	-46.91	peak	
3		230.7900	-66.80	-3.87	-70.67	-25.00	-45.67	peak	
4		331.6700	-66.86	0.18	-66.68	-25.00	-41.68	peak	
5	*	348.1600	-65.41	0.83	-64.58	-25.00	-39.58	peak	
6		365.6200	-70.25	1.67	-68.58	-25.00	-43.58	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		49.4000	-58.85	-4.80	-63.65	-25.00	-38.65	peak	
2		74.6200	-66.11	-1.90	-68.01	-25.00	-43.01	peak	
3		129.9100	-63.21	-2.21	-65.42	-25.00	-40.42	peak	
4		169.6800	-64.77	-1.29	-66.06	-25.00	-41.06	peak	
5		211.3900	-61.00	-5.28	-66.28	-25.00	-41.28	peak	
6	*	337.4900	-62.57	0.41	-62.16	-25.00	-37.16	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		130.8800	-64.47	-2.00	-66.47	-25.00	-41.47	peak	
2		189.0800	-63.23	-2.41	-65.64	-25.00	-40.64	peak	
3		214.3000	-59.26	-5.06	-64.32	-25.00	-39.32	peak	
4		296.7500	-57.33	-1.13	-58.46	-25.00	-33.46	peak	
5	*	346.2200	-55.45	0.75	-54.70	-25.00	-29.70	peak	
6		510.1500	-67.64	4.58	-63.06	-25.00	-38.06	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1		65.8900	-61.69	-3.68	-65.37	-25.00	-40.37	peak	
2	*	124.0900	-61.39	-1.81	-63.20	-25.00	-38.20	peak	
3		179.3800	-66.22	-3.34	-69.56	-25.00	-44.56	peak	
4		252.1300	-64.69	-2.75	-67.44	-25.00	-42.44	peak	
5		340.4000	-66.74	0.52	-66.22	-25.00	-41.22	peak	
6		416.0600	-71.59	3.55	-68.04	-25.00	-43.04	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		66.8600	-68.10	-3.24	-71.34	-25.00	-46.34	peak	
2		123.1200	-60.05	-1.74	-61.79	-25.00	-36.79	peak	
3	*	252.1300	-52.04	-2.75	-54.79	-25.00	-29.79	peak	
4		347.1900	-60.77	0.79	-59.98	-25.00	-34.98	peak	
5		413.1500	-65.97	3.52	-62.45	-25.00	-37.45	peak	
6		576.1100	-70.45	5.43	-65.02	-25.00	-40.02	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	7605.000	-47.99	10.42	-37.57	-25.00	-12.57	peak	

Test Mode	LTE_Band 7_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	7605.000	-46.88	10.42	-36.46	-25.00	-11.46	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	49.4000	-62.26	-4.80	-67.06	-13.00	-54.06	peak	
2		68.8000	-66.65	-2.36	-69.01	-13.00	-56.01	peak	
3		126.0300	-70.19	-1.94	-72.13	-13.00	-59.13	peak	
4		196.8400	-66.39	-3.59	-69.98	-13.00	-56.98	peak	
5		252.1300	-68.85	-2.75	-71.60	-13.00	-58.60	peak	
6		327.7900	-68.35	0.02	-68.33	-13.00	-55.33	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		153.1900	-71.07	-0.26	-71.33	-13.00	-58.33	peak	
2		220.1200	-59.31	-4.61	-63.92	-13.00	-50.92	peak	
3		240.4900	-60.17	-3.35	-63.52	-13.00	-50.52	peak	
4		259.8900	-64.42	-2.72	-67.14	-13.00	-54.14	peak	
5	*	299.6600	-62.02	-1.08	-63.10	-13.00	-50.10	peak	
6		444.1900	-71.14	3.91	-67.23	-13.00	-54.23	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		48.4300	-61.98	-5.41	-67.39	-13.00	-54.39	peak	
2		69.7700	-64.81	-1.92	-66.73	-13.00	-53.73	peak	
3		94.0200	-64.31	-2.38	-66.69	-13.00	-53.69	peak	
4	*	156.1000	-62.79	-0.47	-63.26	-13.00	-50.26	peak	
5		219.1500	-58.83	-4.69	-63.52	-13.00	-50.52	peak	
6		344.2800	-67.07	0.67	-66.40	-13.00	-53.40	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		94.0200	-62.41	-2.38	-64.79	-13.00	-51.79	peak	
2		156.1000	-61.70	-0.47	-62.17	-13.00	-49.17	peak	
3		219.1500	-55.70	-4.69	-60.39	-13.00	-47.39	peak	
4	*	247.2800	-51.40	-2.93	-54.33	-13.00	-41.33	peak	
5		339.4300	-58.56	0.48	-58.08	-13.00	-45.08	peak	
6		405.3900	-64.98	3.42	-61.56	-13.00	-48.56	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		65.8900	-61.74	-3.68	-65.42	-13.00	-52.42	peak	
2	*	124.0900	-62.21	-1.81	-64.02	-13.00	-51.02	peak	
3		178.4100	-66.43	-3.13	-69.56	-13.00	-56.56	peak	
4		248.2500	-65.80	-2.87	-68.67	-13.00	-55.67	peak	
5		346.2200	-67.76	0.75	-67.01	-13.00	-54.01	peak	
6		408.3000	-72.00	3.45	-68.55	-13.00	-55.55	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		65.8900	-66.38	-3.68	-70.06	-13.00	-57.06	peak	
2	*	127.9700	-56.12	-2.08	-58.20	-13.00	-45.20	peak	
3		195.8700	-62.76	-3.40	-66.16	-13.00	-53.16	peak	
4		251.1600	-57.03	-2.76	-59.79	-13.00	-46.79	peak	
5		345.2500	-63.73	0.71	-63.02	-13.00	-50.02	peak	
6		408.3000	-66.66	3.45	-63.21	-13.00	-50.21	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	2112.000	-52.61	0.00	-52.61	-13.00	-39.61	peak	

Test Mode	LTE_Band 12_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	2112.000	-53.04	0.00	-53.04	-13.00	-40.04	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	51.3400	-60.90	-4.68	-65.58	-13.00	-52.58	peak	
2		70.7400	-64.98	-1.83	-66.81	-13.00	-53.81	peak	
3		157.0700	-71.60	-0.54	-72.14	-13.00	-59.14	peak	
4		253.1000	-68.17	-2.75	-70.92	-13.00	-57.92	peak	
5		329.7300	-65.78	0.10	-65.68	-13.00	-52.68	peak	
6		348.1600	-69.87	0.83	-69.04	-13.00	-56.04	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	225.9400	-56.15	-4.20	-60.35	-13.00	-47.35	peak	
2		261.8300	-58.67	-2.62	-61.29	-13.00	-48.29	peak	
3		281.2300	-64.19	-1.35	-65.54	-13.00	-52.54	peak	
4		341.3700	-61.72	0.56	-61.16	-13.00	-48.16	peak	
5		353.9800	-62.87	1.10	-61.77	-13.00	-48.77	peak	
6		389.8700	-67.07	2.85	-64.22	-13.00	-51.22	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	50.3700	-62.92	-4.49	-67.41	-13.00	-54.41	peak	
2		74.6200	-69.15	-1.90	-71.05	-13.00	-58.05	peak	
3		127.0000	-65.97	-2.01	-67.98	-13.00	-54.98	peak	
4		185.2000	-67.09	-2.86	-69.95	-13.00	-56.95	peak	
5		214.3000	-69.72	-5.06	-74.78	-13.00	-61.78	peak	
6		499.4800	-75.73	4.52	-71.21	-13.00	-58.21	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	133.7900	-64.60	-1.29	-65.89	-13.00	-52.89	peak	
2		167.7400	-70.42	-1.19	-71.61	-13.00	-58.61	peak	
3		215.2700	-66.92	-4.98	-71.90	-13.00	-58.90	peak	
4		301.6000	-73.07	-1.01	-74.08	-13.00	-61.08	peak	
5		348.1600	-73.43	0.83	-72.60	-13.00	-59.60	peak	
6		451.9500	-75.96	4.00	-71.96	-13.00	-58.96	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		67.8300	-63.70	-2.80	-66.50	-13.00	-53.50	peak	
2	*	125.0600	-62.26	-1.87	-64.13	-13.00	-51.13	peak	
3		172.5900	-70.18	-1.87	-72.05	-13.00	-59.05	peak	
4		249.2200	-65.60	-2.81	-68.41	-13.00	-55.41	peak	
5		341.3700	-67.31	0.56	-66.75	-13.00	-53.75	peak	
6		415.0900	-71.61	3.54	-68.07	-13.00	-55.07	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		68.8000	-69.58	-2.36	-71.94	-13.00	-58.94	peak	
2		125.0600	-60.09	-1.87	-61.96	-13.00	-48.96	peak	
3		190.0500	-62.71	-2.31	-65.02	-13.00	-52.02	peak	
4	*	248.2500	-52.76	-2.87	-55.63	-13.00	-42.63	peak	
5		345.2500	-61.42	0.71	-60.71	-13.00	-47.71	peak	
6		399.5700	-67.05	3.33	-63.72	-13.00	-50.72	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	1564.000	-52.10	-9.16	-61.26	-40.00	-21.26	peak	

Test Mode	LTE_Band 13_Channel Bandwidth 10 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	1564.000	-52.38	-9.16	-61.54	-40.00	-21.54	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		49.4000	-60.27	-4.80	-65.07	-13.00	-52.07	peak	
2		63.9500	-63.87	-4.56	-68.43	-13.00	-55.43	peak	
3		169.6800	-69.52	-1.29	-70.81	-13.00	-57.81	peak	
4		200.7200	-63.71	-4.27	-67.98	-13.00	-54.98	peak	
5	*	331.6700	-63.77	0.18	-63.59	-13.00	-50.59	peak	
6		485.9000	-71.60	4.37	-67.23	-13.00	-54.23	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		196.8400	-58.50	-3.59	-62.09	-13.00	-49.09	peak	
2		302.5700	-57.89	-0.97	-58.86	-13.00	-45.86	peak	
3	*	337.4900	-57.77	0.41	-57.36	-13.00	-44.36	peak	
4		358.8300	-64.63	1.33	-63.30	-13.00	-50.30	peak	
5		427.7000	-70.38	3.70	-66.68	-13.00	-53.68	peak	
6		512.0900	-70.90	4.59	-66.31	-13.00	-53.31	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	48.4300	-60.13	-5.41	-65.54	-13.00	-52.54	peak	
2		66.8600	-64.89	-3.24	-68.13	-13.00	-55.13	peak	
3		213.3300	-64.69	-5.13	-69.82	-13.00	-56.82	peak	
4		303.5400	-66.73	-0.93	-67.66	-13.00	-54.66	peak	
5		334.5800	-68.59	0.29	-68.30	-13.00	-55.30	peak	
6		498.5100	-72.37	4.51	-67.86	-13.00	-54.86	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_With Desk Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		68.8000	-68.60	-2.36	-70.96	-13.00	-57.96	peak	
2		159.0100	-64.46	-0.69	-65.15	-13.00	-52.15	peak	
3		220.1200	-60.26	-4.61	-64.87	-13.00	-51.87	peak	
4		299.6600	-59.65	-1.08	-60.73	-13.00	-47.73	peak	
5	*	346.2200	-59.94	0.75	-59.19	-13.00	-46.19	peak	
6		413.1500	-70.55	3.52	-67.03	-13.00	-54.03	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		64.9200	-62.81	-4.12	-66.93	-13.00	-53.93	peak	
2	*	125.0600	-61.90	-1.87	-63.77	-13.00	-50.77	peak	
3		173.5600	-67.59	-2.08	-69.67	-13.00	-56.67	peak	
4		249.2200	-64.61	-2.81	-67.42	-13.00	-54.42	peak	
5		344.2800	-67.74	0.67	-67.07	-13.00	-54.07	peak	
6		415.0900	-72.98	3.54	-69.44	-13.00	-56.44	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_With VESA Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		67.8300	-70.16	-2.80	-72.96	-13.00	-59.96	peak	
2		125.0600	-60.40	-1.87	-62.27	-13.00	-49.27	peak	
3		184.2300	-62.85	-2.98	-65.83	-13.00	-52.83	peak	
4	*	249.2200	-53.50	-2.81	-56.31	-13.00	-43.31	peak	
5		346.2200	-60.39	0.75	-59.64	-13.00	-46.64	peak	
6		405.3900	-65.50	3.42	-62.08	-13.00	-49.08	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	4620.000	-52.90	1.77	-51.13	-13.00	-38.13	peak	

Test Mode	LTE_Band 30_Channel Bandwidth 20 MHz_QPSK_1RB0_Without Docking	Polarization	Horizontal
-----------	--	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	4620.000	-52.41	1.77	-50.64	-13.00	-37.64	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1	*	49.4000	-61.44	-4.80	-66.24	-25.00	-41.24	peak	
2		66.8600	-67.03	-3.24	-70.27	-25.00	-45.27	peak	
3		124.0900	-71.38	-1.81	-73.19	-25.00	-48.19	peak	
4		157.0700	-72.98	-0.54	-73.52	-25.00	-48.52	peak	
5		600.3600	-75.10	6.04	-69.06	-25.00	-44.06	peak	
6		691.5400	-76.39	7.32	-69.07	-25.00	-44.07	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		69.7700	-70.50	-1.92	-72.42	-25.00	-47.42	peak	
2		158.0400	-70.45	-0.61	-71.06	-25.00	-46.06	peak	
3		209.4500	-68.12	-5.32	-73.44	-25.00	-48.44	peak	
4		273.4700	-69.91	-1.88	-71.79	-25.00	-46.79	peak	
5		338.4600	-71.48	0.45	-71.03	-25.00	-46.03	peak	
6	*	363.6800	-71.84	1.57	-70.27	-25.00	-45.27	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_With Desk Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1		48.4300	-59.69	-5.41	-65.10	-25.00	-40.10	peak	
2		130.8800	-64.49	-2.00	-66.49	-25.00	-41.49	peak	
3		212.3600	-60.48	-5.21	-65.69	-25.00	-40.69	peak	
4		301.6000	-64.64	-1.01	-65.65	-25.00	-40.65	peak	
5	*	339.4300	-60.98	0.48	-60.50	-25.00	-35.50	peak	
6		562.5300	-69.27	5.09	-64.18	-25.00	-39.18	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_With Desk Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		141.5500	-66.66	0.20	-66.46	-25.00	-41.46	peak	
2		212.3600	-60.64	-5.21	-65.85	-25.00	-40.85	peak	
3		304.5100	-57.26	-0.89	-58.15	-25.00	-33.15	peak	
4	*	346.2200	-56.24	0.75	-55.49	-25.00	-30.49	peak	
5		414.1200	-66.45	3.53	-62.92	-25.00	-37.92	peak	
6		509.1800	-67.39	4.58	-62.81	-25.00	-37.81	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_With VESA Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		66.8600	-64.43	-3.24	-67.67	-25.00	-42.67	peak	
2	*	125.0600	-61.49	-1.87	-63.36	-25.00	-38.36	peak	
3		166.7700	-70.58	-1.13	-71.71	-25.00	-46.71	peak	
4		249.2200	-64.72	-2.81	-67.53	-25.00	-42.53	peak	
5		345.2500	-68.26	0.71	-67.55	-25.00	-42.55	peak	
6		419.9400	-73.27	3.60	-69.67	-25.00	-44.67	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_With VESA Docking	Polarization	Horizontal
-----------	---	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		65.8900	-66.85	-3.68	-70.53	-25.00	-45.53	peak	
2		125.0600	-61.17	-1.87	-63.04	-25.00	-38.04	peak	
3	*	249.2200	-52.60	-2.81	-55.41	-25.00	-30.41	peak	
4		348.1600	-62.38	0.83	-61.55	-25.00	-36.55	peak	
5		406.3600	-68.23	3.43	-64.80	-25.00	-39.80	peak	
6		528.5800	-70.78	4.67	-66.11	-25.00	-41.11	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Horizontal
-----------	---	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Over dB	Detector	Comment
1	*	5012.000	-52.90	2.88	-50.02	-25.00	-25.02	peak	

Test Mode	LTE_Band 41_Channel Bandwidth 20 MHz_QPSK_1RB50_Without Docking	Polarization	Horizontal
-----------	---	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1	*	5012.000	-52.71	2.88	-49.83	-25.00	-24.83	peak	

APPENDIX G FREQUENCY STABILITY

CONTINUE ON NEXT PAGE

Band		WCDMA Band IV	
Temperature vs. Frequency Stability			
Temperature (°C)	Frequency Error (ppm)		Limit (ppm)
-20	0.0016		± 2.5
-10	0.0021		± 2.5
0	-0.0023		± 2.5
10	0.0043		± 2.5
20	0.0033		± 2.5
30	0.0029		± 2.5
40	-0.0018		± 2.5
50	-0.0019		± 2.5
60	0.0022		± 2.5
Maximum Deviation (ppm)	0.0043		± 2.5

Band		WCDMA Band IV	
Voltage vs. Frequency Stability			
Voltage (V)	Frequency Error (ppm)		Limit (ppm)
240	0.0014		± 2.5
230	0.0038		± 2.5
100	-0.0024		± 2.5
Maximum Deviation (ppm)	0.0038		± 2.5

Band		LTE Band 4					
Temperature vs. Frequency Stability							
Channel Bandwidth (MHz)	Frequency Error (ppm)						Limit (ppm)
Temperature (°C)	1.4	3	5	10	15	20	
-20	0.0015	0.0013	0.0031	0.0024	-0.0019	-0.0029	± 2.5
-10	0.0028	0.0023	0.0035	0.0036	-0.0021	-0.0023	± 2.5
0	-0.0018	0.0021	0.0021	0.0018	0.0031	-0.0018	± 2.5
10	0.0021	0.0028	-0.0034	-0.0018	0.0023	0.0034	± 2.5
20	0.0022	-0.0016	-0.0043	-0.0023	0.0039	0.0025	± 2.5
30	0.0025	-0.0041	0.0028	-0.0015	0.0023	-0.0025	± 2.5
40	-0.0012	-0.0032	0.0025	0.0016	-0.0014	-0.0042	± 2.5
50	-0.0028	0.0027	0.0039	0.0024	0.0026	0.0026	± 2.5
60	0.0031	0.0025	-0.0019	0.0021	0.0037	0.0017	± 2.5
Maximum Deviation (ppm)	-0.0043						± 2.5

Band		LTE Band 4					
Voltage vs. Frequency Stability							
Channel Bandwidth (MHz)	Frequency Error (ppm)						Limit (ppm)
Voltage (V)	1.4	3	5	10	15	20	
240	0.0026	0.0019	0.0018	-0.0019	0.0024	0.0017	± 2.5
230	0.0027	0.0015	-0.0021	-0.0016	0.0021	-0.0013	± 2.5
100	0.0018	0.0028	0.0019	-0.0035	0.0021	0.0021	± 2.5
Maximum Deviation (ppm)	0.0028						± 2.5

Band		LTE Band 7			
Temperature vs. Frequency Stability					
Channel Bandwidth (MHz)	Frequency Error (ppm)				Limit (ppm)
Temperature (°C)	5	10	15	20	
-20	0.0018	0.0021	0.0015	-0.0018	± 2.5
-10	-0.0019	0.0017	-0.0021	0.0014	± 2.5
0	0.0016	0.0019	-0.0013	0.0021	± 2.5
10	0.0007	0.0012	0.0016	0.0021	± 2.5
20	0.0023	-0.0019	0.0003	0.0007	± 2.5
30	-0.0027	0.0025	0.0018	-0.0006	± 2.5
40	-0.0017	0.0016	-0.0023	-0.0018	± 2.5
50	0.0023	-0.0018	-0.0007	0.0027	± 2.5
60	0.0017	-0.0024	0.0014	0.0012	± 2.5
Maximum Deviation (ppm)	0.0027				± 2.5

Band		LTE Band 7			
Voltage vs. Frequency Stability					
Channel Bandwidth (MHz)	Frequency Error (ppm)				Limit (ppm)
Voltage (V)	5	10	15	20	
240	-0.0009	0.0011	0.0012	-0.0008	± 2.5
230	0.0012	0.0006	0.0016	-0.0003	± 2.5
100	-0.0013	0.0012	-0.0008	-0.0013	± 2.5
Maximum Deviation (ppm)	0.0016				± 2.5

Band		LTE Band 12			
Temperature vs. Frequency Stability					
Channel Bandwidth (MHz)	Frequency Error (ppm)				Limit (ppm)
Temperature (°C)	1.4	3	5	10	
-20	0.0035	0.0033	0.0039	0.0029	± 2.5
-10	0.0028	0.0036	0.0033	0.0039	± 2.5
0	0.0052	0.0051	0.0054	-0.0028	± 2.5
10	0.0021	0.0046	0.0082	0.0022	± 2.5
20	0.0035	-0.0038	0.0036	-0.0042	± 2.5
30	-0.0063	-0.0063	-0.0053	-0.0026	± 2.5
40	-0.0039	0.0044	0.0022	0.0057	± 2.5
50	0.0041	0.0029	-0.0035	0.0051	± 2.5
60	0.0038	0.0059	-0.0039	-0.0072	± 2.5
Maximum Deviation (ppm)	0.0082				± 2.5

Band		LTE Band 12			
Voltage vs. Frequency Stability					
Channel Bandwidth (MHz)	Frequency Error (ppm)				Limit (ppm)
Voltage (V)	1.4	3	5	10	
240	0.0027	0.0024	0.0053	0.0044	± 2.5
230	0.0023	-0.0026	0.0063	0.0053	± 2.5
100	-0.0031	0.0061	0.0052	0.0035	± 2.5
Maximum Deviation (ppm)	0.0063				± 2.5

Band		LTE Band 13	
Temperature vs. Frequency Stability			
Channel Bandwidth (MHz)	Frequency Error (ppm)		Limit (ppm)
Temperature (°C)	5	10	
-20	0.0032	0.0054	± 2.5
-10	0.0037	0.0029	± 2.5
0	-0.0041	0.0043	± 2.5
10	-0.0023	0.0035	± 2.5
20	0.0052	-0.0039	± 2.5
30	0.0038	-0.0042	± 2.5
40	-0.0041	0.0072	± 2.5
50	0.0036	0.0057	± 2.5
60	0.0072	0.0045	± 2.5
Maximum Deviation (ppm)	0.0072		± 2.5

Band		LTE Band 13	
Voltage vs. Frequency Stability			
Channel Bandwidth (MHz)	Frequency Error (ppm)		Limit (ppm)
Voltage (V)	5	10	
240	0.0034	0.0073	± 2.5
230	0.0052	0.0059	± 2.5
100	-0.0031	-0.0046	± 2.5
Maximum Deviation (ppm)	0.0073		± 2.5

Band		LTE Band 30	
Temperature vs. Frequency Stability			
Channel Bandwidth (MHz)	Frequency Error (ppm)		Limit (ppm)
Temperature (°C)	5	10	
-20	0.0013	0.0029	± 2.5
-10	-0.0014	0.0021	± 2.5
0	0.0012	-0.0013	± 2.5
10	-0.0018	-0.0023	± 2.5
20	-0.0032	-0.0012	± 2.5
30	-0.0022	0.0032	± 2.5
40	0.0019	0.0013	± 2.5
50	0.0021	0.0016	± 2.5
60	0.0018	-0.0024	± 2.5
Maximum Deviation (ppm)	0.0032		± 2.5

Band		LTE Band 30	
Voltage vs. Frequency Stability			
Channel Bandwidth (MHz)	Frequency Error (ppm)		Limit (ppm)
Voltage (V)	5	10	
100	-0.0019	0.0015	± 2.5
120	-0.0013	0.0024	± 2.5
240	-0.0019	-0.0014	± 2.5
Maximum Deviation (ppm)	0.0024		± 2.5

Band		LTE Band 41			
Temperature vs. Frequency Stability					
Channel Bandwidth (MHz)	Frequency Error (ppm)				Limit (ppm)
Temperature (°C)	5	10	15	20	
-20	0.0031	0.0023	-0.0024	0.0028	± 2.5
-10	0.0033	0.0027	-0.0017	0.0015	± 2.5
0	0.0029	0.0011	-0.0024	0.0024	± 2.5
10	0.0019	-0.0026	0.0016	0.0036	± 2.5
20	-0.0023	0.0032	0.0025	-0.0019	± 2.5
30	0.0018	-0.0025	0.0023	-0.0029	± 2.5
40	-0.0019	0.0019	-0.0015	0.0016	± 2.5
50	0.0032	0.0016	-0.0017	0.0024	± 2.5
60	0.0026	0.0032	0.0022	0.0019	± 2.5
Maximum Deviation (ppm)	0.0036				± 2.5

Band		LTE Band 41			
Voltage vs. Frequency Stability					
Channel Bandwidth (MHz)	Frequency Error (ppm)				Limit (ppm)
Voltage (V)	5	10	15	20	
100	0.0026	0.0033	0.0021	0.0032	± 2.5
120	0.0021	0.0023	0.0031	0.0026	± 2.5
240	-0.0018	0.0036	0.0034	0.0031	± 2.5
Maximum Deviation (ppm)	0.0036				± 2.5