
Customer: sw

P/N	199003	1990032423N000					
Size	78.50 ×	65.50 r	nm	Tolerance	<u>+</u>		
Category	label						
Material	8B35+	3M467					
Color							
	430	White	432	die			
Remarks							
Participant	maggie	)					
Date	2018/9	/5 16:35	:53				

### ADVANTECH CO., LTD. Http://www.advantech.com 製造商: 研華股份有限公司 (研华股份有限公司) No. 1, Alley 20, Lane 28, Rueiguang Road, Reiflu District, Taipei 11491, Taiwan, R.O.S. MADE IN TAIWAN 台灣製造 (台湾制造) ADVANTECH 注意 产品避免撞击,勿自行拆卸机克,机台内部无客户 可自行处理部份,若有问题请洽询专业人员。 Product Name: Ethernet Device 品名 / 品名: 序列設備伺服器/串行设备服务器 MODEL NO 型號 / **型号** : EKI-1361 声明 .此为A级产品,在生活环境中,该产品可能会造成无线电干扰,在这种情况下,可能需要用户对其干扰采取切实可行的措施. INPUT 電源/**电源**:12-48VDC===0.3A PART NO: EKI-1361-BE CAUTION! 料號/料号 To prevent from electronic shock, do NOT open the case. For safety reasons, the device should be opened only by qualified service personnel. 1-port RS-232/422/485 to 802.11 a/b/g/n WLAN Serial Device Server service personnel. This device is in complies with requestments in part 15 of the FCC rules. Operation is subject to the following two conditions: (1)This device may not cause harmful interference. (2)This device must accept any interference received, including interference that may cause undesired operation. FCC ID: M82-EKI1362BE | Male DB9 (DB9-M) | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 LAN MAC Address | WLAN MAC Address 10000 s/N RS-232 DCD RX TX DTR RS-485 DATA- -DATA+ GND -

Reference									
Label	± 0.2mm								
Manual	± 2mm	± 2mm							
Вох	AB/F ±5mm	A/F ±4mm	B/F ±3mm	E/F ±2mm	F/F ± 2mm				
	Folding Carto	Folding Carton ± 2mm							






Customer: sw

P/N	199003	1990031587N020						
Size	78.50 x	65.50 r	nm	Tolerance	<u>+</u>			
Category	label							
Material	8B35+	3M467						
Color								
	White	430	432	die				
Remarks								
Participant	maggie							
Date	2018/9	/5 16:45	5:17					

### ADVANTECH CO., LTD. Http://www.advantech.com 製造商: 研華股份有限公司 (研华股份有限公司) No. 1, Alley 20, Lane 28, Rueiguang Road, Reiflu District, Taipei 11491, Taiwan, R.O.S. MADE IN TAIWAN 台灣製造 (台湾制造) ADVANTECH 注意 产品避免撞击,勿自行拆卸机克,机台内部无客户 可自行处理部份,若有问题请洽询专业人员。 Product Name: Ethernet Device 品名 / 品名: 序列設備伺服器/串行设备服务器 MODEL NO 型號 / **型号** : EKI-1361 声明 INPUT 電源/**电源**:12-48VDC===0.3A PART NO: EKI-1361-MB-BE **CAUTION!** 料號/料号 To prevent from electronic shock, do NOT open the case. For safety reasons, the device should be opened only by qualified 1-port serial to 802.11 a/b/g/n WLAN **Modbus Gateway** service personnel. This device is in complies with requestments in part 15 of the FCC rules. Operation is subject to the following two conditions: (1)This device may not cause harmful interference. (2)This device must accept any interference received, including interference that may cause undesired operation. LAN MAC Address | WLAN MAC Address s/N FCC ID: M82-EKI1362BE

recrement								
Label	± 0.2mm							
Manual	± 2mm	± 2mm						
Вох	AB/F ±5mm	A/F ±4mm	B/F ±3mm	E/F ±2mm	F/F ± 2mm			
	Folding Carto	Folding Carton ± 2mm						




Customer: sw

P/N	199003	1990032442N000					
Size	78.50 ×	65.50 r	nm	Tolerance	<u>+</u>		
Category	label						
Material	8B35+	3M467					
Color							
	430	White	432	die			
Remarks							
Participant	maggie	)					
Date	2018/9	/5 16:39	:33				

### ADVANTECH CO., LTD. Http://www.advantech.com 製造商: 研華股份有限公司 (研华股份有限公司) No. 1, Alley 20, Lane 28, Rueiguang Road, Reiflu District, Taipei 11491, Taiwan, R.O.S. MADE IN TAIWAN 台灣製造 (台湾制造) ADVANTECH 注意 产品避免撞击,勿自行拆卸机克,机台内部无客户 可自行处理部份,若有问题请洽询专业人员。 Product Name: Ethernet Device 品名 / 品名: 序列設備伺服器/串行设备服务器 MODEL NO 型號 / **型号** : EKI-1362 声明 .此为A级产品,在生活环境中,该产品可能会造成无线电干扰,在这种情况下,可能需要用户对其干扰采取切实可行的措施. INPUT 電源/**电源**:12-48VDC===0.3A PART NO: EKI-1362-BE CAUTION! 料號/料号 To prevent from electronic shock, do NOT open the case. For safety reasons, the device should be opened only by qualified service personnel. 2-port RS-232/422/485 to 802.11 a/b/g/n WLAN Serial Device Server service personnel. This device is in complies with requestments in part 15 of the FCC rules. Operation is subject to the following two conditions: (1)This device may not cause harmful interference. (2)This device must accept any interference received, including interference that may cause undesired operation. FCC ID: M82-EKI1362BE | Male DB9 (DB9-M) | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 5 | 1 2 3 4 LAN MAC Address | WLAN MAC Address 10000 s/N RS-232 DCD RX TX DTR RS-485 DATA- -DATA+ GND -

recicione								
Label	± 0.2mm							
Manual	± 2mm							
Вох	AB/F ±5mm	A/F ±4mm	B/F ±3mm	E/F ±2mm	F/F ± 2mm			
	Folding Carton ± 2mm							






Customer: sw

P/N	199003	1990031587N030						
Size	78.50 x	65.50 r	mm	Tolerance	<u>+</u>			
Category	label							
Material	8B35+	3M467						
Color								
	430	432	White	die				
Remarks								
Participant	maggie	;						
Date	2018/9	/5 16:48	3:10					

### ADVANTECH CO., LTD. Http://www.advantech.com 製造商: 研華股份有限公司 (研华股份有限公司) No. 1, Alley 20, Lane 28, Rueiguang Road, Reiflu District, Taipei 11491, Taiwan, R.O.S. MADE IN TAIWAN 台灣製造 (台湾制造) ADVANTECH 注意 产品避免撞击,勿自行拆卸机克,机台内部无客户 可自行处理部份,若有问题请洽询专业人员。 Product Name: Ethernet Device 品名 / 品名: 序列設備伺服器/串行设备服务器 MODEL NO 型號 / **型号** : EKI-1362 声明 INPUT 電源/**电源**:12-48VDC===0.3A PART NO: EKI-1362-MB-BE **CAUTION!** 料號 / 料号 To prevent from electronic shock, do NOT open the case. For safety resons, the device should be opened only by qualified service 2-port serial to 802.11 a/b/g/n WLAN **Modbus Gateway** This device is in complies with requestments in part 15 of the FCC rules. Operation is subject to the following two conditions: (1)This device may not cause harmful interference. (2)This device must accept any interference received, including interference that may cause undesired operation. LAN MAC Address | WLAN MAC Address s/N FCC ID: M82-EKI1362BE

Reference	-6								
Label	± 0.2mm								
Manual	± 2mm	± 2mm							
Вох	AB/F ±5mm	A/F ±4mm	B/F ±3mm	E/F ± 2mm	F/F ± 2mm				
	Folding Carto	Folding Carton ± 2mm							



Customer: sw

P/N	199003	1990032348N010						
Size	78.50 x	65.50 r	nm	Tolerance	<u>+</u>			
Category	label							
Material	8B35+	3M467						
Color								
	430	432	White	die				
Remarks								
Participant	maggie							
Date	2018/9	/3 08:39	):29					

### ADVANTECH CO., LTD. Http://www.advantech.com 製造商: 研華股份有限公司(研华股份有限公司) No. 1, Alley 20, Lane 28, Rueiguang Road, Neihu District, Taipei 11491, Taiwan, R.O.C. MADE IN TAIWAN 台灣製造(台湾制造) **ADVANTECH** 注意 产品避免撞击,勿自行拆卸机克,机台内部无客户 可自行处理部份,若有问题请洽询专业人员。 Product Name: Ethernet Device 品名/品名: 乙太網路設備服務器 MODEL NO 型號 / **型号** : EKI-6333AC 声明 INPUT 電源/**电源**:12-48VDC===0.3A PART NO: EKI-6333AC-A **CAUTION!** 料號 / 料号 To prevent from electronic shock, do NOT open the case. For safety resons, the device should be opened only by qualified service Industrial Wireless 802.11 a/b/g/n/ac **Access Point** This device is in complies with requestments in part 15 of the FCC rules. Operation is subject to the following two conditions: (1)This device may not cause harmful interference. (2)This device must accept any interference received, including interference that may cause undesired operation. LAN MAC Address | WLAN MAC Address s/N FCC ID: M82-EKI1362BE

recicion								
Label	± 0.2mm							
Manual	± 2mm							
Вох	AB/F ±5mm	A/F ±4mm	B/F ±3mm	E/F ±2mm	F/F ± 2mm			
	Folding Carton ± 2mm							

