Test Mode	UNII-3/ TX N40 Mode 5755MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11510.00	54.17	3.08	57.25	74.00	-16.75	peak	
2	*	11510.00	41.26	3.08	44.34	54.00	-9.66	AVG	

Test Mode	UNII-3/ TX N40 Mode 5755MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5624.160	12.96	38.40	51.36	68.20	-16.84	peak	
2		5661.350	13.19	38.48	51.67	76.63	-24.96	peak	
3		5715.440	15.09	38.62	53.71	109.52	-55.81	peak	
4		5721.125	25.67	38.63	64.30	113.37	-49.07	peak	
5		5755.000	46.72	38.72	85.44	122.20	-36.76	peak	No Limit
6	*	5755.000	36.73	38.72	75.45	54.00	21.45	AVG	No Limit
7		5851.725	13.16	38.95	52.11	118.27	-66.16	peak	
8		5864.940	13.39	38.99	52.38	108.01	-55.63	peak	
9		5902.650	13.16	39.09	52.25	84.70	-32.45	peak	
10		5936.550	12.37	39.16	51.53	68.20	-16.67	peak	

Test Mode	UNII-3/ TX N40 Mode 5755MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11510.00	54.41	3.08	57.49	74.00	-16.51	peak	
2	*	11510.00	41.29	3.08	44.37	54.00	-9.63	AVG	

Test Mode	UNII-3/ TX N40 Mode 5795MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5621.400	12.36	38.39	50.75	68.20	-17.45	peak	
2		5691.300	12.94	38.56	51.50	98.79	-47.29	peak	
3		5716.720	12.88	38.62	51.50	109.88	-58.38	peak	
4		5722.990	14.38	38.64	53.02	117.62	-64.60	peak	
5		5795.000	54.66	38.82	93.48	122.20	-28.72	peak	No Limit
6	*	5795.000	44.91	38.82	83.73	54.00	29.73	AVG	No Limit
7		5853.720	14.03	38.96	52.99	113.72	-60.73	peak	
8		5868.340	12.80	39.00	51.80	107.06	-55.26	peak	
9		5887.900	12.74	39.05	51.79	95.62	-43.83	peak	
10		5930.810	12.37	39.15	51.52	68.20	-16.68	peak	

Test Mode	UNII-3/ TX N40 Mode 5795MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11590.00	53.95	2.89	56.84	74.00	-17.16	peak	
2	*	11590.00	41.20	2.89	44.09	54.00	-9.91	AVG	

Test Mode	UNII-3/ TX N40 Mode 5795MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5599.015	12.14	38.34	50.48	68.20	-17.72	peak	
2		5673.300	13.43	38.52	51.95	85.48	-33.53	peak	
3		5704.760	13.68	38.59	52.27	106.53	-54.26	peak	
4		5723.415	12.91	38.64	51.55	118.59	-67.04	peak	
5		5795.000	49.21	38.82	88.03	122.20	-34.17	peak	No Limit
6	*	5795.000	39.34	38.82	78.16	54.00	24.16	AVG	No Limit
7		5850.980	13.28	38.95	52.23	119.96	-67.73	peak	
8		5872.320	13.71	39.00	52.71	105.95	-53.24	peak	
9		5906.400	12.74	39.09	51.83	81.93	-30.10	peak	
10		5955.450	13.53	39.21	52.74	68.20	-15.46	peak	

Test Mode	UNII-3/ TX N40 Mode 5795MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11590.00	53.59	2.89	56.48	74.00	-17.52	peak	
2	*	11590.00	41.23	2.89	44.12	54.00	-9.88	AVG	

Test Mode	UNII-3/ TX AC80 Mode 5775MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5636.375	12.75	38.42	51.17	68.20	-17.03	peak	
2		5689.650	13.57	38.56	52.13	97.57	-45.44	peak	
3		5715.620	15.18	38.62	53.80	109.58	-55.78	peak	
4		5720.040	25.44	38.63	64.07	110.89	-46.82	peak	
5		5775.000	48.04	38.77	86.81	122.20	-35.39	peak	No Limit
6	*	5775.000	41.30	38.77	80.07	54.00	26.07	AVG	No Limit
7		5851.495	18.33	38.95	57.28	118.79	-61.51	peak	
8		5860.620	18.06	38.98	57.04	109.22	-52.18	peak	
9		5899.800	12.91	39.07	51.98	86.81	-34.83	peak	
10		5954.500	13.01	39.21	52.22	68.20	-15.98	peak	

Test Mode	UNII-3/ TX AC80 Mode 5775MHz	Polarization	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11550.00	54.43	2.98	57.41	74.00	-16.59	peak	
2	*	11550.00	41.49	2.98	44.47	54.00	-9.53	AVG	

Test Mode	UNII-3/ TX AC80 Mode 5775MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5552.625	12.46	38.22	50.68	68.20	-17.52	peak	
2		5692.800	12.26	38.57	50.83	99.89	-49.06	peak	
3		5711.560	14.66	38.61	53.27	108.44	-55.17	peak	
4		5720.855	19.66	38.63	58.29	112.75	-54.46	peak	
5		5775.000	41.89	38.77	80.66	122.20	-41.54	peak	No Limit
6	*	5775.000	36.12	38.77	74.89	54.00	20.89	AVG	No Limit
7		5850.335	13.87	38.95	52.82	121.44	-68.62	peak	
8		5855.820	12.43	38.96	51.39	110.57	-59.18	peak	
9		5888.500	13.44	39.05	52.49	95.18	-42.69	peak	
10		5983.500	12.64	39.28	51.92	68.20	-16.28	peak	

Test Mode	UNII-3/ TX AC80 Mode 5775MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11550.00	54.00	2.98	56.98	74.00	-17.02	peak	
2	*	11550.00	41.37	2.98	44.35	54.00	-9.65	AVG	

APPENDIX E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	19.49	16.40
CH40	5200	19.50	16.40
CH48	5240	19.99	16.40

5180 MHz	5200 MHz	5240 MHz
		

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.50	17.50
CH40	5200	20.21	17.50
CH48	5240	20.29	17.60

5180 MHz	5200 MHz	5240 MHz
		

Test Mode: UNII-1/ TX N40 Mode_CH38/CH46 _ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.00	36.20
CH46	5230	41.19	36.80

5190 MHz



Date: 30.MAY.2018 12:13:17

5230 MHz



Date: 30.MAY.2018 12:23:41

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.70	16.40
CH60	5300	20.15	16.30
CH64	5320	19.79	16.40

5260 MHz	5300 MHz	5320 MHz
		

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	20.59	17.50
CH60	5300	20.35	17.50
CH64	5320	20.29	17.50

5260 MHz	5300 MHz	5320 MHz
		

Test Mode: UNII-2A / TX N40 Mode_CH54/CH62 _ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	42.10	36.20
CH62	5310	41.99	36.40

5270 MHz



5310 MHz



Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	19.75	16.30
CH116	5580	19.59	16.40
CH140	5700	19.50	16.30

5500 MHz	5580 MHz	5700 MHz
		

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	20.09	17.50
CH116	5580	20.01	17.50
CH140	5700	20.59	17.50

5500 MHz	5580 MHz	5700 MHz
		

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.59	36.20
CH110	5550	41.59	36.20
CH134	5670	42.10	36.20

5510 MHz	5550 MHz	5670 MHz
		

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	15.59	16.30	>=500
CH157	5785	15.80	16.30	>=500
CH165	5825	15.20	16.30	>=500

5745 MHz	5785 MHz	5825 MHz
		

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	15.85	17.50	>=500
CH157	5785	15.80	17.50	>=500
CH165	5825	15.69	17.60	>=500

5745 MHz	5785 MHz	5825 MHz
		

Test Mode: UNII-3 / TX N40 Mode_CH151/CH159 _ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH151	5755	33.80	36.40
CH159	5795	34.40	36.00

5755 MHz



5795 MHz



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.79	75.20

5210 MHz



Date: 30.MAY.2018 13:49:40

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	83.60	76.00

5290 MHz



Date: 30.MAY.2018 09:52:13

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.80	75.20
CH122	5610	83.99	75.20

5530 MHz



Date: 30.MAY.2018 09:59:14

5610 MHz



Date: 30.MAY.2018 10:03:50

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	74.40	75.60	>=500

5775 MHz



Date: 30.MAY.2018 14:00:14

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	9.73	24.00	0.2512
CH40	5200	9.89	24.00	0.2512
CH48	5240	10.77	24.00	0.2512

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.59	24.00	0.2512
CH40	5200	12.53	24.00	0.2512
CH48	5240	12.66	24.00	0.2512

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.40	24.00	0.2512
CH40	5200	14.42	24.00	0.2512
CH48	5240	14.83	24.00	0.2512

Test Mode: UNII-1/TX N20 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	9.57	24.00	0.2512
CH40	5200	9.75	24.00	0.2512
CH48	5240	10.49	24.00	0.2512

Test Mode: UNII-1/TX N20 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.39	24.00	0.2512
CH40	5200	12.37	24.00	0.2512
CH48	5240	12.36	24.00	0.2512

Test Mode: UNII-1/TX N20 Mode _Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.22	24.00	0.2512
CH40	5200	14.26	24.00	0.2512
CH48	5240	14.54	24.00	0.2512

Test Mode: UNII-1/ TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.65	24.00	0.2512
CH46	5230	10.31	24.00	0.2512

Test Mode: UNII-1/ TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.42	24.00	0.2512
CH46	5230	12.51	24.00	0.2512

Test Mode: UNII-1/ TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.26	24.00	0.2512
CH46	5230	14.56	24.00	0.2512

Test Mode: UNII-2A/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.57	23.96	0.2491
CH60	5300	12.67	23.96	0.2491
CH64	5320	13.03	23.96	0.2491

Test Mode: UNII-2A/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.11	23.96	0.2491
CH60	5300	13.24	23.96	0.2491
CH64	5320	13.26	23.96	0.2491

Test Mode: UNII-2A/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	16.42	23.96	0.2491
CH60	5300	15.97	23.96	0.2491
CH64	5320	16.16	23.96	0.2491

Note: The limit 11 dBm + 10 log B is applied which is lesser than 250 mW (24 dBm).

Test Mode: UNII-2A/TX N20 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.27	24.00	0.2512
CH60	5300	12.91	24.00	0.2512
CH64	5320	13.11	24.00	0.2512

Test Mode: UNII-2A/TX N20 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.87	24.00	0.2512
CH60	5300	13.04	24.00	0.2512
CH64	5320	13.22	24.00	0.2512

Test Mode: UNII-2A/TX N20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	16.15	24.00	0.2512
CH60	5300	15.99	24.00	0.2512
CH64	5320	16.18	24.00	0.2512

Test Mode: UNII-2A / TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.81	24.00	0.2512
CH62	5310	13.45	24.00	0.2512

Test Mode: UNII-2A / TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.09	24.00	0.2512
CH62	5310	13.76	24.00	0.2512

Test Mode: UNII-2A / TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.51	24.00	0.2512
CH62	5310	16.62	24.00	0.2512

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.66	23.90	0.2455
CH116	5580	12.79	23.90	0.2455
CH140	5700	12.32	23.90	0.2455

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.64	23.90	0.2455
CH116	5580	13.21	23.90	0.2455
CH140	5700	12.62	23.90	0.2455

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.66	23.90	0.2455
CH116	5580	16.02	23.90	0.2455
CH140	5700	15.48	23.90	0.2455

Note: The limit 11 dBm + 10 log B is applied which is lesser than 250 mW (24 dBm).

Test Mode: UNII-2C/TX N20 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.76	24.00	0.2512
CH116	5580	12.84	24.00	0.2512
CH140	5700	12.15	24.00	0.2512

Test Mode: UNII-2C/TX N20 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.56	24.00	0.2512
CH116	5580	13.14	24.00	0.2512
CH140	5700	12.58	24.00	0.2512

Test Mode: UNII-2C/TX N20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.67	24.00	0.2512
CH116	5580	16.00	24.00	0.2512
CH140	5700	15.38	24.00	0.2512

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.11	24.00	0.2512
CH110	5550	14.06	24.00	0.2512
CH134	5670	13.58	24.00	0.2512

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.99	24.00	0.2512
CH110	5550	14.05	24.00	0.2512
CH134	5670	13.61	24.00	0.2512

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.06	24.00	0.2512
CH110	5550	17.07	24.00	0.2512
CH134	5670	16.61	24.00	0.2512

Test Mode: UNII-3/ TX A Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.59	30.00	1.0000
CH157	5785	14.76	30.00	1.0000
CH165	5825	14.28	30.00	1.0000

Test Mode: UNII-3/ TX A Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.08	30.00	1.0000
CH157	5785	15.77	30.00	1.0000
CH165	5825	15.98	30.00	1.0000

Test Mode: UNII-3/ TX A Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.85	30.00	1.0000
CH157	5785	18.30	30.00	1.0000
CH165	5825	18.22	30.00	1.0000

Test Mode: UNII-3/TX N20 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	12.76	30.00	1.0000
CH157	5785	14.11	30.00	1.0000
CH165	5825	14.12	30.00	1.0000

Test Mode: UNII-3/TX N20 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.66	30.00	1.0000
CH157	5785	15.32	30.00	1.0000
CH165	5825	15.76	30.00	1.0000

Test Mode: UNII-3/TX N20 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.24	30.00	1.0000
CH157	5785	17.77	30.00	1.0000
CH165	5825	18.03	30.00	1.0000

Test Mode: UNII-3 / TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.79	30.00	1.0000
CH159	5795	14.26	30.00	1.0000

Test Mode: UNII-3 / TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.61	30.00	1.0000
CH159	5795	15.61	30.00	1.0000

Test Mode: UNII-3 / TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.23	30.00	1.0000
CH159	5795	18.00	30.00	1.0000

Test Mode: UNII-1/TX AC20 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	9.54	24.00	0.2512
CH40	5200	9.74	24.00	0.2512
CH48	5240	10.47	24.00	0.2512

Test Mode: UNII-1/TX AC20 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.36	24.00	0.2512
CH40	5200	12.34	24.00	0.2512
CH48	5240	12.35	24.00	0.2512

Test Mode: UNII-1/TX AC20 Mode _Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.19	24.00	0.2512
CH40	5200	14.24	24.00	0.2512
CH48	5240	14.52	24.00	0.2512

Test Mode: UNII-1/ TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.68	24.00	0.2512
CH46	5230	10.29	24.00	0.2512

Test Mode: UNII-1/ TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.35	24.00	0.2512
CH46	5230	12.47	24.00	0.2512

Test Mode: UNII-1/ TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.23	24.00	0.2512
CH46	5230	14.53	24.00	0.2512

Test Mode: UNII-1/TX AC80 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.97	24.00	0.2512

Test Mode: UNII-1/TX AC80 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.54	24.00	0.2512

Test Mode: UNII-1/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.45	24.00	0.2512

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.32	24.00	0.2512
CH60	5300	12.79	24.00	0.2512
CH64	5320	13.05	24.00	0.2512

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.75	24.00	0.2512
CH60	5300	13.13	24.00	0.2512
CH64	5320	13.22	24.00	0.2512

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	16.10	24.00	0.2512
CH60	5300	15.97	24.00	0.2512
CH64	5320	16.15	24.00	0.2512

Test Mode: UNII-2A / TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.75	24.00	0.2512
CH62	5310	13.29	24.00	0.2512

Test Mode: UNII-2A / TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.08	24.00	0.2512
CH62	5310	13.52	24.00	0.2512

Test Mode: UNII-2A / TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.48	24.00	0.2512
CH62	5310	16.42	24.00	0.2512

Test Mode: UNII-2A/TX AC80 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	10.38	24.00	0.2512

Test Mode: UNII-2A/TX AC80 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	11.19	24.00	0.2512

Test Mode: UNII-2A/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.81	24.00	0.2512

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.65	24.00	0.2512
CH116	5580	12.36	24.00	0.2512
CH140	5700	12.21	24.00	0.2512

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.54	24.00	0.2512
CH116	5580	13.14	24.00	0.2512
CH140	5700	12.51	24.00	0.2512

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.61	24.00	0.2512
CH116	5580	15.78	24.00	0.2512
CH140	5700	15.37	24.00	0.2512

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.09	24.00	0.2512
CH110	5550	14.03	24.00	0.2512
CH134	5670	13.52	24.00	0.2512

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.94	24.00	0.2512
CH110	5550	13.99	24.00	0.2512
CH134	5670	13.64	24.00	0.2512

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.03	24.00	0.2512
CH110	5550	17.02	24.00	0.2512
CH134	5670	16.59	24.00	0.2512

Test Mode: UNII-2C/TX AC80 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.19	24.00	0.2512
CH122	5610	13.76	24.00	0.2512

Test Mode: UNII-2C/TX AC80 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.34	24.00	0.2512
CH122	5610	14.37	24.00	0.2512

Test Mode: UNII-2C/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	15.28	24.00	0.2512
CH122	5610	17.09	24.00	0.2512

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	12.75	30.00	1.0000
CH157	5785	14.05	30.00	1.0000
CH165	5825	14.17	30.00	1.0000

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.64	30.00	1.0000
CH157	5785	15.29	30.00	1.0000
CH165	5825	15.70	30.00	1.0000

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.23	30.00	1.0000
CH157	5785	17.72	30.00	1.0000
CH165	5825	18.01	30.00	1.0000

Test Mode: UNII-3 / TX AC40 Mode_CH151/CH159_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.76	30.00	1.0000
CH159	5795	14.17	30.00	1.0000

Test Mode: UNII-3 / TX AC40 Mode_CH151/CH159_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.56	30.00	1.0000
CH159	5795	15.55	30.00	1.0000

Test Mode: UNII-3 / TX AC40 Mode_CH151/CH159_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.19	30.00	1.0000
CH159	5795	17.92	30.00	1.0000

Test Mode: UNII-3/TX AC80 Mode_ANT 1				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	10.23	30.00	1.0000

Test Mode: UNII-3/TX AC80 Mode_ANT 2				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.19	30.00	1.0000

Test Mode: UNII-3/TX AC80 Mode_Total				
Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	13.75	30.00	1.0000

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.50	0.42	-2.08	14.98
CH40	5200	-1.36	0.42	-0.94	14.98
CH48	5240	-0.76	0.42	-0.34	14.98

5180 MHz	5200 MHz	5240 MHz
		

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.12	0.42	0.30	14.98
CH40	5200	0.59	0.42	1.01	14.98
CH48	5240	1.06	0.42	1.48	14.98

5180 MHz	5200 MHz	5240 MHz
		

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.86	14.98
CH40	5200	2.73	14.98
CH48	5240	3.25	14.98

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.98	0.31	-1.67	14.98
CH40	5200	-1.40	0.31	-1.09	14.98
CH48	5240	-1.14	0.31	-0.83	14.98

5180 MHz	5200 MHz	5240 MHz
		

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.88	0.31	1.19	14.98
CH40	5200	0.96	0.31	1.27	14.98
CH48	5240	0.70	0.31	1.01	14.98

5180 MHz	5200 MHz	5240 MHz
		

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.69	14.98
CH40	5200	2.95	14.98
CH48	5240	2.89	14.98

Test Mode: UNII-1/ TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.75	0.34	-4.41	14.98
CH46	5230	-4.63	0.34	-4.29	14.98

5190 MHz



5230 MHz



Test Mode: UNII-1/ TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.18	0.34	-1.84	14.98
CH46	5230	-2.32	0.34	-1.98	14.98

51900 MHz



5230 MHz



Test Mode: UNII-1/ TX N40 Mode_CH38/CH46_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.27	14.98
CH46	5230	-0.31	14.98

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.15	0.42	0.57	8.98
CH60	5300	0.29	0.42	0.71	8.98
CH64	5320	0.86	0.42	1.28	8.98

5260 MHz	5300 MHz	5320 MHz
		

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.00	0.42	3.42	8.98
CH60	5300	0.79	0.42	1.21	8.98
CH64	5320	0.96	0.42	1.38	8.98

5260 MHz	5300 MHz	5320 MHz
		

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.82	8.98
CH60	5300	3.56	8.98
CH64	5320	3.92	8.98

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.74	0.31	1.05	8.98
CH60	5300	0.36	0.31	0.67	8.98
CH64	5320	1.03	0.31	1.34	8.98

5260 MHz	5300 MHz	5320 MHz
		

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.25	0.31	2.56	8.98
CH60	5300	1.20	0.31	1.51	8.98
CH64	5320	0.83	0.31	1.14	8.98

5260 MHz	5300 MHz	5320 MHz
		

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.57	8.98
CH60	5300	3.81	8.98
CH64	5320	3.94	8.98

Test Mode: UNII-2A/ TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.63	0.34	-0.29	8.98
CH62	5310	-1.59	0.34	-1.25	8.98

5270 MHz



5310 MHz



Test Mode: UNII-2A/ TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.24	0.34	0.58	8.98
CH62	5310	-1.24	0.34	-0.90	8.98

5270 MHz



Date: 29.MAY.2018 17:57:02

5310 MHz



Date: 29.MAY.2018 18:01:34

Test Mode: UNII-2A/ TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.60	8.98
CH62	5310	2.41	8.98

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.77	0.42	1.19	8.98
CH116	5580	1.73	0.42	2.15	8.98
CH140	5700	0.37	0.42	0.79	8.98

5500 MHz	5580 MHz	5700 MHz
		

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.48	0.42	0.90	8.98
CH116	5580	1.55	0.42	1.97	8.98
CH140	5700	-0.46	0.42	-0.04	8.98

5500 MHz	5580 MHz	5700 MHz
		

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.64	8.98
CH116	5580	4.65	8.98
CH140	5700	2.99	8.98

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.06	0.31	1.37	8.98
CH116	5580	2.13	0.31	2.44	8.98
CH140	5700	0.68	0.31	0.99	8.98

5500 MHz	5580 MHz	5700 MHz
		

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.87	0.31	1.18	8.98
CH116	5580	1.95	0.31	2.26	8.98
CH140	5700	0.54	0.31	0.85	8.98

5500 MHz	5580 MHz	5700 MHz
		

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.98	8.98
CH116	5580	5.05	8.98
CH140	5700	3.62	8.98

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.61	0.34	-0.27	8.98
CH110	5550	-0.23	0.34	0.11	8.98
CH134	5670	-0.97	0.34	-0.63	8.98

5510 MHz	5550 MHz	5670 MHz
		

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.60	0.34	-0.26	8.98
CH110	5550	-0.77	0.34	-0.43	8.98
CH134	5670	-0.77	0.34	-0.43	8.98

5510 MHz	5550 MHz	5670 MHz
		

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.41	8.98
CH110	5550	2.52	8.98
CH134	5670	2.14	8.98

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.26	0.42	-2.84	27.98
CH157	5785	-2.80	0.42	-2.38	27.98
CH165	5825	-0.42	0.42	0.00	27.98

5745 MHz	5785 MHz	5825 MHz
		

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.41	0.42	-1.99	27.98
CH157	5785	-2.00	0.42	-1.58	27.98
CH165	5825	0.77	0.42	1.19	27.98

5745 MHz	5785 MHz	5825 MHz
		

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total			

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.20	27.98
CH157	5785	0.63	27.98
CH165	5825	3.23	27.98

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.17	0.31	-1.86	27.98
CH157	5785	-0.13	0.31	0.18	27.98
CH165	5825	-0.78	0.31	-0.47	27.98

5745 MHz	5785 MHz	5825 MHz
		

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.30	0.31	-0.99	27.98
CH157	5785	0.39	0.31	0.70	27.98
CH165	5825	0.84	0.31	1.15	27.98

5745 MHz	5785 MHz	5825 MHz
		

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.30	27.98
CH157	5785	3.15	27.98
CH165	5825	3.12	27.98

Test Mode: UNII-3 / TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.54	0.34	-7.20	27.98
CH159	5795	-2.96	0.34	-2.62	27.98

5755 MHz

5795 MHz



Test Mode: UNII-3 / TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-7.60	0.34	-7.26	27.98
CH159	5795	-1.95	0.34	-1.61	27.98

5755 MHz

5795 MHz



Test Mode: UNII-3 / TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-4.56	27.98
CH159	5795	0.58	27.98

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-7.13	0.33	-6.80	14.98

5210 MHz



Date: 30.MAY.2018 13:49:54

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.23	0.33	-4.90	14.98

5210 MHz



Date: 30.MAY.2018 13:51:07

Test Mode: UNII-1/TX AC80 Mode_CH42_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.07	14.98

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.54	0.33	-8.21	8.98

5290 MHz



Date: 30.MAY.2018 09:52:27

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.75	0.33	-7.42	8.98

5290 MHz



Date: 30.MAY.2018 09:54:54

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.12	8.98

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.93	0.33	-5.60	8.98
CH122	5610	-4.51	0.33	-4.18	8.98

5530 MHz



5610 MHz



Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.22	0.33	-5.89	8.98
CH122	5610	-4.03	0.33	-3.70	8.98

5530 MHz



5610 MHz



Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total			

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.06	8.98
CH122	5610	-1.25	8.98

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-10.66	0.33	-10.33	27.98

5775 MHz



Date: 30.MAY.2018 13:59:12

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-10.43	0.33	-10.10	27.98

5775 MHz



Date: 30.MAY.2018 14:01:33

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total			
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-7.53	27.98

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9800
120	5179.9800
108	5179.9799
Max. Deviation (MHz)	0.0201
Max. Deviation (ppm)	3.8827

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5180.0000
-20	5179.9800
-10	5179.9800
0	5179.9748
10	5179.9799
20	5179.9750
30	5179.9800
40	5179.9800
50	5179.9950
Max. Deviation (MHz)	0.0252
Max. Deviation (ppm)	4.8625

Test Mode:	UNII-2A

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9750
120	5259.9800
108	5259.9750
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5260.0000
-20	5259.9800
-10	5259.9950
0	5259.9799
10	5259.9800
20	5259.9799
30	5259.9800
40	5259.9748
50	5259.9800
Max. Deviation (MHz)	0.0252
Max. Deviation (ppm)	4.7885

Test Mode:	UNII-2C

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9750
120	5499.9950
108	5499.9800
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.5455

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5500.0000
-20	5499.9800
-10	5500.0000
0	5500.0000
10	5499.9748
20	5500.0000
30	5499.9748
40	5499.9799
50	5499.9799
Max. Deviation (MHz)	0.0252
Max. Deviation (ppm)	4.5795

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5745.0000
108	5744.9950
Max. Deviation (MHz)	0.0050
Max. Deviation (ppm)	0.8681

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5745.0000
-20	5745.0000
-10	5744.9999
0	5744.9799
10	5745.0150
20	5745.0150
30	5745.0302
40	5745.0150
50	5744.9999
Max. Deviation (MHz)	0.0302
Max. Deviation (ppm)	5.2480