

Page 1 of 127

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO **FCC PART 15 SUBPART C REQUIREMENT**

OF

Product Name: Network Platform

Brand Name: N/A

FWA-1010VC,

Model No.:

may be any alphanumeric character, "-" or

blank)

Market different Model Difference:

FCC ID: M82-FWA-1010

E2/2017/60045 **Report No.:**

Jul. 21, 2017 Issue Date:

FCC Rule Part: §15.247, Cat: DTS

Advantech Co., Ltd

Prepared for: No. 1, Alley 20, Lane 26, Rueiguang Road,

Neihu District, Taipei 11491, Taiwan, R.O.C.

SGS Taiwan Ltd.

Electronics & Communication Laboratory Prepared by:

No.2, Keji 1st Rd., Guishan District, Taoyuan

City, Taiwan 333





Testing Laboratory 0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents at www.sgs.com/terms and conditions for Electronic Document Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 2 of 127

VERIFICATION OF COMPLIANCE

Advantech Co., Ltd

Applicant: No. 1, Alley 20, Lane 26, Rueiguang Road, Neihu District, Taipei

11491, Taiwan, R.O.C.

Network Platform Product Name:

Brand Name: N/A

FWA-1010VC,

Model No.: FWA-1010XXXXXXXXXXXXXXXXX (where "X" may be any al-

phanumeric character, "-" or blank)

Model Difference: Market different M82-FWA-1010 FCC ID: E2/2017/60045 File Number:

May 17, 2017 ~ Jul. 17, 2017 Date of Test:

May 17, 2017 Date of EUT Received:

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

| Test By: | Aken Huang | Date | Jul. 21, 2017 |
|--------------|--|------|---------------|
| Prepared By: | Aken Huang / Engineer Tiffany kao | Date | Jul. 21, 2017 |
| Approved By | Tiffany Kao / Clerk Jim Chang / Asst. Manager | Date | Jul. 21, 2017 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 3 of 127

Revision History

| Report Number | Revision | Description | Issue Date |
|---------------|----------|------------------------------|---------------|
| E2/2017/60045 | Rev.00 | Initial creation of document | Jul. 21, 2017 |
| | | | |
| | | | |
| | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Liv

**INCLUENT AND ALW With unported New Triangle of the Taiwan 24803 for the Taiwan 24803 for Taiwan 24803 fo

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page 4 of 127

Contents

| 1 | GENERAL INFORMATION | 5 |
|-----|--|-----|
| 2 | SYSTEM TEST CONFIGURATION | 8 |
| 3 | SUMMARY OF TEST RESULTS | 10 |
| 4 | DESCRIPTION OF TEST MODES | 11 |
| 5 | MEASUREMENT UNCERTAINTY | 13 |
| 6 | CONDUCTED EMISSION TEST | 14 |
| 7 | DUTY CYCLE OF TEST SIGNAL | 18 |
| 8 | PEAK OUTPUT POWER MEASUREMENT | 21 |
| 9 | 6dB BANDWIDTH MEASUREMENT | 25 |
| 10 | CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT | 43 |
| 11 | RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT | 66 |
| 12 | PEAK POWER SPECTRAL DENSITY | 117 |
| 13 | ANTENNA REQUIREMENT | 125 |
| 14. | FCC MAXIMUM PERMISSIBLE EXPOSURE (MPF) | 126 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. INC 134 WitKungRoad NewTaineil@itsirialPark Wukuplistrict.NewTaineiiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 5 of 127

GENERAL INFORMATION

1.1 Product description

General:

| Product Name: | Network Platform | | |
|-------------------|--|--|--|
| Brand Name: | N/A | | |
| Model No.: | FWA-1010VC, FWA-1010XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | |
| Model difference: | Market different | | |
| Hardware Version: | N/A | | |
| Software Version: | N/A | | |
| | 12V from AC/DC Adapter | | |
| Power Supply: | Adapter: Model No.: FSP060-DIBAN2 Supplier: FSP GROUP INC. | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Liv

**INCLUENT AND ALW With unported New Triangle of the Taiwan 24803 for the Taiwan 24803 for Taiwan 24803 fo

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 6 of 127

WLAN 2.4GHz:

| Wi-Fi | Frequency Range | Channels | Rated Power (Avg.) | Modulation Technology |
|------------------|--------------------|--|--|--------------------------|
| 11b/g | 2412-2462 | 11 | b: 20.12dBm (MIMO) g: 24.47dBm (MIMO) | DSSS OFDM |
| 11n (2.4GHz) | HT20 2412-2462 | 11 | 23.95dBm (MIMO) | OFDM |
| 11n (2.4GHz) | HT40 2422-2452 | 7 | 23.68dBm (MIMO) | OFDM |
| Antenna I | Designation: | Suppli Gain:2 2. Diploe Suppli | Antenna, Part No.:AN2450-74 er: INVAX System Technology 2.79 dBi Antenna, Part No.:AN2450-74 er: INVAX System Technology 2.79 dBi | Corp. L02BRS, |
| Modulation type | | CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM | | |
| Transition Rate: | | 802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 135Mbps 802.11 n_40MHz: 13.5 - 300Mbps | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. INC 134 WitKungRoad NewTaineil@itsirialPark Wukuplistrict.NewTaineiiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 7 of 127

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance

FCC KDB 662911 D01 Multiple Transmitter Output

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wheat advised that information contained hereon reflects the Company's findings at the time of its intervention only and but within the limits of the sample of the subject to the company's findings at the time of its intervention only and but within the limits of the subject to the company's findings at the time of its intervention only and but within the limits of the subject to the company's findings at the time of its intervention only and but within the limits of the subject to the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 8 of 127

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 3.8dB and 10dB attenuator (MIMO Mode).

MIMO mode offset:

= RF cable loss (dB)+ attenuation factor(dB)+ 10 log(Nant) dB =13.8(dB)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.





Page 9 of 127

2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission & Conduction (AC Power Line) Configuration




Fig. 2-2 Conducted (Antenna Port) Configuration




Table 2-1 Equipment Used in Tested System

| Ite m | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|----------|-----------------------|-----------|----------------|------------|------------|-------------|
| 1. | WLAN Test Software | N/A | N/A | N/A | N/A | N/A |
| 2. | Notebook | Lenovo | L420 | LR-7HXZA | Shielded | Un-shielded |
| 3. | DC Power Supply | HOLA | DP-3003 | D7070035 | N/A | Un-Shielded |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 10 of 127

SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|-----------------------|---|-----------|
| §15.207(a) | AC Power Line Conducted Emission | Compliant |
| §15.247(b) (3) | Peak Output Power | Compliant |
| §15.247(a)(2) | 6dB & 99% Emission Bandwidth | Compliant |
| §15.247(d) | Conducted Band Edge and Spurious Emission | Compliant |
| §15.247(d) | Radiated Band Edge and Spurious Emission | Compliant |
| §15.247(e) | Power Spectral Density | Compliant |
| §15.203 §15.247(b) | Antenna Requirement | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Liv

**INCLUENT AND ALW With unported New Triangle of the Taiwan 24803 for the Taiwan 24803 for Taiwan 24803 fo

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 11 of 127

DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11a and 802.11n HT20

| are provided for coz. 11b, coz. 11g and coz. 1111_11120 | | | | | | |
|---|-----------|---------|-----------|--|--|--|
| CHANNEL | FREQUENCY | CHANNEL | FREQUENCY | | | |
| 1 | 2412 MHz | 7 | 2442 MHz | | | |
| 2 | 2417 MHz | 8 | 2447 MHz | | | |
| 3 | 2422 MHz | 9 | 2452 MHz | | | |
| 4 | 2427 MHz | 10 | 2457 MHz | | | |
| 5 | 2432 MHz | 11 | 2462 MHz | | | |
| 6 | 2437 MHz | | | | | |

7 channels are provided for 802.11n HT40

| _ | | | | |
|---|---------|-----------|---------|-----------|
| | CHANNEL | FREQUENCY | CHANNEL | FREQUENCY |
| | 3 | 2422 MHz | 7 | 2442 MHz |
| | 4 | 2427 MHz | 8 | 2447 MHz |
| | 5 | 2432 MHz | 9 | 2452 MHz |
| | 6 | 2437 MHz | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 12 of 127

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

| RADIATED EMISSION TEST (BELOW 1 GHz) | | | | | | | |
|--------------------------------------|----------------------|-------------------|------------|------------------------|-----------------|--|--|
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) | ANTENNA PORT | | |
| 802.11g | 1 to 11 | 1,6,11 | OFDM | 6 | 2TX | | |
| RADIATED EMISSION TEST (ABOVE 1 GHz) | | | | | | | |
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) | ANTENNA PORT | | |
| 802.11b | 1 to 11 | 1, 6, 11 | DSSS | 1 | 2TX | | |
| 802.11g | 1 to 11 | 1, 6, 11 | OFDM | 6 | 2TX | | |
| 802.11n (HT20) | 1 to 11 | 1, 6, 11 | OFDM | MCS 8 | MIMO | | |
| 802.11n (HT40) | 3 to 9 | 3, 6, 9 | OFDM | MCS 8 | MIMO | | |

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E1 position was reported; as for the wireless charging mode, the worst case H position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

| | CONDUCTED TEST | | | | | | |
|----------------|----------------------|-------------------|------------|------------------------|-----------------|--|--|
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) | ANTENNA PORT | | |
| 802.11b | 1 to 11 | 1, 6, 11 | DSSS | 1 | 2TX | | |
| 802.11g | 1 to 11 | 1, 6, 11 | OFDM | 6 | 2TX | | |
| 802.11n (HT20) | 1 to 11 | 1, 6, 11 | OFDM | MCS 8 | MIMO | | |
| 802.11n (HT40) | 3 to 9 | 3, 6, 9 | OFDM | MCS 8 | MIMO | | |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.





Page 13 of 127

MEASUREMENT UNCERTAINTY

| Test Items | Uncertainty |
|--|-----------------------------|
| AC Power Line Conducted Emission | +/- 2.586 dB |
| Peak Output Power | +/- 0.84 dB |
| 6dB Bandwidth | +/- 51.33 Hz |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 0.84 dB |
| Peak Power Density | +/- 1.3 dB |
| Temperature | +/- 0.65 °C |
| Humidity | +/- 4.6 % |
| DC / AC Power Source | DC= +/- 0.13%, AC= +/- 0.2% |

Radiated Spurious Emission:

| | 9kHz-30MHz: +/-2.87dB |
|---------------------------|----------------------------|
| | 30MHz - 180MHz: +/- 3.37dB |
| Measurement uncertainty | 180MHz -417MHz: +/- 3.19dB |
| (Polarization : Vertical) | 0.417GHz-1GHz: +/- 3.19dB |
| | 1GHz - 18GHz: +/- 4.04dB |
| | 18GHz - 40GHz: +/- 4.04dB |

| | 9kHz-30MHz: +/-2.87dB |
|-----------------------------|----------------------------|
| | 30MHz - 167MHz: +/- 4.22dB |
| Measurement uncertainty | 167MHz -500MHz: +/- 3.44dB |
| (Polarization : Horizontal) | 0.5GHz-1GHz: +/- 3.39dB |
| | 1GHz - 18GHz: +/- 4.08dB |
| | 18GHz - 40GHz: +/- 4.08dB |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 14 of 127

CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

| 1 7 5 | | | | | |
|-----------------|------------------|----------|--|--|--|
| Frequency range | Limits dB(uV) | | | | |
| MHz | Quasi-peak | Average | | | |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 | | | |
| 0.50 to 5 | 56 | 46 | | | |
| 5 to 30 | 60 | 50 | | | |

Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.2 Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | | | | |
|------------------------------|-------------|-----------------------|------------------|------------|------------|--|--|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | | | |
| EMI Test Receiver | R&S | ESCI 7 | 100950 | 12/12/2016 | 12/11/2017 | | | | | |
| Coaxial Cables | N/A | N30N30-1042-15 0cm | N/A | 08/30/2016 | 08/29/2017 | | | | | |
| LISN | Schwarzbeck | NSLK 8127 | 8127-648 | 06/18/2017 | 06/17/2018 | | | | | |
| Test Software | Farad | EZ-EMC | Ver. SGS-03A2 | N.C.R. | N.C.R. | | | | | |

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


SGS Taiwan Ltd.



Page 15 of 127



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488





AC POWER LINE CONDUCTED EMISSION TEST DATA


| Operation Mode: | Operation mode | | Test Date: | Jul. 11, 2017 | |
|-----------------|----------------|-----------|------------|---------------|----|
| Temperature: | 20 | Humidity: | Test By: | Tin | |
| | | | | Phase: | L1 |



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Temperature: Site Conduction Room Phase: N AC 120V/60Hz Humidity: 61 % Limit: FCC Class B Conduction(QP) Power:

Mode Note:



| No. | Mk | Freq | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|-----|----|--------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | | 0.1540 | 53.43 | 0.42 | 53.85 | 65.78 | -11.93 | peak | |
| 2 | | 0.1740 | 54,40 | 0.42 | 54,82 | 64.77 | -9.95 | QP | |
| 3 | | 0.1740 | 38.60 | 0.42 | 39.02 | 54.77 | -15.75 | AVG | |
| 4 | - | 0.2020 | 48.81 | 0.41 | 49.22 | 63.53 | -14.31 | peak | |
| 5 | | 0.2220 | 47.96 | 0.41 | 48.37 | 62.74 | -14.37 | peak | |
| 6 | | 0,4580 | 39.55 | 0.42 | 39.97 | 56.73 | -16.76 | peak | |
| 7 | | 1.2380 | 34.28 | 0.43 | 34.71 | 56.00 | -21.29 | peak | |
| | | | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 18 of 127

DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

Duty Cycle:

| | Duty Cycle (%) | Duty Factor (dB) |
|------------|-------------------|------------------|
| 802.11b | 100.00 | 0.00 |
| 802.11g | 100.00 | 0.00 |
| 802.11n_20 | 100.00 | 0.00 |
| 802.11n_40 | 100.00 | 0.00 |

b = 100%, g = 100%,n_ht_20 = 100%n_ht_40 = 100%

Duty Cycle Factor: $10 * \log(1/1) = 0$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



7.1 DUTY CYCLE TEST SIGNAL Measurement Result 802.11 b



802.11 g



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


www.tw.sqs.com



802.11 n_20 MHz



802.11 n_40 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Page 21 of 127

PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

Per RSS-247 §5.4(4)

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1W. Except as provided in Section 5.4(5), the e.i.r.p. shall not exceed 4 W.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at <a href="https://ww Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> f (886-2) 2298-0488 www.tw.sqs.com




Page 22 of 127

8.2 Measurement Equipment Used

| | Conduc | ted Emission | Test Site | | |
|-------------------|------------|--------------|------------|------------|------------|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. |
| TYPE | | NUMBER | NUMBER | CAL. | |
| Spectrum Analyzer | KEYSIGHT | N9010A | MY51440113 | 06/20/2017 | 06/19/2018 |
| Power Meter | Anritsu | ML2496A | 1326001 | 06/23/2017 | 06/22/2018 |
| Power Sensor | Anritsu | MA2411B | 1315048 | 06/23/2017 | 06/22/2018 |
| Power Sensor | Anritsu | MA2411B | 1315049 | 06/23/2017 | 06/22/2018 |
| Coaxial Cable | WOKEN | 00100A1F1A1 | DEGA | 40/40/0040 | 40/44/0047 |
| 30cm | WOKEN | 95C | RF01 | 12/12/2016 | 12/11/2017 |
| DC Block | PASTERNACK | PE8210 | RF29 | 12/12/2016 | 12/11/2017 |
| 0.1111 | 55144545 | RFLT2W1G18 | DE05 | 40/40/0040 | 40/44/0047 |
| Splitter | RF-LAMBAD | G | RF35 | 12/12/2016 | 12/11/2017 |
| Attenuator | WOKEN | 218FS-10 | RF23 | 12/12/2016 | 12/11/2017 |
| DC Power Supply | Agilent | E3640A | MY53140006 | 05/02/2017 | 05/01/2018 |

8.3 Test Set-up

Power Meter:



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at <a href="https://ww Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 23 of 127

8.5 Measurement Result

| 802.1 | 802.11b_MIMO | | | | | | | | | | |
|----------|---|-----------------------------|-------|-------------------------------|------------------------------|----------------------------|----------------|--------|--------|--|--|
| СН | Freq. (MHz) | . I I I OWEL I CHIMITIPOWAR | | | Output Power | Total Peak Output Power | Limit | | RESULT | | |
| (141112) | Nate | | (m W) | | | | | | | | |
| 1 | 2412 | 1 | 14.34 | 17.87 | 19.46 | 88.40 | 1 Watt = 30.00 | dBm | PASS | | |
| 6 | 2437 | 1 | 14.41 | 17.83 | 19.46 | 88.40 | 1 Watt = 30.00 | dBm | PASS | | |
| 11 | 2462 | 1 | 15.56 | 18.25 | 20.12 | 102.81 | 1 Watt = 30.00 | dBm | PASS | | |
| 802.1 | 1b_MIMC |) | | | | | | | | | |
| СН | Avg. Out Freq. Data Powe (MHz) Rate (dBm) | | wer | Avg. Output Power (dBm) | Avg. Output Power (mW) | Limit | | RESULT | | | |
| | | | CH 0 | CH 1 | (ubiii) | (11177) | | | | | |
| 1 | 2412 | 1 | 11.37 | 14.12 | 15.97 | 39.53 | 1 Watt = 30.00 | dBm | PASS | | |
| 6 | 2437 | 1 | 11.42 | 14.03 | 15.93 | 39.16 | 1 Watt = 30.00 | dBm | PASS | | |
| 11 | 2462 | 1 | 11.08 | 14.24 | 15.95 | 39.37 | 1 Watt = 30.00 | dBm | PASS | | |

| 802.1 | 802.11g_MIMO | | | | | | | | | | |
|-------|----------------|--------------|----------------------|----------------------|-------------------------------|------------------------------|----------|--------|-----|--------|--|
| СН | Freq. | Data | Peak Output Power | | Total Peak Output Power | Total Peak Output Power | Limit | | | RESULT | |
| СП | (MHz) | Rate | CH 0 | CH 1 | (dBm) | (mW) | | LIIIII | | RESULT | |
| 1 | 2412 | 6 | 15.84 | 17.52 | 19.77 | 94.86 | 1 Watt = | 30.00 | dBm | PASS | |
| 6 | 2437 | 6 | 20.64 | 22.15 | 24.47 | 279.94 | 1 Watt = | 30.00 | dBm | PASS | |
| 11 | 2462 | 6 | 15.72 | 17.61 | 19.78 | 95.00 | 1 Watt = | 30.00 | dBm | PASS | |
| 802.1 | 1g_MIM(|) | | | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Po | Output wer 3m) | Avg. Output Power (dBm) | Avg. Output Power (mW) | | Limit | | RESULT | |
| | | | CH 0 | CH 1 | (ubiii) | (111 00) | | | | | |
| 1 | 2412 | 6 | 10.41 | 11.48 | 13.99 | 25.05 | 1 Watt = | 30.00 | dBm | PASS | |
| 6 | 2437 | 6 | 10.02 | 11.72 | 13.96 | 24.91 | 1 Watt = | 30.00 | dBm | PASS | |
| 11 | 2462 | 6 | 10.01 | 11.75 | 13.98 | 24.99 | 1 Watt = | 30.00 | dBm | PASS | |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. INC 134 WitKungRoad NewTaineil@itsirialPark Wukuplistrict.NewTaineiiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





| 802.1 | 302.11n_HT20M MIMO | | | | | | | | | | |
|-------|--------------------|--------------|----------------------|----------------------|-------------------------------|------------------------------|----------|-------|-----|--------|--|
| СН | Freq. | Data | Peak Output Power | | Total Peak Output Power | Total Peak Output Power | Limit | | | RESULT | |
| | (MHz) Rate | CH 0 | CH 1 | (dBm) | (mW) | | | | | | |
| 1 | 2412 | MCS8 | 18.44 | 22.25 | 23.76 | 237.70 | 1 Watt = | 30.00 | dBm | PASS | |
| 6 | 2437 | MCS8 | 17.61 | 22.80 | 23.95 | 248.22 | 1 Watt = | 30.00 | dBm | PASS | |
| 11 | 2462 | MCS8 | | 22.19 | 23.61 | 229.70 | 1 Watt = | 30.00 | dBm | PASS | |
| 802.1 | 1n_HT20 | MIM MIM |) | | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Po | Output wer Bm) | Avg. Output Power (dBm) | Avg. Output Power (mW) | | Limit | | RESULT | |
| | | | CH 0 | CH 1 | (dDIII) | (11144) | | | | | |
| 1 | 2412 | MCS8 | 7.93 | 11.21 | 12.88 | 19.42 | 1 Watt = | 30.00 | dBm | PASS | |
| 6 | 2437 | MCS8 | 7.07 | 11.65 | 12.95 | 19.72 | 1 Watt = | 30.00 | dBm | PASS | |
| 11 | 2462 | MCS8 | 6.31 | 11.86 | 12.93 | 19.62 | 1 Watt = | 30.00 | dBm | PASS | |

| 802.1 | 302.11n_HT40M MIMO | | | | | | | | | | |
|-------|--------------------|--------------|----------------------|----------------------|-------------------------------|------------------------------|----------|-------|-----|--------|--|
| СН | Freq. | Data | Peak Output Power | | Total Peak Output Power | Tota I Peak Output Power | | Limit | | RESULT | |
| | (MHz) | Rate | CH 0 | CH 1 | (dBm) | (mW) | | | | | |
| 3 | 2422 | MCS8 | 17.36 | 19.71 | 21.70 | 147.99 | 1 Watt = | 30.00 | dBm | PASS | |
| 6 | 2437 | MCS8 | 18.17 | 21.87 | 23.41 | 219.43 | 1 Watt = | 30.00 | dBm | PASS | |
| 9 | 2452 | MCS8 | 18.95 | 21.90 | 23.68 | 233.41 | 1 Watt = | 30.00 | dBm | PASS | |
| 802.1 | 1n_HT40 | M MIM (|) | | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Po | Output wer Bm) | Avg. Output Power (dBm) | Avg. Output Power (mW) | | Limit | | RESULT | |
| | | | CH 0 | CH 1 | (ubiii) | (111 44) | | | | | |
| 3 | 2422 | MCS8 | 6.43 | 9.11 | 10.98 | 12.54 | 1 Watt = | 30.00 | dBm | PASS | |
| 6 | 2437 | MCS8 | 5.44 | 9.50 | 10.94 | 12.41 | 1 Watt = | 30.00 | dBm | PASS | |
| 9 | 2452 | MCS8 | 4.95 | 9.75 | 10.99 | 12.57 | 1 Watt = | 30.00 | dBm | PASS | |

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Liv

**INCLUENT AND ALW With unported New Triangle of the Taiwan 24803 for the Taiwan 24803 for Taiwan 24803 fo



Page 25 of 127

6DB BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

| Conducted Emission Test Site | | | | | |
|------------------------------|---------------------------------------|----------|------------|------------|------------|
| EQUIPMENT | QUIPMENT MFR MODEL SERIAL LAST CAL DU | | | | CAL DUE. |
| TYPE | | NUMBER | NUMBER | CAL. | |
| Spectrum Analyzer | KEYSIGHT | N9010A | MY51440113 | 06/20/2017 | 06/19/2018 |
| DC Block | PASTERNACK | PE8210 | RF29 | 12/12/2016 | 12/11/2017 |
| Attenuator | WOKEN | 218FS-10 | RF23 | 12/12/2016 | 12/11/2017 |

9.3 Test Set-up



9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:
 - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at <a href="https://ww Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 26 of 127

9.5 Measurement Result 6dB Bandwidth

വാ 11h Main

| 802.11D Wain | | | | |
|----------------|-----------------|----------------|--------|--|
| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result | |
| 2412 | 10081 | > 500 | PASS | |
| 2437 | 10078 | > 500 | PASS | |
| 2462 | 10083 | > 500 | PASS | |

802.11b Aux1

| 002111B71ax1 | | | | | |
|----------------|-----------------|----------------|--------|--|--|
| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result | | |
| 2412 | 10075 | > 500 | PASS | | |
| 2437 | 10085 | > 500 | PASS | | |
| 2462 | 10077 | > 500 | PASS | | |

802.11g Main

| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2412 | 16570 | > 500 | PASS |
| 2437 | 16390 | > 500 | PASS |
| 2462 | 16340 | > 500 | PASS |

| 80 | 2 4 | 4 | ~ | ٨ | | 4 |
|-----|-------|---|---|---|----|---|
| OU. | Z . I | | u | н | uх | |

| •• | OOEIII I G MAX I | | | | |
|----------------|------------------|----------------|--------|--|--|
| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result | | |
| 2412 | 16560 | > 500 | PASS | | |
| 2437 | 16580 | > 500 | PASS | | |
| 2462 | 16550 | > 500 | PASS | | |

802.11 n HT20 Main

| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result | |
|----------------|-----------------|----------------|--------|--|
| 2412 | 17610 | > 500 | PASS | |
| 2437 | 17730 | > 500 | PASS | |
| 2462 | 17620 | > 500 | PASS | |

802.11_n_HT20 Aux1

| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result | | |
|----------------|-----------------|----------------|--------|--|--|
| 2412 | 17600 | > 500 | PASS | | |
| 2437 | 17680 | > 500 | PASS | | |
| 2462 | 17740 | > 500 | PASS | | |

802.11_n_HT40 Main

| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2422 | 36410 | > 500 | PASS |
| 2437 | 36410 | > 500 | PASS |
| 2452 | 36410 | > 500 | PASS |


802.11 n HT40 Aux1

| 002.11_11_111 1 0 Aux 1 | | | | | |
|------------------------------------|-----------------|----------------|--------|--|--|
| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result | | |
| 2422 | 36420 | > 500 | PASS | | |
| 2437 | 36410 | > 500 | PASS | | |
| 2452 | 36410 | > 500 | PASS | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





802.11b (Main) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





802.11b (AUX1) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279





6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com




Page 31 of 127



802.11g (Main) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com




Page 33 of 127



802.11g (AUX) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page 35 of 127



802.11n_20M (Main) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


www.tw.sqs.com



802.11n_20M (AUX) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 39 of 127



802.11n_40M (Main) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488





6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.11n_40M (AUX) 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司





6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 43 of 127

10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.


In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a) & RSS-Gen §8.10, must also comply with the radiated emission limits specified in §15.209(a) & RSS-Gen §8.8.

If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

10.2 Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | | |
|--|------------|----------|------------|------------|------------|--|--|--|
| EQUIPMENT MFR MODEL SERIAL LAST CAL DUE. | | | | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | |
| Spectrum Analyzer | KEYSIGHT | N9010A | MY51440113 | 06/20/2017 | 06/19/2018 | | | |
| DC Block | PASTERNACK | PE8210 | RF29 | 12/12/2016 | 12/11/2017 | | | |
| Attenuator | WOKEN | 218FS-10 | RF23 | 12/12/2016 | 12/11/2017 | | | |

10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

限公司 t (886-2) 2299-3279



Page 44 of 127

10.4 Measurement Procedure

Band Edge Limit Calculation:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Conducted Band Edge:

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 8. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page 45 of 127

Conducted Spurious Emission:

- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

10.5 Measurement Result

| Bandedge Limit 802.11b MODE | | | | | |
|-----------------------------|--------------|-------------------------|--|--|--|
| Freq. (MHz) | PSD (dBm) | Bandedge Limit (dBm) | | | |
| | , , | , , | | | |
| 2412 | 4.05 | -15.95 | | | |
| 2462 | 4.27 | -15.73 | | | |

| Bandedge Limit 802.11g MODE | | | | |
|-----------------------------|--------------|-------------------------|--|--|
| Freq. (MHz) | PSD (dBm) | Bandedge Limit (dBm) | | |
| 2412 | -1.38 | -21.38 | | |
| 2462 | -1.70 | -21.70 | | |


| Bandedge Limit 802.11n20 MODE | | | | | |
|-------------------------------|--------------|-------------------------|--|--|--|
| Freq. (MHz) | PSD (dBm) | Bandedge Limit (dBm) | | | |
| 2412 | -4.30 | -24.30 | | | |
| 2462 | -5.29 | -25.29 | | | |

| Bandedge Limit 802.11n40 MODE | | | | | |
|-------------------------------|--------------|-------------------------|--|--|--|
| Freq. (MHz) | PSD (dBm) | Bandedge Limit (dBm) | | | |
| 2422 | -5.86 | -25.86 | | | |
| 2452 | -5.27 | -25.27 | | | |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



802.11b PSD for Band edge Limit (CH-Low)



802.11b PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



802.11g PSD for Bandedge Limit(CH-Low)



802.11g PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



802.11n_HT20 PSD for Bandedge Limit(CH-Low)



802.11n_HT20 PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



802.11n_HT40 PSD for Bandedge Limit(CH-Low)



802.11n_HT40 PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



802.11b **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



802.11b

Spurious Emission Test Data CH-Low





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Spurious Emission Test Data CH-Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Spurious Emission Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



802.11g **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



802.11g

Spurious Emission Test Data CH-Low





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Spurious Emission Test Data CH-Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Spurious Emission Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488 www.tw.sqs.com



802.11n_HT20 **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488



802.11n HT20

Spurious Emission Test Data CH-Low





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Spurious Emission Test Data CH-Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Spurious Emission Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



802.11n HT40 **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司



802.11n HT40

Spurious Emission Test Data CH-Low





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Spurious Emission Test Data CH-Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488



Spurious Emission Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page 66 of 127

11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|--------------------|-----------------------------------|----------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Note:

- 1. The lower limit shall apply at the transition frequencies.
- Emission level (dBµV/m) = 20 log Emission level (dBµV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at <a href="https://ww Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page 67 of 127

11.2 Measurement Equipment Used:

| SGS SAC-III | | | | | | | |
|-------------------|-----------------------------------|-----------------------------|------------------|------------|------------|--|--|
| EQUIPMENT | EQUIPMENT MFR MODEL SERIAL LAST (| | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| EMI Test Receiver | R&S | ESU 40 | 100363 | 04/18/2017 | 04/17/2018 | | |
| Loop Antenna | ETS-Lindgren | 6502 | 00143303 | 12/23/2016 | 12/22/2017 | | |
| Broadband Antenna | TESEQ | CBL 6112D | 35240 | 11/03/2016 | 11/02/2017 | | |
| Horn Antenna | ETS-Lindgren | 3117 | 00143272 | 12/15/2016 | 12/16/2017 | | |
| Horn Antenna | Schwarzbeck | BBHA9170 | 185 | 07/24/2016 | 07/23/2017 | | |
| Pre Amplifier | EMC Instruments | EMC330 | 980096 | 12/12/2016 | 12/11/2017 | | |
| Pre Amplifier | EMC Instruments | EMC0011830 | 980199 | 12/12/2016 | 12/11/2017 | | |
| Pre Amplifier | R&S | SCU-18 | 10204 | 12/12/2016 | 12/11/2017 | | |
| Pre Amplifier | R&S | SCU-26 | 100780 | 12/12/2016 | 12/11/2017 | | |
| Coaxial Cable | Huber+Suhner | RG 214/U | 966Rx 9K-30M | 12/12/2016 | 12/11/2017 | | |
| Coaxial Cable | Huber+Suhner | RG 214/U SUCOFLEX 104 | 966Rx 30M-3G | 12/12/2016 | 12/11/2017 | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 104 | 966Rx 1G-18G | 12/12/2016 | 12/11/2017 | | |
| Coaxial Cable | Huber+Suhner | mini 141-12 SUCOFLEX 104 | 966Rx 18G-40G | 12/12/2016 | 12/11/2017 | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 104 | 966Tx 30M-18G | 12/12/2016 | 12/11/2017 | | |
| Coaxial Cable | Huber+Suhner | SUCOFLEX 102 | 966Tx 18G-40G | 12/12/2016 | 12/11/2017 | | |
| Attenuator | WOKEN | 218FS-10 | RF27 | 12/12/2016 | 12/11/2017 | | |
| Site NSA | SGS | 966 Chamber C | SAC-C | 03/02/2017 | 03/01/2018 | | |
| Site VSWR | SGS | 966 Chamber C | SAC-C | 03/02/2017 | 03/01/2018 | | |
| DC Power Supply | HOLA | DP-3003 | D7070035 | 05/04/2017 | 05/03/2018 | | |
| Controller | MF | MF-7802 | N/A | N.C.R. | N.C.R. | | |
| Antenna Master | MF | N/A | N/A | N.C.R. | N.C.R. | | |
| Turn Table | MF | N/A | N/A | N.C.R. | N.C.R. | | |
| Test Software | World-Pallas | Dr. E | V 3.0 Lite | N.C.R. | N.C.R. | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCT always Liv


**INCLUENT AND ALW With Union braid Part With Union Client Taiwan 24803 for the always and the arms and conditions. The always and the arms and conditions are retained for 90 days only.

**INCLUENT AND ALW With Union braid Part With Union Client Taiwan 24803 for Taiwan 24803




11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz Turntable Зт 1m to 4m **EUT** Spectrum 1.5m Analyzer

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Absorber

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Coaxial Cable

f (886-2) 2298-0488 www.tw.sqs.com

Ground Plane



Page 69 of 127

11.4 Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Marker of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 70 of 127

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | S . | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at <a href="https://ww Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 71 of 127

Radiated Band Edge Measurement Result (802.11b)

Operation Mode: 802.11b Test Date: 2017/6/15

Fundamental Frequency: 2412 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2386.20 | S | Peak | 47.14 | 0.87 | 48.01 | 74 | -25.99 |
| 2386.20 | S | Average | 36.23 | 0.87 | 37.10 | 54 | -16.90 |
| 2390.00 | Е | Peak | 46.52 | 0.92 | 47.44 | 74 | -26.56 |
| 2390.00 | Е | Average | 34.96 | 0.92 | 35.88 | 54 | -18.12 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Operation Mode: Test Date: 2017/6/15 802.11b

Fundamental Frequency: 2412 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2388.84 | S | Peak | 45.04 | 0.91 | 45.94 | 74 | -28.06 |
| 2388.84 | S | Average | 32.71 | 0.91 | 33.62 | 54 | -20.38 |
| 2390.00 | E | Peak | 42.93 | 0.92 | 43.86 | 74 | -30.14 |
| 2390.00 | E | Average | 32.67 | 0.92 | 33.59 | 54 | -20.41 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 73 of 127

Operation Mode: 802.11b Test Date: 2017/6/15

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Peak | 43.31 | 1.16 | 44.47 | 74 | -29.53 |
| 2483.50 | E | Average | 33.01 | 1.16 | 34.17 | 54 | -19.83 |
| 2484.10 | S | Peak | 45.06 | 1.16 | 46.22 | 74 | -27.78 |
| 2484.10 | S | Average | 33.13 | 1.16 | 34.29 | 54 | -19.71 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 74 of 127

Operation Mode: 802.11b Test Date: 2017/6/15

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Peak | 43.26 | 1.16 | 44.42 | 74 | -29.58 |
| 2483.50 | E | Average | 32.55 | 1.16 | 33.71 | 54 | -20.29 |
| 2485.60 | S | Peak | 44.53 | 1.15 | 45.68 | 74 | -28.32 |
| 2485.60 | S | Average | 32.55 | 1.15 | 33.70 | 54 | -20.30 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 75 of 127

Radiated Band Edge Measurement Result (802.11g)

Operation Mode: 802.11g Test Date: 2017/6/15

Fundamental Frequency: 2412 MHz Temp. / Humi. : 22.7deg_C/57RH


Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Е | Peak | 66.51 | 0.92 | 67.43 | 74 | -6.57 |
| 2390.00 | E | Average | 45.83 | 0.92 | 46.75 | 54 | -7.25 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Operation Mode: Test Date: 2017/6/15 802.11g

Fundamental Frequency: 2412 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2389.68 | S | Peak | 51.64 | 0.92 | 52.56 | 74 | -21.44 |
| 2389.68 | S | Average | 35.30 | 0.92 | 36.22 | 54 | -17.78 |
| 2390.00 | E | Peak | 51.00 | 0.92 | 51.93 | 74 | -22.07 |
| 2390.00 | Ε | Average | 35.38 | 0.92 | 36.30 | 54 | -17.70 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 77 of 127

Test Date: Operation Mode: 802.11g 2017/6/15

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH


Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 |) E | Peak | 62.66 | 1.16 | 63.82 | 74 | -10.18 |
| 2483.50 |) E | Average | 43.61 | 1.16 | 44.77 | 54 | -9.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 78 of 127

Operation Mode: Test Date: 2017/6/15 802.11g

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Peak | 50.36 | 1.16 | 51.52 | 74 | -22.48 |
| 2483.50 | Е | Average | 33.83 | 1.16 | 34.99 | 54 | -19.01 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 79 of 127

Radiated Band Edge Measurement Result (802.11_HT20)

Operation Mode: 802.11n20 Test Date: 2017/6/15

Fundamental Frequency: 2412 MHz Temp. / Humi. : 22.7deg_C/57RH


Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2388.24 | S | Peak | 64.96 | 0.90 | 65.86 | 74 | -8.14 |
| 2388.24 | S | Average | 40.77 | 0.90 | 41.67 | 54 | -12.33 |
| 2390.00 | Е | Peak | 62.47 | 0.92 | 63.39 | 74 | -10.61 |
| 2390.00 | Е | Average | 41.95 | 0.92 | 42.87 | 54 | -11.13 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Page 80 of 127

Operation Mode: 802.11n20 Test Date: 2017/6/15

Fundamental Frequency: 2412 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2388.24 | S | Peak | 54.68 | 0.90 | 55.58 | 74 | -18.42 |
| 2388.24 | S | Average | 33.42 | 0.90 | 34.32 | 54 | -19.68 |
| 2390.00 | E | Peak | 51.13 | 0.92 | 52.05 | 74 | -21.95 |
| 2390.00 | Ε | Average | 33.74 | 0.92 | 34.66 | 54 | -19.34 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 81 of 127

Test Date: Operation Mode: 802.11n20 2017/6/15

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | E | Peak | 54.57 | 1.16 | 55.73 | 74 | -18.27 |
| 2483.50 | E | Average | 38.62 | 1.16 | 39.78 | 54 | -14.22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Mode: 802.11n20 Test Date: 2017/6/15

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Fre | eq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|------|------|---------|----------|---------------|--------|--------|--------|--------|
| | | | Mode | Reading Level | | FS | @3m | |
| M | Ιz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483 | 3.50 | E | Peak | 45.67 | 1.16 | 46.83 | 74 | -27.17 |
| 2483 | 3.50 | Е | Average | 33.03 | 1.16 | 34.19 | 54 | -19.81 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 83 of 127

Radiated Band Edge Measurement Result (802.11_HT40)

Operation Mode: 802.11n40 Test Date: 2017/6/15

Fundamental Frequency: 2422 MHz Temp. / Humi. : 22.7deg_C/57RH


Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | E | Peak | 65.95 | 0.92 | 66.87 | 74 | -7.13 |
| 2390.00 | Е | Average | 51.23 | 0.92 | 52.15 | 54 | -1.85 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Operation Mode: 802.11n40 Test Date: 2017/6/15

Fundamental Frequency: 2422 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: **BE CH Low** Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: **Horizontal**



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2385.00 | S | Peak | 56.81 | 0.85 | 57.66 | 74 | -16.34 |
| 2385.00 | S | Average | 40.12 | 0.85 | 40.97 | 54 | -13.03 |
| 2390.00 | Е | Peak | 55.03 | 0.92 | 55.96 | 74 | -18.04 |
| 2390.00 | Ε | Average | 40.82 | 0.92 | 41.74 | 54 | -12.26 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 85 of 127

Test Date: Operation Mode: 802.11n40 2017/6/15

Fundamental Frequency: 2452 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical




| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|---------------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Peak | 64.89 | 1.16 | 66.05 | 74 | -7.95 |
| 2483.50 | Е | Average | 47.12 | 1.16 | 48.28 | 54 | - 5.72 |
| 2484.50 | S | Peak | 67.42 | 1.16 | 68.58 | 74 | -5.42 |
| 2484.50 | S | Average | 46.75 | 1.16 | 47.91 | 54 | - 6.09 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Operation Mode: 802.11n40 Test Date: 2017/6/15

Fundamental Frequency: 2452 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Е | Peak | 51.82 | 1.16 | 52.98 | 74 | -21.02 |
| 2483.50 | E | Average | 34.67 | 1.16 | 35.83 | 54 | -18.17 |
| 2484.70 | S | Peak | 52.61 | 1.16 | 53.77 | 74 | -20.23 |
| 2484.70 | S | Average | 34.43 | 1.16 | 35.59 | 54 | -18.41 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 87 of 127


Below 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result (802.11 g)

Operation Mode: Test Date: 2017/7/6 802.11g

Fundamental Frequency: 2412 MHz 22.7deg_C/57RH Temp. / Humi.:

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|--------------------------|---------------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 33.88 | S | Peak | 37.50 | - 9.27 | 28.22 | 40 | -11.78 |
| 46.49 | S | Peak | 41.31 | -17.29 | 24.02 | 40 | -15.98 |
| 93.05 | S | Peak | 40.26 | -18.95 | 21.30 | 43.5 | -22.20 |
| 149.31 | S | Peak | 37.92 | -16.73 | 21.19 | 43.5 | -22.31 |
| 632.37 | S | Peak | 34.28 | - 5.80 | 28.48 | 46 | -17.52 |
| 806.00 | S | Peak | 32.30 | -3.40 | 28.90 | 46 | -17.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 88 of 127

Operation Mode: Test Date: 2017/7/6 802.11g

Fundamental Frequency: 2412 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dΒμV/m | dΒμV/m | dB |
| 32.91 | S | Peak | 33.51 | -8.75 | 24.76 | 40 | -15.24 |
| 126.03 | S | Peak | 34.40 | -15.65 | 18.75 | 43.5 | -24.75 |
| 191.02 | S | Peak | 40.04 | -18.21 | 21.83 | 43.5 | -21.67 |
| 350.10 | S | Peak | 36.02 | -11.55 | 24.47 | 46 | -21.53 |
| 562.53 | S | Peak | 33.84 | -6.30 | 27.53 | 46 | -18.47 |
| 934.04 | S | Peak | 32.30 | -1.58 | 30.72 | 46 | -15.28 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page 89 of 127

Operation Mode: Test Date: 2017/7/6 802.11g

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|--------------------------|---------------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 32.91 | S | Peak | 33.55 | -8.75 | 24.80 | 40 | -15.20 |
| 71.71 | S | Peak | 42.21 | -21.65 | 20.56 | 40 | -19.44 |
| 93.05 | S | Peak | 39.98 | -18.95 | 21.03 | 43.5 | -22.47 |
| 199.75 | S | Peak | 35.37 | -17.51 | 17.86 | 43.5 | -25.64 |
| 500.45 | S | Peak | 36.16 | -7.53 | 28.63 | 46 | -17.37 |
| 641.10 | S | Peak | 33.68 | - 5.17 | 28.51 | 46 | -17.49 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 90 of 127

Operation Mode: Test Date: 2017/7/6 802.11g

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dΒμV/m | dΒμV/m | dB |
| 33.88 | S | Peak | 33.20 | -9.27 | 23.93 | 40 | -16.07 |
| 144.46 | S | Peak | 35.03 | -16.39 | 18.64 | 43.5 | -24.86 |
| 190.05 | S | Peak | 39.76 | -18.32 | 21.44 | 43.5 | -22.06 |
| 350.10 | S | Peak | 35.41 | -11.55 | 23.86 | 46 | -22.14 |
| 574.17 | S | Peak | 33.09 | -6.21 | 26.88 | 46 | -19.12 |
| 938.89 | S | Peak | 32.42 | -1.77 | 30.65 | 46 | -15.35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 91 of 127

Operation Mode: Test Date: 802.11g 2017/7/6

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dΒμV/m | dBµV/m | dB |
| 38.73 | S | Peak | 36.62 | -12.04 | 24.58 | 40 | -15.42 |
| 70.74 | S | Peak | 41.62 | -21.70 | 19.91 | 40 | -20.09 |
| 91.11 | S | Peak | 41.91 | -19.29 | 22.62 | 43.5 | -20.88 |
| 174.53 | S | Peak | 37.40 | -18.42 | 18.99 | 43.5 | -24.51 |
| 352.04 | S | Peak | 33.99 | -11.34 | 22.65 | 46 | -23.35 |
| 594.54 | S | Peak | 33.49 | -5.76 | 27.73 | 46 | -18.27 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 92 of 127

Operation Mode: 802.11g Test Date: 2017/7/6

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dBµV | dB | dΒμV/m | dBµV/m | dB |
| 33.88 | S | Peak | 34.72 | -9.27 | 25.44 | 40 | -14.56 |
| 124.09 | S | Peak | 35.46 | -15.75 | 19.71 | 43.5 | -23.79 |
| 187.14 | S | Peak | 39.56 | -18.43 | 21.13 | 43.5 | -22.37 |
| 350.10 | S | Peak | 35.37 | -11.55 | 23.83 | 46 | -22.17 |
| 578.05 | S | Peak | 34.18 | -6.45 | 27.73 | 46 | -18.27 |
| 740.04 | S | Peak | 32.66 | -4.09 | 28.57 | 46 | -17.43 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 93 of 127


Above 1GHz Data:

Radiated Spurious Emission Measurement Result (802.11 b)

Operation Mode: 802.11b Test Date: 2017/6/16

Temp. / Humi.: Fundamental Frequency: 2412 MHz 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: E2 Vertical



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4824.00 | Н | Peak | 37.48 | 13.76 | 51.24 | 74 | -22.76 |
| 4824.00 | Н | Average | 30.14 | 13.76 | 43.90 | 54 | -10.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Page 94 of 127

Test Date: Operation Mode: 802.11b 2017/6/16

Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH 2412 MHz

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin | |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|--|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB | |
| 4824.00 | Н | Peak | 34.32 | 13.76 | 48.08 | 74 | -25.92 | |
| 4824.00 | Н | Average | 23.69 | 13.76 | 37.45 | 54 | -16.55 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 95 of 127

Test Date: Operation Mode: 802.11b 2017/6/16

Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH 2437 MHz

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: E2 Vertical



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 36.41 | 13.89 | 50.30 | 74 | -23.71 |
| 4874.00 | Н | Average | 28.94 | 13.89 | 42.83 | 54 | -11.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 96 of 127

Test Date: Operation Mode: 802.11b 2017/6/16

Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH 2437 MHz

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 35.34 | 13.89 | 49.23 | 74 | -24.78 |
| 4874.00 | Н | Average | 24.43 | 13.89 | 38.32 | 54 | -15.69 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 97 of 127

Test Date: Operation Mode: 802.11b 2017/6/16

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4924.00 | Н | Peak | 37.18 | 14.01 | 51.19 | 74 | -22.81 |
| 4924.00 | Н | Average | 31.11 | 14.01 | 45.12 | 54 | -8.88 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 98 of 127

Test Date: Operation Mode: 802.11b 2017/6/16

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal E2



| | Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin | |
|---|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|---|
| _ | MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB | |
| | 4924.00 | Н | Peak | 32.94 | 14.01 | 46.95 | 74 | -27.05 | • |
| | 4924.00 | Н | Average | 22.96 | 14.01 | 36.97 | 54 | -17.03 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 99 of 127

Radiated Spurious Emission Measurement Result (802.11 g)

Operation Mode: 802.11g Test Date: 2017/6/16

Fundamental Frequency: 2412 MHz Temp. / Humi.: 22.7deg_C/57RH

Test Engineer: Operation Band: Tx CH Low Ashton Measurement Antenna Pol.: EUT Pol.: E2 Vertical



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4824.00 | Н | Peak | 35.42 | 13.76 | 49.18 | 74 | -24.82 |
| 4824.00 | Н | Average | 22.94 | 13.76 | 36.70 | 54 | -17.30 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Page 100 of 127

Operation Mode: Test Date: 2017/6/16 802.11g

Fundamental Frequency: 2412 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4824.00 | Н | Peak | 31.69 | 13.76 | 45.45 | 74 | -28.55 |
| 4824.00 | Н | Average | 21.30 | 13.76 | 35.06 | 54 | -18.94 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com




Page 101 of 127

Operation Mode: Test Date: 2017/6/16 802.11g

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 32.56 | 13.89 | 46.45 | 74 | -27.56 |
| 4874.00 | Н | Average | 23.06 | 13.89 | 36.95 | 54 | -17.06 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 102 of 127

Operation Mode: Test Date: 2017/6/16 802.11g

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 30.65 | 13.89 | 44.54 | 74 | -29.47 |
| 4874.00 | Н | Average | 21.42 | 13.89 | 35.31 | 54 | -18.70 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司




Page 103 of 127

Operation Mode: Test Date: 2017/6/16 802.11g

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4924.00 | Н | Peak | 33.62 | 14.01 | 47.63 | 74 | -26.37 |
| 4924.00 | Н | Average | 22.25 | 14.01 | 36.26 | 54 | -17.74 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 104 of 127

Operation Mode: Test Date: 2017/6/16 802.11g

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4924.00 | Н | Peak | 31.59 | 14.01 | 45.60 | 74 | -28.40 |
| 4924.00 | Н | Average | 21.09 | 14.01 | 35.10 | 54 | -18.90 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 105 of 127

Radiated Spurious Emission Measurement Result (802.11_HT20)

802.11n20 Operation Mode: Test Date: 2017/6/16

Fundamental Frequency: 2412 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical.



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4824.00 | Е | Peak | 31.11 | 13.76 | 44.87 | 74 | -29.13 |
| 4824.00 | E | Average | 22.79 | 13.76 | 36.55 | 54 | -17.45 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page 106 of 127

Operation Mode: 802.11n20 Test Date: 2017/6/16

Fundamental Frequency: 2412 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4824.00 | Н | Peak | 31.25 | 13.76 | 45.01 | 74 | -28.99 |
| 4824.00 | Н | Average | 21.25 | 13.76 | 35.01 | 54 | -18.99 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 107 of 127

Operation Mode: 802.11n20 Test Date: 2017/6/16

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: Vertical. E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 33.28 | 13.89 | 47.17 | 74 | -26.84 |
| 4874.00 | Н | Average | 22.80 | 13.89 | 36.69 | 54 | -17.32 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 108 of 127

Operation Mode: 802.11n20 Test Date: 2017/6/16

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 32.38 | 13.89 | 46.27 | 74 | -27.74 |
| 4874.00 | Н | Average | 21.27 | 13.89 | 35.16 | 54 | -18.85 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 109 of 127

Operation Mode: 802.11n20 Test Date: 2017/6/16

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical. E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4924.00 | Н | Peak | 32.10 | 14.01 | 46.11 | 74 | -27.89 |
| 4924.00 | Н | Average | 22.08 | 14.01 | 36.09 | 54 | -17.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com




Page 110 of 127

Operation Mode: 802.11n20 Test Date: 2017/6/16

Fundamental Frequency: 2462 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| | Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | | Mode | Reading Level | | FS | @3m | |
| _ | MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| | 4924.00 | Н | Peak | 32.83 | 14.01 | 46.84 | 74 | -27.16 |
| | 4924.00 | Н | Average | 21.12 | 14.01 | 35.13 | 54 | -18.87 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 111 of 127

Radiated Spurious Emission Measurement Result (802.11_HT40)

802.11n40 Operation Mode: Test Date: 2017/6/16

Fundamental Frequency: 2422 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical.



| Freq. | Note | Detector Mode | Spectum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4844.00 | Н | Peak | 31.41 | 13.81 | 45.22 | 74 | -28.78 |
| 4844.00 | Н | Average | 21.81 | 13.81 | 35.62 | 54 | -18.38 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 112 of 127

Operation Mode: 802.11n40 Test Date: 2017/6/16

Fundamental Frequency: 2422 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4844.00 | Н | Peak | 31.36 | 13.81 | 45.17 | 74 | -28.83 |
| 4844.00 | Н | Average | 21.24 | 13.81 | 35.05 | 54 | -18.95 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 113 of 127

Operation Mode: 802.11n40 Test Date: 2017/6/16

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: Vertical. E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 32.67 | 13.89 | 46.56 | 74 | -27.45 |
| 4874.00 | Н | Average | 21.53 | 13.89 | 35.42 | 54 | -18.59 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 114 of 127

Operation Mode: 802.11n40 Test Date: 2017/6/16

Fundamental Frequency: 2437 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4874.00 | Н | Peak | 33.25 | 13.89 | 47.14 | 74 | -26.87 |
| 4874.00 | Н | Average | 21.31 | 13.89 | 35.20 | 54 | -18.81 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 115 of 127

Operation Mode: 802.11n40 Test Date: 2017/6/16

Fundamental Frequency: 2452 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical. E2



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4904.00 | Н | Peak | 30.57 | 13.96 | 44.53 | 74 | -29.47 |
| 4904.00 | Н | Average | 21.62 | 13.96 | 35.58 | 54 | -18.42 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 116 of 127

Operation Mode: 802.11n40 Test Date: 2017/6/16

Fundamental Frequency: 2452 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



| Freq. | Note | Detector | Spectum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | - |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| 4904.00 | Н | Peak | 31.22 | 13.96 | 45.18 | 74 | -28.82 |
| 4904.00 | Н | Average | 21.17 | 13.96 | 35.13 | 54 | -18.87 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 117 of 127

12 PEAK POWER SPECTRAL DENSITY

12.1 Standard Applicable

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

12.2 Measurement Equipment Used

| Conducted Emission Test Site | | | | | | | | | |
|------------------------------|------------|----------|------------|------------|------------|--|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | | |
| Spectrum Analyzer | KEYSIGHT | N9010A | MY51440113 | 06/20/2017 | 06/19/2018 | | | | |
| DC Block | PASTERNACK | PE8210 | RF29 | 12/12/2016 | 12/11/2017 | | | | |
| Attenuator | WOKEN | 218FS-10 | RF23 | 12/12/2016 | 12/11/2017 | | | | |

12.3 Test Set-up



12.4 Measurement Procedure

- 10. Set analyzer center frequency to DTS channel center frequency.
- 11. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 12. Set the span to 1.5 times the DTS channel bandwidth.
- 13. Set the RBW = 3 kHz.
- 14. Set the VBW = 10 kHz.
- 15. For defining Restricted Band Edge Limit:

Set the RBW = 100kHz & VBW = 300 kHz.

- 16. Detector = peak.
- 17. Sweep time = auto couple.
- 18. Trace mode = max hold.
- 19. Allow trace to fully stabilize.
- 20. Use the peak marker function to determine the maximum amplitude level.
- 21.802.11n MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna. N=2 for this given application.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 118 of 127

12.5 Measurement Result

| POV | VER DE | NSITY 8 | 02.11b | POWER DENSITY 802.11g | | | | |
|----------------|--------------|----------------|--------|-----------------------|--------------|----------------|--------|--|
| Freq. (MHz) | PSD (dBm) | Limit (dBm) | Result | Freq. (MHz) | PSD (dBm) | Limit (dBm) | Result | |
| 2412 | -10.08 | 8.00 | PASS | 2412 | -14.48 | 8.00 | PASS | |
| 2437 | -9.77 | 8.00 | PASS | 2437 | -13.45 | 8.00 | PASS | |
| 2462 | -9.83 | 8.00 | PASS | 2462 | -14.21 | 8.00 | PASS | |

| POWE | R DENSI | TY 802. | 11n HT20 | POWER DENSITY 802.11n HT40 | | | | |
|----------------|--------------|----------------|----------|----------------------------|--------------|----------------|--------|--|
| Freq. (MHz) | PSD (dBm) | Limit (dBm) | Result | Freq. (MHz) | PSD (dBm) | Limit (dBm) | Result | |
| 2412 | -15.78 | 8.00 | PASS | 2422 | -17 | 8.00 | PASS | |
| 2437 | -15.61 | 8.00 | PASS | 2437 | -16.7 | 8.00 | PASS | |
| 2462 | -16.96 | 8.00 | PASS | 2452 | -15.8 | 8.00 | PASS | |

^{*}Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. INC 134 WitKungRoad NewTaineil@itsirialPark Wukuplistrict.NewTaineiiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



802.11b

Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



Power Spectral Density Test Plot (CH-High)



802.11g **Power Spectral Density Test Plot (CH-Low)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Power Spectral Density Test Plot (CH-Mid)



Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488




802.11n_HT20 (MIMO)

Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com

Power Spectral Density Test Plot (CH-High)



802.11n HT40 (MIMO)

Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



Power Spectral Density Test Plot (CH-Mid)



Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 125 of 127

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

13.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Page 126 of 127

14. FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

14.1 Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

| Frequency Range | Electric Field | Magnetic Field | Power Density | Averaging Time | | | |
|---|----------------|----------------|------------------------|----------------|--|--|--|
| (MHz) | Strength (V/m) | Strength (A/m) | (mW/cm ²) | (minute) | | | |
| Limits for General Population/Uncontrolled Exposure | | | | | | | |
| 0.3-1.34 | 614 | 1.63 | *(100) | 30 | | | |
| 1.34-30 | 824/f | 2.19/f | *(180/f ²) | 30 | | | |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 | | | |
| 300-1500 | / | / | F/1500 | 30 | | | |
| 1500-15000 | / | / | 1.0 | 30 | | | |

F = frequency in MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.

^{* =} Plane-wave equipment power density



Page 127 of 127

14.2 Maximum Permissible Exposure (MPE) Evaluation (Worst Case)

| 802.11b_MIMO | | | | | | | | | | |
|--------------|----------------|--------------|-------------------------------|-------|-------------------------------|------------------------------|----------|-------|-----|--------|
| СН | Freq. (MHz) | Data Rate | Peak Output Power | | Total Peak Output Power | Total Peak Output | Limit | | | RESULT |
| | | | CH 0 | CH 1 | (dBm) | Power | | | | |
| 1 | 2412 | 1 | 14.34 | 17.87 | 19.46 | 88.40 | 1 Watt = | 30.00 | dBm | PASS |
| 6 | 2437 | 1 | 14.41 | 17.83 | 19.46 | 88.28 | 1 Watt = | 30.00 | dBm | PASS |
| 11 | 2462 | 1 | 15.56 | 18.25 | 20.12 | 102.81 | 1 Watt = | 30.00 | dBm | PASS |
| 802.11b_MIMO | | | | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Avg. Output Power (dBm) | | Avg. Output Power (dBm) | Avg. Output Power (mW) | Limit | | | RESULT |
| | | | CH 0 | CH1 | (dbiii) | (11100) | | | | |
| 1 | 2412 | 1 | 11.37 | 14.12 | 15.97 | 39.53 | 1 Watt = | 30.00 | dBm | PASS |
| 6 | 2437 | 1 | 11.42 | 14.03 | 15.93 | 39.16 | 1 Watt = | 30.00 | dBm | PASS |
| 11 | 2462 | 1 | 11.08 | 14.24 | 15.95 | 39.37 | 1 Watt = | 30.00 | dBm | PASS |

MPE Prediction (802.11b 2412~2462)

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01 $S=PG/4\pi R^2$

Where: S = Power densityP = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

MIMO Gain: 2.79+3.01=5.8dBi

| 15.97 | (dBm) |
|-----------|--|
| 39.536662 | (mW) |
| 100 | (%) |
| 39.536662 | (mW) |
| 5.8 | (dBi) |
| 3.801894 | (numeric) |
| 20 | (cm) |
| 2412 | (MHz) |
| 1 | (mW/cm^2) |
| 0.030 | (mW/cm^2) |
| | 15.97 39.536662 100 39.536662 5.8 3.801894 20 2412 1 |

Measurement Result

The predicted power density level at 20 cm is 0.03 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 2412MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.