

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 9 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

-

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Hydrochlorofluorocarbon-233	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-234	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-235 (CAS No.: 013838-16-9)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-241	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-242	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-243 (CAS No.: 000338-75-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-244	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-251	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-252	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 10 of 19

正隆股份有限公司 CHENG LOONG CORP.

-

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限值 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Hydrochlorofluorocarbon-253 (CAS No.: 000354-06-1)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-261 (CAS No.: 000420-97-3)	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-262 (CAS No.: 000420-99-5)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-271	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
偶氮 (AZO)					
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 000092-67-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
2): 聯苯胺 / BENZIDINE (CAS No.: 00092-87-5)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
3): 4-氟鄭甲苯胺 / 4-CHLORO-O- TOLUIDINE (CAS No.: 000095-69-2)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 000091-59-8)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 11 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

-

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	测试方法 (Method)	方法偵測 極限値 (MDL)	结果 (Result) NO.1	法规 限值 (Limit)
5): 郁氨基二甲基偶氮 / O- AMINOAZOTOLUENE (CAS No.: 000097-56- 3)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 000099-55-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
7): 對氣苯胺 / P-CHLOROANILINE (CAS No.: 000106-47-8)	mg/kg	本測試參考LMBC 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./ With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 000615-05-4)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000101-77-9)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
10): 3,3'-二氣聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 000091- 94-1)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 000119- 90-4)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 000119- 93-7)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000838-88-0)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2, Analysis was performed by GC/MS.	3	n.d.	



號码(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 12 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一

-

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	测试方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
14): 2-甲氧基-5-甲基聯苯 / P- CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 000120-71-8)	mg/kg	本灣試拿考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
15): 4,4'- 亞甲基雙 (氟苯胺) / 4,4'- METHYLENE-BIS- (2-CHLOROANILINE) (CAS No.: 000101-14-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 000101-80-4)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 000139-65-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質達儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
18): 鄭甲苯胺 / O-TOLUIDINE (CAS No.: 000095-53-4)	mg/kg	本測試參考LAIBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 000095-80- 7)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
20): 2.4.5-三甲基苯胺 / 2.4.5- TRIMETHYLANILINE (CAS No.: 000137-17- 7)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 000090-04-0)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)检測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
22): 對氧基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 000060-09-3)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 13 of 19

正隆股份有限公司 CHENG LOONG CORP. -

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 000095-68-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 000087-62-7)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層新質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	

備註(Note):

- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. 根據2005年10月13日歐盟會議公佈2005/717/EC,修訂2002/95/EC內容,通過解除高分子材質 中十溴聯苯醚之使用限制. (According to 2005/717/EC DecaBDE is exempt.)
- 5. "-" = Not Regulated (無規格值) 6. "---" = Not Conducted (未測項目)
- 7. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 8. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 14 of 19


正隆股份有限公司 CHENG LOONG CORP.

-

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

- 根據以下的流程圈之條件,樣品已完全溶解。(六價錄測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{b*} test method excluded)
- 2) 测试人員:張啓興 / Name of the person who made measurement: Troy Chang
- 3) 測試負責人: 集振裕 / Name of the person in charge of measurement: Chenyu Kung



測試報告 Test Report


號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 15 of 19

正隆股份有限公司 CHENG LOONG CORP. -

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART



測試報告 Test Report


號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 16 of 19

.....

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content



測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 17 of 19

-


正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

聚氯乙烯物質判定分析流程圖 /

Analysis flow chart for determination of PVC in material

- 1) 测试人员: 蓝雅婷 / Name of the person who made measurement: Tin Lan
- 2) 测试负责人:陳新智 / Name of the person in charge of measurement: Shinjyh Chen




測試報告 Test Report

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 18 of 19

-

全氟辛酸(銨)/全氟辛磺酸分析流程圖 / Analytical flow chart of PFOA/PFOS content




號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁数(Page): 19 of 19

-

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



** 報告結尾 **

Signature Not Verified For Question, Please Contact with SGS www.tw.sgs.gom

測試報告 **Test Report**

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 1 of 19

正隆股份有限公司

CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

様品名稿(Sample Description) : 瓦楞芯紙 (CORRUGATING MEDIUM) 映件日期(Sample Receiving Date) : 2008/03/07

测试期間(Testing Period)

: 2008/03/07 TO 2008/03/18

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

結論(Conclusion)

: 根據客戶所提供的樣品,其錫、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的 测試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs are compliant with the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁数(Page): 2 of 19

.

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試結果(Test Results)

测试部位(PART NAME) NO.1 : 淺灰色鍼 (LT. GRAY PAPER)

测试项目 (Test Items)	單位 (Unit)	测試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
為 / Cadmium (Cd)	mg/kg	參考US EPA 3052方法, 用感應耦合電 環原子發射光譜儀檢測錫含量./ With reference to US EPA Method 3052 for Cadmium Content. Analysis was performed by ICP-AES.	2	n.d.	100
舒 / Lead (Pb)	mg/kg	參考US EPA 3052方法, 用感應耦合電 業原子發射光譜儀檢測紹含量. / With reference to US EPA Method 3052 for Lead Content. Analysis was performed by ICP-AES.	2	21	1000
兼 / Mercury (Hg)	mg/kg	參考US EPA 3052方法, 用感應耦合電 葉原子發射光譜儀檢測汞含量. / With reference to US EPA Method 3052 for Mercury Content. Analysis was performed by ICP-AES.	2	n.d.	1000
六價格 / Hexavalent Chromium Cr(VI)	mg/kg	針對非金屬材質之樣品,參考US EPA 3060A方法,用UV-VIS (US EPA 7196A) 檢測六價絡含量。/ With reference to US EPA Method 3060A & 7196A for Hexavalent Chromium for non- metallic samples. Analysis was performed by UV-Vis Spectrometry.	2	n.d.	1000
五氣粉 / PCP (Pentachlorophenol) (CAS No.: 000087-86-5)	mg/kg	多考US EPA 8041方法,以氣相層析質 譜儀檢測. / With reference to US EPA 8041 method, analysis was performed by GC/MS.	1	n.d.	
福馬林(甲醛)/ Formaldehyde (CAS No.: 000050-00-0)	mg/kg	參考DIN 53315方法,以高效液相層析 儀/二極體陣列偵測器檢測,/With reference to DIN 53315, Analysis was performed by HPLC/DAD.	3	11	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 3 of 19

-

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	测試方法 (Mgthod)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
聚氯乙烯 / PVC		以紅外光譜分析及焰色法檢測。/ Analysis was performed by FTIR and FLAME Test.		Negative	
鹵素 (ஆ) / Halogen-Chlorine (C1) (CAS No.: 007782-50-5)	mg/kg	多考BS EN 14582:2007, 以鄰子層析儀 分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.		219	
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 007726-95-6)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.		n.d.	
全氣辛酸(铵) / PFOA	mg/kg	參考US EPA 3540C: 1996方法, 以液相層析質譜儀檢測全氣辛酸(鍊)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	1	n.d.	
全氣辛磺酸 / PFOS	mg/kg	參考US EPA 3540C: 1996方法,以液 相層析質譜儀檢測全氣辛嘆酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	1	n.d.	
多溴聯苯總和 / Sum of PBBs			+	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	-
二溴聯苯 / Dibromobiphenyl	10/5/6		5	n.d.	-
三溴聯苯 / Tribromobiphenyl		參考US EPA 3540C方法,以氣相層析儀	5	n.d.	- 1
四溴聯苯 / Tetrabromobiphenyl		/質譜儀檢測多溴聯苯和多溴聯苯醚含	5	n.d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg	量. / With reference to US EPA	5	n.d.	100
六溴聯苯 / Hexabromobiphenyl		3540C for PBB/PBDE Content,	5	n.d.	- 0
七溴聯苯 / Heptabromobiphenyl	4	Analysis was performed by GC/MS.	5	n.d.	-
八溴聯苯 / Octabromobiphenyl	2500		5	n.d.	-
九溴聯苯 / Nonabromobiphenyl			5	n.d.	-
十溴聯苯 / Decabromobiphenyl	The same		5	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and for the produced of the content of the produced of the



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 4 of 19

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Mathod)	方法偵測 極限値 (MDL)	结果 (Result) NO.1	法规 限值 (Limit)
多溴聯苯醚總和 (一至九溴) / Sum of PBDEs (Mono to Nona) (Note 4)				n.d.	1000
一溴聯苯醚 / Monobromobiphenyl ether	-		5	n.d.	-
二溴聯苯醚 / Dibromobiphenyl ether			5	n.d.	-
三溴聯苯醚 / Tribromobiphenyl ether			5	n.d.	-
四溴聯苯醚 / Tetrabromobiphenyl ether		参考US EPA 3540C方法,以氣相層析儀	5	n.d.	-
五溴聯苯醚 / Pentabromobiphenyl ether		/質譜儀檢測多溴聯苯和多溴聯苯醚含	5	n.d.	-
六溴聯苯醚 / Hexabromobiphenyl ether	mg/kg	量. / With reference to US EPA	5	n.d.	-
七溴聯苯醚 / Heptabromobiphenyl ether	1	3540C for PBB/PBDE Content. Analysis was performed by GC/MS.	5	n.d.	-
八溴聯苯醚 / Octabromobiphenyl ether		Analysis was performed by GC/MS.	5	n.d.	-
九溴聯苯醚 / Nonabromobiphenyl ether			5	n.d.	
十溴聯苯醚 / Decabromobiphenyl ether	100		5	n.d.	-
多溴聯苯醚總和 (一至十溴) / Sum of PBDEs (Mono to Deca)				n.d.	
臭氧危害物質ODCs定量分析 / CFC's (Chlorofluorocarbons)					***
Group I				775	
Chlorofluorocarbon-11 (CAS No.: 000075-69-4)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-12 (CAS No.: 000075-71-8)	mg/kg	多考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-113 (CAS No.: 000076-13-1)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-114 (CAS No.: 000076-14-2)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and of the content of the part of the intent of the part of the intent of the part of the



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 5 of 19

正隆股份有限公司 CHENG LOONG CORP. -

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法侦测 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Chlorofluorocarbon-115 (CAS No.: 000076-15-3)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)检测. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Group III			***		
Chlorofluorocarbon-13 (CAS No.: 000075-72-9)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)检測,/With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-111 (CAS No.: 000354-56-3)	mg/kg	参考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)检測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-112 (CAS No.: 000076-12-0)	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-211 (CAS No.: 135401-87-5)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-212 (CAS No.: 076564-99-3)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chiorofluorocarbon-213 (CAS No.: 060285-54-3)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-214 (CAS No.: 002268-46-4)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 6 of 19

正隆股份有限公司 CHENG LOONG CORP. -

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Chlorofluorocarbon-215 (CAS No.: 000076-17-5)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-216 (CAS No.: 001652-80-8)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-217 (CAS No.: 000422-86-6)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
海龍 (Halons)					
Halon-1211 (CAS No.: 000353-59-3)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Halon-1301 (CAS No.: 000075-63-8)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Halon-2402 (CAS No.: 000124-73-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
臭氧危害物質ODCs (HCFCs)定量分析 / HCFC's (Hydrogenated chlorofluorocarbons)					
Hydrochlorofluorocarbon-21 (CAS No.: 000075-43-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-22 (CAS No.: 000075-45-6)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 7 of 19

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限値 (MDL)	结果 (Result) NO.1	法規 限值 (Limit)
Hydrochlorofluorocarbon-31 (CAS No.: 000593-70-4)	mg/kg	多考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)檢測、/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-121 (CAS No.: 000354-14-3)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-122 (CAS No.: 000354-21-2)	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-123 (CAS No.: 000306-83-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-124 (CAS No.: 002837-89-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-131 (CAS No.: 000359-28-4)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-132a (CAS No.: 000471-43-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon~133a (CAS No.: 000075-88-7)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-141b (CAS No.: 001717-00-6)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 8 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法侦测 極限值 (MDL)	結果 (Result) NO.1	法規 限値 (Limit)
Hydrochlorofluorocarbon-221 (CAS No.: 000422-26-4)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-222 (CAS No.: 000422-30-0)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-223	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-224	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-225ca (CAS No.: 000422-56-0)	mg/kg	冬考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-225cb (CAS No.: 000507-55-1)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-226 (CAS No.: 000431-87-8)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-231	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-232	. 40	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 9 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

-

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限値 (MDL)	結果 (Result) NO.1	法規 限値 (Limit)
Hydrochlorofluorocarbon-233	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)检测. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-234	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-235 (CAS No.: 013838-16-9)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-241	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-242	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-243 (CAS No.: 000338-75-0)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
fydrochlorofluorocarbon-244	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
lydrochlorofluorocarbon-251	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-252	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 10 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法侦测 極限值 (MDL)	结果 (Result) NO.1	法規 限值 (Limit)
Hydrochlorofluorocarbon-253 (CAS No.: 000354-06-1)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-261 (CAS No.: 000420-97-3)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-262 (CAS No.: 000420-99-5)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	4
Hydrochlorofluorocarbon-271	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
偶负 (AZO)					
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 000092-67-1)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)检測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
2): 聯苯胺 / BENZIDINE (CAS No.: 00092-87-5)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
3): 4-氣蘇甲苯胺 / 4-CHLORO-O- TOLUIDINE (CAS No.: 000095-69-2)	mg/kg	本測試多率LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 000091-59-8)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)检測。/ With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 11 of 19

正隆股份有限公司 CHENG LOONG CORP.

-

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
5): 鄭氨基二甲基偶氮 / O- AMINOAZOTOLUENE (CAS No.: 000097-56- 3)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 000099-55-8)	mg/kg	本测试多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
7): 對氟苯胺 / P-CHLOROANILINE (CAS No.: 000106-47-8)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)检測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 000615-05-4)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000101-77-9)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)检測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 000091- 94-1)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 000119- 90-4)	mg/kg	本測試多等LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 000119- 93-7)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測, / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000838-88-0)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 12 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

-

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
14): 2-甲氧基-5-甲基聯苯 / P- CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 000120-71-8)	mg/kg	本灣試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
15): 4,4'- 亞甲基雙 (mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 000101-80-4)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./ With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 000139-65-1)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
18): 鄭甲苯胺 / O-TOLUIDINE (CAS No.: 000095-53-4)	mg/kg	本測試多考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
19): 2.4-二氨基甲苯 / 2.4- TOLUYLENEDIAMINE (CAS No.: 000095-80- 7)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 000137-17- 7)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 000090-04-0)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測./With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
22): 對氨基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 000060-09-3)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	



號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 13 of 19

正隆股份有限公司 CHENG LOONG CORP.

-

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法规 限值 (Limit)
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 000095-68-1)	mg/kg	本測試多考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 000087-62-7)	mg/kg	本測試參考LMBG 82.02-2方法,以氣相 層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	

備註(Note):

- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未检出)
- 3. MDL = Method Detection Limit (方法侦测極限值)
- 4. 根據2005年10月13日歐盟會議公佈2005/717/EC,修訂2002/95/EC內容,通過解除高分子材質 中十溴聯苯醚之使用限制. (According to 2005/717/EC DecaBDE is exempt.)
- 5. "-" = Not Regulated (無規格值) 6. "---" = Not Conducted (未測項目)
- 7. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 8. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)




號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 14 of 19

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁵⁺ test method excluded)
- 2) 测试人員: 張啓興 / Name of the person who made measurement: Troy Chang
- 3) 测试负责人: 獎振裕 / Name of the person in charge of measurement: Chenyu Kung





號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 15 of 19

-


正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

初次测试程序 / First testing process ----選擇性篩檢程序 / Optional screen process 確認程序 / Confirmation process - - - ▶






號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 16 of 19

-

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content





號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 17 of 19

-

正隆股份有限公司 CHENG LOONG CORP.


台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

聚氯乙烯物質判定分析流程圖 /

Analysis flow chart for determination of PVC in material

- 1) 测试人员: 藍雅婷 / Name of the person who made measurement: Tin Lan
- 2) 测试负责人:除新智 / Name of the person in charge of measurement: Shinjyh Chen






號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 18 of 19

-

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號 NO. 1 MIN-SHENG RD. SEC. 1

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

全氟辛酸(銨)/全氟辛磺酸分析流程圖 / Analytical flow chart of PFOA/PFOS content



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 19 of 19

-

正隆股份有限公司 CHENG LOONG CORP。

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



** 報告結尾 **



Signature Not Verified For Question Please Contact with SGS www.tw.sgs.gom

Test Report

No.: KE/2008/32592

Date: 2008/04/03 Page: 1 of 4 ער ער ג'יני הוא רוע לוני לוניוני אי אוני עוני ער נונון ו' לווי מעור ו

NAN PAO RESINS CHEMICAL CO., LTD. NO.12, NANHAI VILLAGE, SIGANG TOWNSHIP, TAINAN COUNTY 723, TAIWAN (R.O.C.)

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: 638H

Color

: MILKY WHITE LIQUID : WATER-BASED RESIN

Material Component Sample Receiving Date

: 2008/03/31

Testing Period

: 2008/03/31 TO 2008/4/3

Test Requested

: In accordance with the RoHS Directive 2002/95/EC, and its amendment directives.

Test Method

- ; (1) With reference to BS EN 1122:2001, Method B for Cadmium Content. Analysis was performed by ICP-AES.
 - (2) With reference to US EPA Method 3050B for Lead Content. Analysis was performed by ICP-AES.
 - (3) With reference to US EPA Method 3052 for Mercury Content. Analysis was performed by ICP-AES.
 - (4) With reference to US EPA Method 3060A & 7196A for Hexavalent Chromium for non-metallic samples. Analysis was performed by UV/Vis Spectrometry.
 - (5) With reference to US EPA 3540C for PBBs/PBDEs Content. Analysis was performed by GC/MS.

Test Result(s)

: Please refer to next page(s).

Conclusion

: Based on the performed tests on submitted samples, the result comply with the RoHS Directive 2002/95/EC and its subsequent amendments.

Mhenr Katherine Ho / Supervisor Signed for and on behalf of SGS Taiwan Limited

This Test Report is issued by the Congury subject is a General Condition of Service printed control of available on request and accessible at what septiments in a count to the forestation of studies, intermitted accessible the service and service and service in the service and service and service in the service of the control of the



Test Report

No. :KE/2008/32592 Date: 2008/04/03 Page: 2 of 4

THE REPORT OF THE PARTY OF THE

NAN PAO RESINS CHEMICAL CO., LTD. NO.12, NANHAI VILLAGE, SIGANG TOWNSHIP, TAINAN COUNTY 723, TAIWAN (R.O.C.)

Test results by chemical method (Unit: mg/kg)

Test Item (s):	Method	Result	MDL	RoHS
Test item (s).	(Refer to)	No.1	MIDL	Limit
Cadmium (Cd)	(1)	n.d.	2	100
Lead (Pb)	(2)	n.d.	2	1000
Mercury (Hg)	(3)	n.d.	2	1000
Hexavalent Chromium Cr(VI)	(4)	n.d.	2	1000
Sum of PBBs		n.d.	-	1000
Monobromobiphenyl		n.d.	5	-
Dibromobiphenyl		n.d.	5	
Tribromobiphenyl		n.d.	5	-
Tetrabromobiphenyl		n.d.	5	
Pentabromobiphenyl		n,d.	5	-
Hexabromobiphenyl		n.d.	5	
Heptabromobiphenyl		n.d.	5	
Octabromobiphenyl		n.d.	5	
Nonabromobiphenyl		n.d.	5	
Decabromobiphenyl	(5)	n.d.	5	
Sum of PBDEs (Mono to Nona)(Note 4)		n.d.		1000
Monobromodiphenyl ether		n.d.	5	100
Dibromodiphenyl ether		n.d.	5	
Tribromodiphenyl ether		n.d.	5	
Tetrabromodiphenyl ether		n.d.	5	12
Pentabromodiphenyl ether		n.d.	5	-
Hexabromodiphenyl ether		n.d.	5	
Heptabromodiphenyl ether		n.d.	5	
Octabromodiphenyl ether		n.d.	5	-
Nonabromodiphenyl ether		n.d.	5	-
Decabromodiphenyl ether	K.	n.d.	5	-
Sum of PBDEs (Mono to Deca)		n.d.	12.5	

TEST PART DESCRIPTION: NO.1

: MILKY WHITE WATER-BASED RESIN

This Test Report is issued by the Company subject to its General Conditions of Service printed overseld or available on request and accessible at www.sob.com.
Alterion is drawn to the intrilations of issuifly, indemnification and jurisdictional issues defined therein. Unless otherwise stated the insuitable may not see the interest report inches other to the sample(s) tested. The test report cannot be reproduced, except in this, which prior writine permission of the Company. Any unauthorized alteriors, burgety or faishfloation of the content or appearance of this report is unlessful and offenciors may be prosecoted to the fullest extent of the law. 此所是是建筑之间对
定义则用现实证明规则的特别,但是更具体变形的证明是一个专业的企业,这个可能是是建筑之间对
定义则用现实证明规则的特别,但是可能变形的证明。不可能的特别。而且是是是是一个专业的证明。

Test Report

No.: KE/2008/32592

Date: 2008/04/03 Page: 3 of 4

NAN PAO RESINS CHEMICAL CO., LTD. NO.12, NANHAI VILLAGE, SIGANG TOWNSHIP, TAINAN COUNTY 723, TAIWAN (R.O.C.)

Note: 1. mg/kg = ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. According to 2005/717/EC DecaBDE is exempt.

5. " - " = Not Regulated

Test Report

No. :KE/2008/32592 Date: 2008/04/03 Page: 4 of 4

NAN PAO RESINS CHEMICAL CO., LTD. NO.12, NANHAI VILLAGE, SIGANG TOWNSHIP, TAINAN COUNTY 723, TAIWAN (R.O.C.)



** End of Report **

This Test Report is issued by the Company subject to its General Conditions of Service printed overlead or available on request and accessible at <a href="https://www.big.com/abenton.is/dawn is the similarization of sability, indemnification, and jurisdictional issues defend therein. Unless otherwise stated the resignal shown in this less report exists only in the first report exists of the first report exists. The first report exists of the first report exists of the first exists of the first exists of the first report exists of the first report exists. The first report exists of the first report exists of the first report exists of the first report exists. The first report exists of the first report exists of the first report exists of the first report exists. The first report exists of the first report exists of the first report exists of the first report exists. The first report exists of the first report





號碼(No.): CE/2008/22385 日期(Date): 2008/02/22 頁數(Page): 1 of 4

山健包装股份有限公司 TRICAN CO., LTD.

新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN, R.O.C.

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: 白膠

樣品型號(Style/Item No.)

: NP-638H

買主/訂單號碼(Buyer/Order No.)

: 山健包裝股份有限公司 (TRICAN CO., LTD.)

; 請見下一頁 (Please refer to next pages).

收件日期(Sample Receiving Date)

: 2008/02/15

測試期間(Testing Period)

測試結果(Test Results)

: 2008/02/15 TO 2008/02/22

Shinjyh Chen'/ Asst. Manager

SGS TAIWAN LTD. **Chemical Laboratory - Taipei**

Signed for and on behalf of



號碼(No.): CE/2008/22385 日期(Date): 2008/02/22 頁數(Page): 2 of 4

山健包裝股份有限公司 TRICAN CO., LTD. 新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN, R.O.C.

測試結果(Test Results)

測試部位(PART NAME) NO.1 : 白色膠 (WHITE GLUE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 007782-50-5)	mg/kg	参考BS EN 14582:2007, 以離子層 析儀分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 007726-95-6)	mg/kg	参考BS EN 14582:2007, 以離子層 析儀分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.

備註(Note):


- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)



號碼(No.): CE/2008/22385 日期(Date): 2008/02/22 頁數(Page): 3 of 4

山健包裝股份有限公司 TRICAN CO., LTD. 新竹縣芎林鄉秀湖村10鄰99-25號 NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN, R.O.C.

鹵素分析流程圖 / Analytical flow chart of halogen content






號碼(No.): CE/2008/22385 日期(Date): 2008/02/22 頁數(Page): 4 of 4

山健包裝股份有限公司 TRICAN CO., LTD. 新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN, R.O.C.



** 報告結尾 **





號碼(No.): CE/2008/12889 日期(Date): 2008/01/17

頁數(Page): 1 of 6

Test Repor

華田油墨股份有限公司 TAIWAN SAKATA INK CORP. 桃園縣中壢市工業區東園路12號 NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

收件日期(Sample Receiving Date)

測試期間(Testing Period)

: 水性油墨 (混合油墨) (FLEXO INK (MIX ALL INK))

: 2008/01/10

: 2008/01/10 TO 2008/1/17

測試需求(Test Requested)

: 参照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).

測試方法(Test Method)

- : 参考IEC 62321, Ed. 1 111/54/CDV方法檢測. (With reference to IEC 62321, Ed.1 111/54/CDV. Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
 - (1) 用感應藕合電漿原子發射光譜儀檢測鎬含量. / Determination of Cadmium by ICP-AES.
 - (2) 用感應藕合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
 - (3) 用感應藕合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
 - (4) 針對非金屬材質之樣品,用UV-VIS檢測六價鉻含量. / Determination of Hexavalent Chromium for non-metallic samples by UV/Vis Spectrometry.
 - (5) 以氣相層析儀/質譜儀檢測多溴聯苯和多溴聯苯醚含量. / Determination of PBB and PBDE by GC/MS.

測試結果(Test Results)

請見下一頁 (Please refer to next pages).

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei



號碼(No.): CE/2008/12889

日期(Date): 2008/01/17

頁數(Page): 2 of 6

華田油墨股份有限公司 TAIWAN SAKATA INK CORP. 桃園縣中壢市工業區東園路12號

NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.

測試結果(Test Results) 單位(Unit): mg/kg

測試項目	測試方法 Method	結果 (Result)	方法偵測 極限値
(Test Items)	(Refer to)	No.1	(MDL)
鎬 / Cadmium (Cd)	(1)	n.d.	2
鉛 / Lead (Pb)	(2)	n.d.	2
汞 / Mercury (Hg)	(3)	n.d.	2
六價鉻 / Hexavalent Chromium Cr(VI) by	(4)	n.d.	2
alkaline extraction			
多溴聯苯總和 / Sum of PBBs		n.d.	-
一溴聯苯 / Monobromobiphenyl		n.d.	5
二溴聯苯 / Dibromobiphenyl		n.d.	5
三溴聯苯 / Tribromobiphenyl		n.d.	5
四溴聯苯 / Tetrabromobiphenyl		n.d.	5
五溴聯苯 / Pentabromobiphenyl		n.d.	5
六溴聯苯 / Hexabromobiphenyl		n.d.	5
七溴聯苯 / Heptabromobiphenyl		n.d.	5
八溴聯苯 / Octabromobiphenyl		n.d.	5
九溴聯苯 / Nonabromobiphenyl		n.d.	5
十溴聯苯 / Decabromobiphenyl		n.d.	5
多溴聯苯醚總和(一至九溴)/ Sum of		n.d.	-
PBDEs (Mono to Nona) (Note 4)	(5)		
一溴聯苯醚 / Monobromobiphenyl ether		n.d.	5
二溴聯苯醚 / Dibromobiphenyl ether		n.d.	5
三溴聯苯醚 / Tribromobiphenyl ether		n.d.	5
四溴聯苯醚 / Tetrabromobiphenyl ether		n.d.	5
五溴聯苯醚 / Pentabromobiphenyl ether		n.d.	5
六溴聯苯醚 / Hexabromobiphenyl ether		n.d.	5
七溴聯苯醚 / Heptabromobiphenyl ether		n.d.	5
八溴聯苯醚 / Octabromobiphenyl ether		n.d.	5
九溴聯苯醚 / Nonabromobiphenyl ether		n.d.	5
十溴聯苯醚 / Decabromobiphenyl ether		n.d.	5
多溴聯苯醚總和 (一至十溴) / Sum of PBDEs (Mono to Deca)		n.d.	-