

測試報告

Test Report

號碼(No.): CE/2008/12889 日期(Date): 2008/01/17 頁數(Page): 3 of 6

華田油墨股份有限公司 TAIWAN SAKATA INK CORP. 桃園縣中壢市工業區東園路12號 NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.

測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 深藍色油墨 (DK. BLUE INK)

備註(Note):

- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)
- 4. 根據2005年10月13日歐盟會議公佈2005/717/EC,修訂2002/95/EC內容,通過解除高分子材質中十溴聯苯醚之使用限制. (According to 2005/717/EC DecaBDE is exempt.)
- 5. "-" = Not Regulated (無規格值)



號碼(No.): CE/2008/12889

日期(Date): 2008/01/17

頁數(Page): 4 of 6


華田油墨股份有限公司

TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:張啓興 / Name of the person who made measurement: Troy Chang
- 3) 測試負責人: 龒振裕 / Name of the person in charge of measurement: Chenyu Kung



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/12889

日期(Date): 2008/01/17


頁數(Page): 5 of 6

華田油墨股份有限公司 TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/12889

日期(Date): 2008/01/17

頁數(Page): 6 of 6

華田油墨股份有限公司 TAIWAN SAKATA INK CORP. 桃園縣中壢市工業區東園路12號

NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.



** 報告結尾 **





測試報告 Test Report

號碼(No.): CE/2008/77012 日期(Date): 2008/07/31 頁數(Page): 1 of 4

華田油墨股份有限公司 TAIWAN SAKATA INK CORP.

測試結果(Test Results)

桃園縣中壢市工業區東園路12號

4F., NO. 21-1, LANE 45, 2ND SECTION, CHUNG-SHAN NONTH ROAD, TAIPEI, TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

: 請見下一頁 (Please refer to next pages).

樣品名稱(Sample Description) : 水性黑色油墨 (N-378.DF-26) (FLEXO BLACK INK (N-378.DF-26))

收件日期(Sample Receiving Date) : 2008/07/24

測試期間(Testing Period) : 2008/07/24 TO 2008/07/31

Shin - Jyh Chen Shinjyh Chen / Asst. Manager Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2008/77012 日期(Date): 2008/07/31 頁數(Page): 2 of 4

華田油墨股份有限公司

TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

4F., NO. 21-1, LANE 45, 2ND SECTION, CHUNG-SHAN NONTH ROAD, TAIPEI, TAIWAN

測試結果(Test Results)

測試部位(PART NAME) NO.1 : 黑色油墨 (BLACK INK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.		118
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.		105

備註(Note):

- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2008/77012 日期(Date): 2008/07/31 頁數(Page): 3 of 4


華田油墨股份有限公司 TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

4F., NO. 21-1, LANE 45, 2ND SECTION, CHUNG-SHAN NONTH ROAD, TAIPEI, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員:藍雅婷 / Name of the person who made measurement: Tin Lan
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2008/77012 日期(Date): 2008/07/31 頁數(Page): 4 of 4

華田油墨股份有限公司 TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

4F., NO. 21-1, LANE 45, 2ND SECTION, CHUNG-SHAN NONTH ROAD, TAIPEI, TAIWAN



** 報告結尾 **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



測試報告 Test Report

號碼(No.): CE/2008/71425 日期(Date): 2008/07/11

頁數(Page): 1 of 6

Test Report

台灣塑膠工業股份有限公司

FORMOSA PLASTICS CORPORATION

雲林縣麥寮鄉台塑工業園區1號 聚烯部技術處

NO. 1, FORMOSA INDUSTRIAL COMPLEX, MAILIAO VILLAGE, YUNLIN COUNTRY,

TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: 台塑烯LDPE薄膜級聚合物 6334F (TAISOX LDPE FILM GRADE POLYMER 6334F)

樣品型號(Style/Item No.)

: 6334F \cdot 6030F \cdot 6130F \cdot 6323F \cdot 6330F \cdot 6534F \cdot 6634F

收件日期(Sample Receiving Date)

: 2008/07/04

測試期間(Testing Period)

: 2008/07/04 TO 2008/07/11

測試需求(Test Requested)

: 参照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).

測試方法(Test Method)

- 参考IEC 62321/2nd CDV (111/95/CDV)方法檢測. (With reference to IEC 62321/2nd CDV (111/95/CDV). Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
 - (1) 用感應藕合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
 - (2) 用感應藕合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
 - (3) 用感應藕合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
 - (4) 針對非金屬材質之樣品,用UV-VIS檢測六價鉻含量. / Determination of Hexavalent Chromium for non-metallic samples by UV/Vis Spectrometry.
 - (5) 以氣相層析儀/質譜儀檢測多溴聯苯和多溴聯苯醚含量. / Determination of PBB and PBDE by GC/MS.

: 請見下一頁 (Please refer to next pages).

: 根據客户所提供樣品的測試結果, 符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results are compliant with the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

測試結果(Test Results) 結論(Conclusion)

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2008/71425 頁數(Page): 2 of 6 日期(Date): 2008/07/11

台灣塑膠工業股份有限公司 FORMOSA PLASTICS CORPORATION 雲林縣麥寮鄉台塑工業園區1號 聚烯部技術處 NO. 1, FORMOSA INDUSTRIAL COMPLEX, MAILIAO VILLAGE, YUNLIN COUNTRY, TAIWAN

測試結果(Test Results) 單位(Unit): mg/kg

測試項目	測試方法 Method	結果 (Result)	方法偵測 極限値	RoHS 限値
(Test Items)	(Refer to)	No.1	(MDL)	(Limit)
鎬 / Cadmium (Cd)	(1)	n.d.	2	100
鉛 / Lead (Pb)	(2)	n.d.	2	1000
汞 / Mercury (Hg)	(3)	n.d.	2	1000
六價鉻 / Hexavalent Chromium Cr(VI) by	(4)	n.d.	2	1000
alkaline extraction				
多溴聯苯總和 / Sum of PBBs	(5)	n.d.	-	1000
一溴聯苯 / Monobromobiphenyl		n.d.	5	-
二溴聯苯 / Dibromobiphenyl		n.d.	5	-
三溴聯苯 / Tribromobiphenyl		n.d.	5	-
四溴聯苯 / Tetrabromobiphenyl		n.d.	5	-
五溴聯苯 / Pentabromobiphenyl		n.d.	5	-
六溴聯苯 / Hexabromobiphenyl		n.d.	5	-
七溴聯苯 / Heptabromobiphenyl		n.d.	5	-
八溴聯苯 / Octabromobiphenyl		n.d.	5	-
九溴聯苯 / Nonabromobiphenyl		n.d.	5	-
十溴聯苯 / Decabromobiphenyl		n.d.	5	-
多溴聯苯醚總和 / Sum of PBDEs		n.d.	-	1000
一溴聯苯醚 / Monobromodiphenyl ether		n.d.	5	-
二溴聯苯醚 / Dibromodiphenyl ether		n.d.	5	-
三溴聯苯醚 / Tribromodiphenyl ether		n.d.	5	-
四溴聯苯醚 / Tetrabromodiphenyl ether		n.d.	5	-
五溴聯苯醚 / Pentabromodiphenyl ether		n.d.	5	-
六溴聯苯醚 / Hexabromodiphenyl ether		n.d.	5	-
七溴聯苯醚 / Heptabromodiphenyl ether		n.d.	5	-
へ溴聯苯醚 / Octabromodiphenyl ether		n.d.	5	-
九溴聯苯醚 / Nonabromodiphenyl ether		n.d.	5	-
十溴聯苯醚 / Decabromodiphenyl ether		n.d.	5	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



測試報告

Test Report

號碼(No.): CE/2008/71425 日期(Date): 2008/07/11

頁數(Page): 3 of 6

台灣塑膠工業股份有限公司

FORMOSA PLASTICS CORPORATION

雲林縣麥寮鄉台塑工業園區1號 聚烯部技術處

NO. 1, FORMOSA INDUSTRIAL COMPLEX, MAILIAO VILLAGE, YUNLIN COUNTRY, TAIWAN

測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 白色塑膠粒 (WHITE PLASTIC PELLETS)

備註(Note):

- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)
- 4. "-" = Not Regulated (無規格值)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



測試報告

Test Report

號碼(No.): CE/2008/71425

日期(Date): 2008/07/11

頁數(Page): 4 of 6


台灣塑膠工業股份有限公司

FORMOSA PLASTICS CORPORATION

雲林縣麥寮鄉台塑工業園區1號 聚烯部技術處

NO. 1, FORMOSA INDUSTRIAL COMPLEX, MAILIAO VILLAGE, YUNLIN COUNTRY, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2008/71425

日期(Date): 2008/07/11

頁數(Page): 5 of 6

台灣塑膠工業股份有限公司

FORMOSA PLASTICS CORPORATION

雲林縣麥寮鄉台塑工業園區1號 聚烯部技術處

NO. 1, FORMOSA INDUSTRIAL COMPLEX, MAILIAO VILLAGE, YUNLIN COUNTRY, TAIWAN


多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 1) 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen

初次測試程序 / First testing process →

選擇性篩檢程序 / Optional screen process

確認程序 / Confirmation process ----▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2008/71425

日期(Date): 2008/07/11

頁數(Page): 6 of 6

台灣塑膠工業股份有限公司 FORMOSA PLASTICS CORPORATION

雲林縣麥寮鄉台塑工業園區1號 聚烯部技術處

NO. 1, FORMOSA INDUSTRIAL COMPLEX, MAILIAO VILLAGE, YUNLIN COUNTRY, TAIWAN



** 報告結尾 **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。