



測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 9 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Hydrochlorofluorocarbon-233	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-234	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-235 (CAS No.: 013838-16-9)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-241	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-242	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-243 (CAS No.: 000338-75-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-244	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-251	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-252	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 10 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Hydrochlorofluorocarbon-253 (CAS No.: 000354-06-1)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-261 (CAS No.: 000420-97-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-262 (CAS No.: 000420-99-5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-271	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
偶氮 (AZO)	---	---	---	---	---
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 000092-67-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
2): 聯苯胺 / BENZIDINE (CAS No.: 00092-87-5)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
3): 4-氯鄰甲苯胺 / 4-CHLORO-O-TOLUIDINE (CAS No.: 000095-69-2)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 000091-59-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 11 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果	法規 限值 (Limit)
				(Result) NO.1	
5): 鄰氨基二甲基偶氮 / O-AMINOAZOTOLUENE (CAS No.: 000097-56-3)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
6): 對硝基鄰甲苯胺 / 2-AMINO-4-NITROTOLUENE (CAS No.: 000099-55-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
7): 對氯苯胺 / P-CHLOROANILINE (CAS No.: 000106-47-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
8): 4-甲氧基-間苯二胺 / 2,4-DIAMINOANISOLE (CAS No.: 000615-05-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
9): 4,4'-二氨基二苯甲烷 / 4,4'-DIAMINODIPHENYLMETHANE (CAS No.: 000101-77-9)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
10): 3,3'-二氯聯苯胺 / 3,3'-DICHLOROBENZIDINE (CAS No.: 000091-94-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
11): 3,3'-二甲氧基聯苯胺 / 3,3'-DIMETHOXYBENZIDINE (CAS No.: 000119-90-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
12): 3,3'-二甲基聯苯胺 / 3,3'-DIMETHYLBENZIDINE (CAS No.: 000119-93-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'-DIAMINODIPHENYLMETHANE (CAS No.: 000838-88-0)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 12 of 19

正隆股份有限公司
CHENG LOONG CORP.
台北縣板橋市民生路一段1號
NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
14): 2-甲氧基-5-甲基聯苯 / P-CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 000120-71-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
15): 4,4'-亞甲基雙(氯苯胺) / 4,4'-METHYLENE-BIS-(2-CHLOROANILINE) (CAS No.: 000101-14-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
16): 4,4'-氧化雙苯胺 / 4,4'-OXYDIANILINE (CAS No.: 000101-80-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
17): 4,4'-硫代雙苯胺 / 4,4'-THIODIANILINE (CAS No.: 000139-65-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
18): 鄰甲苯胺 / O-TOLUIDINE (CAS No.: 000095-53-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
19): 2,4-二氨基甲苯 / 2,4-TOLUYLENEDIAMINE (CAS No.: 000095-80-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
20): 2,4,5-三甲基苯胺 / 2,4,5-TRIMETHYLANILINE (CAS No.: 000137-17-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 000090-04-0)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
22): 對氨基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 000060-09-3)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 13 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 000095-68-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 000087-62-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

備註(Note):

1. mg/kg = ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. 根據2005年10月13日歐盟會議公佈2005/717/EC, 修訂2002/95/EC內容, 通過解除高分子材質
中十溴聯苯醚之使用限制。(According to 2005/717/EC DecaBDE is exempt.)
5. "-" = Not Regulated (無規格值)
6. "---" = Not Conducted (未測項目)
7. ** = Qualitative analysis (No Unit) 定性分析(無單位)
8. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)

測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 14 of 19


正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



- 1) 根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員：張啓興 / Name of the person who made measurement: Troy Chang
- 3) 測試負責人：龔振裕 / Name of the person in charge of measurement: Chenyu Kung



測試報告 Test Report

號碼(No.) : CE/2008/32428 日期(Date) : 2008/03/18 頁數(Page) : 15 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN




多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

初次測試程序 / First testing process →

選擇性篩檢程序 / Optional screen process ·····

確認程序 / Confirmation process - - -




測試報告 Test Report

號碼(No.) : CE/2008/32428 日期(Date) : 2008/03/18 頁數(Page) : 16 of 19

正隆股份有限公司
CHENG LOONG CORP.
台北縣板橋市民生路一段1號
NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



鹵素分析流程圖 / Analytical flow chart of halogen content





測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 17 of 19


正隆股份有限公司
CHENG LOONG CORP.
台北縣板橋市民生路一段1號
NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



聚氯乙稀物質判定分析流程圖 /

Analysis flow chart for determination of PVC in material

- 1) 測試人員: 藍雅婷 / Name of the person who made measurement: Tin Lan
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjih Chen




測試報告 Test Report

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 18 of 19

正隆股份有限公司
CHENG LOONG CORP.
台北縣板橋市民生路一段1號
NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



全氟辛酸(鈹)/全氟辛磺酸分析流程圖 / Analytical flow chart of PFOA/PFOS content





測試報告
Test Report

號碼(No.) : CE/2008/32428 日期(Date) : 2008/03/18 頁數(Page) : 19 of 19


正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



CE/2008/32428



** 報告結尾 **



Signature Not Verified
For Question,
Please Contact with SGS
www.tw.sgs.com

測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 1 of 19

正隆股份有限公司
CHENG LOONG CORP.
台北縣板橋市民生路一段1號
NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as) :

樣品名稱 (Sample Description) : 瓦楞芯紙 (CORRUGATING MEDIUM)
收件日期 (Sample Receiving Date) : 2008/03/07
測試期間 (Testing Period) : 2008/03/07 TO 2008/03/18

測試結果 (Test Results) : 請見下一頁 (Please refer to next pages).

結論 (Conclusion) : 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的測試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs are **compliant with the limits of RoHS Directive 2002/95/EC and its subsequent amendments**).

Chenyu Kung / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 2 of 19

正隆股份有限公司
CHENG LOONG CORP.
台北縣板橋市民生路一段1號
NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試結果(Test Results)

測試部位(PART NAME) NO.1 : 淺灰色紙(LT. GRAY PAPER)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
鎘 / Cadmium (Cd)	mg/kg	參考US EPA 3052方法, 用感應耦合電漿原子發射光譜儀檢測鎘含量。 / With reference to US EPA Method 3052 for Cadmium Content. Analysis was performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考US EPA 3052方法, 用感應耦合電漿原子發射光譜儀檢測鉛含量。 / With reference to US EPA Method 3052 for Lead Content. Analysis was performed by ICP-AES.	2	21	1000
汞 / Mercury (Hg)	mg/kg	參考US EPA 3052方法, 用感應耦合電漿原子發射光譜儀檢測汞含量。 / With reference to US EPA Method 3052 for Mercury Content. Analysis was performed by ICP-AES.	2	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	針對非金屬材質之樣品, 參考US EPA 3060A方法, 用UV-VIS (US EPA 7196A) 檢測六價鉻含量。 / With reference to US EPA Method 3060A & 7196A for Hexavalent Chromium for non-metallic samples. Analysis was performed by UV-Vis Spectrometry.	2	n.d.	1000
五氯酚 / PCP (Pentachlorophenol) (CAS No.: 000087-86-5)	mg/kg	參考US EPA 8041方法, 以氣相層析質譜儀檢測。 / With reference to US EPA 8041 method, analysis was performed by GC/MS.	1	n.d.	-
福馬林 (甲醛) / Formaldehyde (CAS No.: 000050-00-0)	mg/kg	參考DIN 53315方法, 以高效液相層析儀/二極體陣列偵測器檢測。 / With reference to DIN 53315. Analysis was performed by HPLC/DAD.	3	11	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 3 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測。 / Analysis was performed by FTIR and FLAME Test.	-	Negative	-
鹵素(氯) / Halogen-Chlorine (Cl) (CAS No.: 007782-50-5)	mg/kg	參考BS EN 14582:2007, 以離子層析儀 分析氯含量。 / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	219	-
鹵素(溴) / Halogen-Bromine (Br) (CAS No.: 007726-95-6)	mg/kg	參考BS EN 14582:2007, 以離子層析儀 分析溴含量。 / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.	-
全氟辛酸(胺) / PFOA	mg/kg	參考US EPA 3540C : 1996方法, 以液 相層析質譜儀檢測全氟辛酸(胺)含量。 / With reference to US EPA 3540C : 1996 method for PFOA Content. Analysis was performed by LC/MS.	1	n.d.	-
全氟辛磺酸 / PFOS	mg/kg	參考US EPA 3540C : 1996方法, 以液 相層析質譜儀檢測全氟辛磺酸含量。 / With reference to US EPA 3540C : 1996 method for PFOS Content. Analysis was performed by LC/MS.	1	n.d.	-
多溴聯苯總和 / Sum of PBBs			-	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	-
五溴聯苯 / Pentabromobiphenyl			5	n.d.	-
六溴聯苯 / Hexabromobiphenyl			5	n.d.	-
七溴聯苯 / Heptabromobiphenyl			5	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	-
九溴聯苯 / Nonabromobiphenyl			5	n.d.	-
十溴聯苯 / Decabromobiphenyl			5	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 4 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
多溴聯苯醚總和 (一至九溴) / Sum of PBDEs (Mono to Nona) (Note 4)			-	n.d.	1000
一溴聯苯醚 / Monobromobiphenyl ether			5	n.d.	-
二溴聯苯醚 / Dibromobiphenyl ether			5	n.d.	-
三溴聯苯醚 / Tribromobiphenyl ether			5	n.d.	-
四溴聯苯醚 / Tetrabromobiphenyl ether			5	n.d.	-
五溴聯苯醚 / Pentabromobiphenyl ether			5	n.d.	-
六溴聯苯醚 / Hexabromobiphenyl ether			5	n.d.	-
七溴聯苯醚 / Heptabromobiphenyl ether			5	n.d.	-
八溴聯苯醚 / Octabromobiphenyl ether			5	n.d.	-
九溴聯苯醚 / Nonabromobiphenyl ether			5	n.d.	-
十溴聯苯醚 / Decabromobiphenyl ether			5	n.d.	-
多溴聯苯醚總和 (一至十溴) / Sum of PBDEs (Mono to Deca)			-	n.d.	-
氯氟碳化合物ODCs定量分析 / CFC's (Chlorofluorocarbons)	---	---	---	---	---
Group 1	---	---	---	---	---
Chlorofluorocarbon-11 (CAS No.: 000075-69-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-12 (CAS No.: 000075-71-8)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-113 (CAS No.: 000076-13-1)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-114 (CAS No.: 000076-14-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 5 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Chlorofluorocarbon-115 (CAS No.: 000076-15-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Group III	---	---	---	---	---
Chlorofluorocarbon-13 (CAS No.: 000075-72-9)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-111 (CAS No.: 000354-56-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-112 (CAS No.: 000076-12-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-211 (CAS No.: 135401-87-5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-212 (CAS No.: 076564-99-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-213 (CAS No.: 060285-54-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-214 (CAS No.: 002268-46-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 6 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Chlorofluorocarbon-215 (CAS No.: 000076-17-5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-216 (CAS No.: 001652-80-8)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-217 (CAS No.: 000422-86-6)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
海龍 (Halons)	---	---	---	---	---
Halon-1211 (CAS No.: 000353-59-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Halon-1301 (CAS No.: 000075-63-8)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Halon-2402 (CAS No.: 000124-73-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
臭氣危害物質ODCs (HCFCs)定量分析 / HCFC's (Hydrogenated chlorofluorocarbons)	---	---	---	---	---
Hydrochlorofluorocarbon-21 (CAS No.: 000075-43-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-22 (CAS No.: 000075-45-6)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 7 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Hydrochlorofluorocarbon-31 (CAS No.: 000593-70-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-121 (CAS No.: 000354-14-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-122 (CAS No.: 000354-21-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-123 (CAS No.: 000306-83-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-124 (CAS No.: 002837-89-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-131 (CAS No.: 000359-28-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-132a (CAS No.: 000471-43-2)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-133a (CAS No.: 000075-88-7)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-141b (CAS No.: 001717-00-6)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 8 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Hydrochlorofluorocarbon-221 (CAS No.: 000422-26-4)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-222 (CAS No.: 000422-30-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-223	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-224	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-225ca (CAS No.: 000422-56-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-225cb (CAS No.: 000507-55-1)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-226 (CAS No.: 000431-87-8)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-231	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-232	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 9 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Hydrochlorofluorocarbon-233	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-234	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-235 (CAS No.: 013838-16-9)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-241	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-242	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-243 (CAS No.: 000338-75-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-244	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-251	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-252	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 10 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
Hydrochlorofluorocarbon-253 (CAS No.: 000354-06-1)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-261 (CAS No.: 000420-97-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-262 (CAS No.: 000420-99-5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-271	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
偶氮 (AZO)	---	---	---	---	---
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 000092-67-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
2): 聯苯胺 / BENZIDINE (CAS No.: 00092-87-5)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
3): 4-氯鄰甲苯胺 / 4-CHLORO-O-TOLUIDINE (CAS No.: 000095-69-2)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 000091-59-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 11 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果	法規 限值 (Limit)
				(Result) NO.1	
5): 鄰氨基二甲基偶氮 / O-AMINOAZOTOLUENE (CAS No.: 000097-56-3)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
6): 對硝基鄰甲苯胺 / 2-AMINO-4-NITROTOLUENE (CAS No.: 000099-55-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
7): 對氯苯胺 / P-CHLOROANILINE (CAS No.: 000106-47-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
8): 4-甲氧基-間苯二胺 / 2,4-DIAMINOANISOLE (CAS No.: 000615-05-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
9): 4,4'-二氨基二苯甲烷 / 4,4'-DIAMINODIPHENYLMETHANE (CAS No.: 000101-77-9)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
10): 3,3'-二氯聯苯胺 / 3,3'-DICHLOROBENZIDINE (CAS No.: 000091-94-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
11): 3,3'-二甲氧基聯苯胺 / 3,3'-DIMETHOXYBENZIDINE (CAS No.: 000119-90-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
12): 3,3'-二甲基聯苯胺 / 3,3'-DIMETHYLBENZIDINE (CAS No.: 000119-93-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'-DIAMINODIPHENYLMETHANE (CAS No.: 000838-88-0)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測. / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 12 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
14): 2-甲氧基-5-甲基聯苯 / P-CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 000120-71-8)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
15): 4,4'-亞甲雙(氯苯胺) / 4,4'-METHYLENE-BIS-(2-CHLOROANILINE) (CAS No.: 000101-14-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
16): 4,4'-氧化雙苯胺 / 4,4'-OXYDIANILINE (CAS No.: 000101-80-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
17): 4,4'-硫代雙苯胺 / 4,4'-THIODIANILINE (CAS No.: 000139-65-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
18): 鄰甲苯胺 / O-TOLUIDINE (CAS No.: 000095-53-4)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
19): 2,4-二氨基甲苯 / 2,4-TOLUYLENEDIAMINE (CAS No.: 000095-80-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
20): 2,4,5-三甲基苯胺 / 2,4,5-TRIMETHYLANILINE (CAS No.: 000137-17-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
21): 鄰位甲氧基苯胺 / O-ANTSIDINE (CAS No.: 000090-04-0)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
22): 對氨基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 000060-09-3)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 13 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)	法規 限值 (Limit)
				NO.1	
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 000095-68-1)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 000087-62-7)	mg/kg	本測試參考LMBG 82.02-2方法, 以氣相 層析質譜儀(GC/MS)檢測。 / With reference to LMBG 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

備註(Note):

1. mg/kg = ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. 根據2005年10月13日歐盟會議公佈2005/717/EC, 修訂2002/95/EC內容, 通過解除高分子材質
中十溴聯苯醚之使用限制。(According to 2005/717/EC DecaBDE is exempt.)
5. "-" = Not Regulated (無規格值)
6. "---" = Not Conducted (未測項目)
7. **= Qualitative analysis (No Unit) 定性分析(無單位)
8. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)

測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 14 of 19


正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



- 1) 根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員：張啓興 / Name of the person who made measurement: Troy Chang
- 3) 測試負責人：龔振裕 / Name of the person in charge of measurement: Chenyu Kung



測試報告 Test Report

號碼(No.): CE/2008/32427 日期(Date): 2008/03/18 頁數(Page): 15 of 19

正隆股份有限公司
CHENG LOONG CORP.


台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

初次測試程序 / First testing process ———▶
 選擇性篩檢程序 / Optional screen process▶
 確認程序 / Confirmation process - - -▶





測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 16 of 19


正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



鹵素分析流程圖 / Analytical flow chart of halogen content



測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 17 of 19

正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號


NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



聚氯乙烯物質判定分析流程圖 /

Analysis flow chart for determination of PVC in material

- 1) 測試人員：藍雅婷 / Name of the person who made measurement: Tin Lan
- 2) 測試負責人：陳新智 / Name of the person in charge of measurement: Shinjyh Chen



測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 18 of 19


正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



全氟辛酸(鈹)/全氟辛磺酸分析流程圖 / Analytical flow chart of PFOA/PFOS content



SGS

測試報告 Test Report

號碼(No.) : CE/2008/32427 日期(Date) : 2008/03/18 頁數(Page) : 19 of 19


正隆股份有限公司
CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN



CE / 2008 / 32427



** 報告結尾 **



Signature Not Verified
 For Question
 Please Contact with SGS
 www.tw.sgs.com

Test Report

No. : KE/2008/32592 Date: 2008/04/03 Page: 1 of 4



NAN PAO RESINS CHEMICAL CO., LTD.
 NO.12, NANHAI VILLAGE, SIGANG TOWNSHIP,
 TAINAN COUNTY 723, TAIWAN (R.O.C.)

The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description : 638H
 Color : MILKY WHITE LIQUID
 Material Component : WATER-BASED RESIN
 Sample Receiving Date : 2008/03/31
 Testing Period : 2008/03/31 TO 2008/4/3


Test Requested : In accordance with the RoHS Directive 2002/95/EC, and its amendment directives.

Test Method :

- (1) With reference to BS EN 1122:2001, Method B for Cadmium Content. Analysis was performed by ICP-AES.
- (2) With reference to US EPA Method 3050B for Lead Content. Analysis was performed by ICP-AES.
- (3) With reference to US EPA Method 3052 for Mercury Content. Analysis was performed by ICP-AES.
- (4) With reference to US EPA Method 3060A & 7196A for Hexavalent Chromium for non-metallic samples. Analysis was performed by UV/Vis Spectrometry.
- (5) With reference to US EPA 3540C for PBBs/PBDEs Content. Analysis was performed by GC/MS.

Test Result(s) : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted samples, the result **comply with** the RoHS Directive 2002/95/EC and its subsequent amendments.


 Katherine Ho / Supervisor
 Signed for and on behalf of
 SGS Taiwan Limited

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵照本公司訂定之通用服務條款而製作發放，請注意其條款及限制範圍。亦可在www.sgs.com中查閱。與本公司之業務、產品、資料權益有關之權利，除另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司同意許可，不得部份複製。對本報告內容或外觀上任何未經授權之變更、偽造、篡改等行為，違犯者將會被依法追究。

TW 6395150

7001



Test Report

No. : KE/2008/32592

Date: 2008/04/03 Page: 2 of 4



NAN PAO RESINS CHEMICAL CO., LTD.
NO. 12, NANHAI VILLAGE, SIGANG TOWNSHIP,
TAINAN COUNTY 723, TAIWAN (R.O.C.)

Test results by chemical method (Unit: mg/kg)

Test Item (s):	Method (Refer to)	Result	MDL	RoHS Limit
		No.1		
Cadmium (Cd)	(1)	n.d.	2	100
Lead (Pb)	(2)	n.d.	2	1000
Mercury (Hg)	(3)	n.d.	2	1000
Hexavalent Chromium Cr(VI)	(4)	n.d.	2	1000
Sum of PBBs		n.d.	-	1000
Monobromobiphenyl		n.d.	5	-
Dibromobiphenyl		n.d.	5	-
Tribromobiphenyl		n.d.	5	-
Tetrabromobiphenyl		n.d.	5	-
Pentabromobiphenyl		n.d.	5	-
Hexabromobiphenyl		n.d.	5	-
Heptabromobiphenyl		n.d.	5	-
Octabromobiphenyl		n.d.	5	-
Nonabromobiphenyl		n.d.	5	-
Decabromobiphenyl		n.d.	5	-
Sum of PBDEs (Mono to Nona)(Note 4)	(5)	n.d.	-	1000
Monobromodiphenyl ether		n.d.	5	-
Dibromodiphenyl ether		n.d.	5	-
Tribromodiphenyl ether		n.d.	5	-
Tetrabromodiphenyl ether		n.d.	5	-
Pentabromodiphenyl ether		n.d.	5	-
Hexabromodiphenyl ether		n.d.	5	-
Heptabromodiphenyl ether		n.d.	5	-
Octabromodiphenyl ether		n.d.	5	-
Nonabromodiphenyl ether		n.d.	5	-
Decabromodiphenyl ether		n.d.	5	-
Sum of PBDEs (Mono to Deca)		n.d.	-	-

TEST PART DESCRIPTION:

NO.1 : MILKY WHITE WATER-BASED RESIN

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or fabrication of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是根據本公司訂定之檢驗報告格式所製成，請注意檢驗報告的用途。本報告僅供客戶參考，不可即作複製。對本報告內容或外觀之任何未經授權之變更、偽造、篡改等行為，本公司保留法律追訴權利。

TW 6395151



Test Report

No. :KE/2008/32592

Date: 2008/04/03 Page: 3 of 4



NAN PAO RESINS CHEMICAL CO., LTD.
NO. 12, NANHAI VILLAGE, SIGANG TOWNSHIP,
TAINAN COUNTY 723, TAIWAN (R.O.C.)

- Note :
1. mg/kg = ppm
 2. n.d. = Not Detected
 3. MDL = Method Detection Limit
 4. According to 2005/717/EC DecaBDE is exempt
 5. " - " = Not Regulated

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告及隨附本公司訂定之適用服務條款均製作為函，請注意此處所列之資訊，各可在 www.sgs.com 中查閱。請本公司之客戶、免費、查閱報告明確條款之。除非另有說明，此報告結果僅對檢驗之樣品負責。本報告未經本公司同意許可，不可部分複製。對本報告內容或外觀之任何未經授權之變更、偽造、竊取或濫用，違反者將會依法追訴。

TW 6395152

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 208, Chung Hwa 2nd Road San Min District Keelung, Taiwan. / 高雄市三民區中華二路208號
t (886-7) 323-0870 f (886-7) 315-7484

www.tw.sgs.com

3/001

Test Report

No. : KE/2008/32592

Date: 2008/04/03 Page: 4 of 4



NAN PAO RESINS CHEMICAL CO., LTD.
NO. 12, NANHAI VILLAGE, SIGANG TOWNSHIP,
TAINAN COUNTY 723, TAIWAN (R.O.C.)



** End of Report **

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues referred therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告係根據本公司訂定之檢測程序及所製作發放，請注意其樣式與印刷特徵，亦可到 www.sgs.com 中查閱。將本公司之標誌、名詞、字跡等資料盜用者，除依法究辦外，並將對相關之樣品負責。本報告未經本公司同意許可，不可部份複製。對本報告內容從外觀之任何未經授權之變更、偽造、篡改或翻譯等，違者將持身依法追究。

TW 6395153

測試報告 Test Report

號碼(No.) : CE/2008/22385 日期(Date) : 2008/02/22 頁數(Page) : 1 of 4

山健包裝股份有限公司

TRICAN CO., LTD.

新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN,

R.O.C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as) :

樣品名稱(Sample Description) : 白膠
樣品型號(Style/Item No.) : NP-638H
買主/訂單號碼(Buyer/Order No.) : 山健包裝股份有限公司 (TRICAN CO., LTD.)
收件日期(Sample Receiving Date) : 2008/02/15
測試期間(Testing Period) : 2008/02/15 TO 2008/02/22

=====
測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Shin-Jyh Chen
Shinjyh Chen / Asst. Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

測試報告

Test Report

號碼(No.) : CE/2008/22385 日期(Date) : 2008/02/22 頁數(Page) : 2 of 4

山健包裝股份有限公司

TRICAN CO., LTD.

新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN,

R.O.C.



測試結果(Test Results)

測試部位(PART NAME) NO.1 : 白色膠 (WHITE GLUE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)
				NO.1
鹵素 (氯) / Halogen-Chlorine (Cl) (CAS No.: 007782-50-5)	mg/kg	參考BS EN 14582:2007, 以離子層 析儀分析氯含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 007726-95-6)	mg/kg	參考BS EN 14582:2007, 以離子層 析儀分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.

備註(Note) :

1. mg/kg = ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)

測試報告 Test Report

號碼(No.) : CE/2008/22385 日期(Date) : 2008/02/22 頁數(Page) : 3 of 4

山健包裝股份有限公司

TRICAN CO., LTD.


新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN,

R.O.C.



鹵素分析流程圖 / Analytical flow chart of halogen content



測試報告 Test Report

號碼(No.) : CE/2008/22385 日期(Date) : 2008/02/22 頁數(Page) : 4 of 4


山健包裝股份有限公司

TRICAN CO., LTD.

新竹縣芎林鄉秀湖村10鄰99-25號

NO. 99-25, 10 LIN, SHIUHU VILLAGE, CHIUNGLIN SHIANG, HSINCHU, TAIWAN,

R.O.C.



** 報告結尾 **

測試報告

Test Report

號碼(No.): CE/2008/12889

日期(Date): 2008/01/17

頁數(Page): 1 of 6

華田油墨股份有限公司

TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : 水性油墨 (混合油墨) (FLEXO INK (MIX ALL INK))
收件日期(Sample Receiving Date) : 2008/01/10
測試期間(Testing Period) : 2008/01/10 TO 2008/1/17

=====
測試需求(Test Requested) : 參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).
測試方法(Test Method) : 參考IEC 62321, Ed. 1 111/54/CDV方法檢測. (With reference to IEC 62321, Ed.1 111/54/CDV. Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
(1) 用感應耦合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
(2) 用感應耦合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
(3) 用感應耦合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
(4) 針對非金屬材質之樣品, 用UV-VIS檢測六價鉻含量. / Determination of Hexavalent Chromium for non-metallic samples by UV/Vis Spectrometry.
(5) 以氣相層析儀/質譜儀檢測多溴聯苯和多溴聯苯醚含量. / Determination of PBB and PBDE by GC/MS.
測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Chenyu Kung / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory – Taipei

測試報告

Test Report

號碼(No.): CE/2008/12889

日期(Date): 2008/01/17

頁數(Page): 2 of 6

華田油墨股份有限公司

TAIWAN SAKATA INK CORP.

桃園縣中壢市工業區東園路12號

NO. 12, DONGYUAN RD., JHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN, R. O. C.



測試結果(Test Results) 單位(Unit): mg/kg

測試項目 (Test Items)	測試方法 Method (Refer to)	結果 (Result)	方法偵測 極限值 (MDL)
		No.1	
鎘 / Cadmium (Cd)	(1)	n.d.	2
鉛 / Lead (Pb)	(2)	n.d.	2
汞 / Mercury (Hg)	(3)	n.d.	2
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	(4)	n.d.	2
多溴聯苯總和 / Sum of PBBs	(5)	n.d.	-
一溴聯苯 / Monobromobiphenyl		n.d.	5
二溴聯苯 / Dibromobiphenyl		n.d.	5
三溴聯苯 / Tribromobiphenyl		n.d.	5
四溴聯苯 / Tetrabromobiphenyl		n.d.	5
五溴聯苯 / Pentabromobiphenyl		n.d.	5
六溴聯苯 / Hexabromobiphenyl		n.d.	5
七溴聯苯 / Heptabromobiphenyl		n.d.	5
八溴聯苯 / Octabromobiphenyl		n.d.	5
九溴聯苯 / Nonabromobiphenyl		n.d.	5
十溴聯苯 / Decabromobiphenyl		n.d.	5
多溴聯苯醚總和 (一至九溴) / Sum of PBDEs (Mono to Nona) (Note 4)		n.d.	-
一溴聯苯醚 / Monobromobiphenyl ether		n.d.	5
二溴聯苯醚 / Dibromobiphenyl ether		n.d.	5
三溴聯苯醚 / Tribromobiphenyl ether		n.d.	5
四溴聯苯醚 / Tetrabromobiphenyl ether		n.d.	5
五溴聯苯醚 / Pentabromobiphenyl ether		n.d.	5
六溴聯苯醚 / Hexabromobiphenyl ether		n.d.	5
七溴聯苯醚 / Heptabromobiphenyl ether		n.d.	5
八溴聯苯醚 / Octabromobiphenyl ether		n.d.	5
九溴聯苯醚 / Nonabromobiphenyl ether		n.d.	5
十溴聯苯醚 / Decabromobiphenyl ether	n.d.	5	
多溴聯苯醚總和 (一至十溴) / Sum of PBDEs (Mono to Deca)	n.d.	-	