

Test Report No.: CE/2008/31216 Date: 2008/03/10 Page: 1 of 5

I-PEX JP CO., LTD.

6-27-19 HARAMACHIDA MACHIDA-CITY TOKYO 194-0013 JAPAN

The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description : MHF PLUG GROUND CONTACT

Style/Item No. : 1846-0**
Sample Receiving Date : 2008/03/05

Testing Period : 2008/03/05 TO 2008/03/10

Test Result(s): Please refer to next page(s).





No.: CE/2008/31216 Date: 2008/03/10 Page: 2 of 5

I-PEX JP CO., LTD. 6-27-19 HARAMACHIDA MACHIDA-CITY TOKYO 194-0013 JAPAN

Test Result(s)

PART NAME NO.1 GOLDEN COLORED METAL (INCLUDING THE PLATING

LAYER)

Test Item (s):	Unit	Method	MDL	Result
rest item (s).	Oilit	Metriod	WIDL	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Cadmium by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Lead by ICP-AES.	2	17
Mercury (Hg)	mg/kg	With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Mercury by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Hexavalent Chromium by UV/Vis Spectrometry.	2	n.d.
Gold (Au)	mg/kg	With reference to US EPA Method 3050B for Gold Content. Analysis was performed by ICP- AES.	2	2070
Nickel (Ni)	mg/kg	With reference to US EPA Method 3050B for Nickel Content. Analysis was performed by ICP-AES.	2	20600

Note: 1. mg/kg = ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.




No.: CE/2008/31216 Date: 2008/03/10 Page: 3 of 5

I-PEX JP CO., LTD.
6-27-19 HARAMACHIDA MACHIDA-CITY TOKYO 194-0013 JAPAN

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.

 (Cr6+ test method excluded)
- 2) Name of the person who made measurement: Troy Chang
- 3) Name of the person in charge of measurement: Chenyu Kung






I-PEX JP CO., LTD.
6-27-19 HARAMACHIDA MACHIDA-CITY TOKYO 194-0013 JAPAN

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Troy Chang
- 3) Name of the person in charge of measurement: Chenyu Kung

Flow Chart of Digestion for elements analysis



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Any acid to total digestion



No. : CE/2008/31216 Date : 2008/03/10 Page : 5 of 5

I-PEX JP CO., LTD. 6-27-19 HARAMACHIDA MACHIDA-CITY TOKYO 194-0013 JAPAN



** End of Report **



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 1 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

收件日期(Sample Receiving Date) 測試期間(Testing Period) : SUS430

: 2008/12/22 AND 2009/01/06

: 2008/12/22 TO 2008/12/29 AND 2008/12/30 TO 2009/01/05 AND

2009/01/06 TO 2009/01/10

測試結果(Test Results)

結論(Conclusion)

: 請見下一頁 (Please refer to next pages).

: 根據客户所提供的樣品,其鎬、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的測試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs are compliant with the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

* 此份報告為合併CE/2008/C5529A之報告 *

(This report is combined with reports of CE/2008/C5529)

Chenyu Kung / Operation Manager Signed for and on behalf of

SGS TAIWAN LTD.

Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 2 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



測試結果(Test Results)

測試部位(PART NAME) NO.1 銀色金屬片 (SILVER COLORED METAL SHEET (CE/2008/C5529A)) 測試部位(PART NAME) NO.2 銀色金屬片 (SILVER COLORED METAL SHEET (CE/2009/10355))

測試項目	單位	單位 測試方法	方法偵測 極限値	結果 (Result)		法規 限値
(Test Items)	(Unit)	(Method)	(MDL)	NO.1	NO.2	(Limit)
鎬 / Cadmium (Cd)		参考IEC 62321: 2008方法,用感應 藕合電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.		100
鉛 / Lead (Pb)		参考IEC 62321: 2008方法,用感應 藕合電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.		1000
汞 / Mercury (Hg)		参考IEC 62321: 2008方法,用感應 藕合電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.		1000
六價鉻 / Hexavalent Chromium Cr(VI) by Spot test / boiling water extraction	**	参考IEC 62321: 2008方法,用Spot test / boiling water extraction 方法檢測. / With reference to IEC 62321: 2008 and performed by Spot test / boiling water extraction Method. (See Note	0.02mg/kg with 50 cm ² surface area	Negative		#
种 / Arsenic (As)	mg/kg	参考US EPA 3052方法,用感應耦合 電漿原子發射光譜儀(ICP-AES)檢 測砷含量. / With reference to US EPA Method 3052 for Arsenic Content. Analysis was performed by ICP-AES.	2			-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 3 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



測試項目	單位	測試方法	方法偵測	結果 (Result)		法規 限値
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.1	NO.2	(Limit)
硒 / Selenium (Se)	mg/kg	参考US EPA 3052 方法,用感應耦合電漿原子發射光譜儀檢測硒含量. / With reference to US EPA Method 3052 for Selenium Content. Analysis was performed by ICP-AES.	2	n.d.		-
皴 / Beryllium (Be)	mg/kg	参考US EPA 3050B 方法,用感應耦合電漿原子發射光譜儀檢測皴含量./ With reference to US EPA Method 3050B for Beryllium Content. Analysis was performed by ICP-AES.	2	n.d.		-
绨 / Antimony (Sb)	mg/kg	参考US EPA 3050B 方法,用感應耦合電漿原子發射光譜儀檢測錦含量./ With reference to US EPA Method 3050B for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.		-
鋇 / Barium (Ba)	mg/kg	參考US EPA 3050B 方法,用感應耦合電漿原子發射光譜儀檢測鋇含量. / With reference to US EPA Method 3050B for Barium Content. Analysis was performed by ICP-AES.	2	n.d.		-
鎳 / Nickel (Ni)	mg/kg	参考US EPA 3050B 方法,用感應耦合電漿原子發射光譜儀檢測鎳含量. / With reference to US EPA Method 3050B for Nickel Content. Analysis was performed by ICP-AES.	2	935		-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 4 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



測試項目	單位 測試方法	方法偵測 極限値	結果 (Result)		法規 限値	
(Test Items)	(Unit)	(Method)	(MDL)	NO.1	NO.2	(Limit)
氯化石蠟 / Chlorinated Paraffin (C10~C13) (CAS No.: 010871-26-2)	%	参考US EPA 3540C方法,以氣相層 析質譜儀(GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.01	n.d.		-
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 000079-94-7)	mg/kg	参考DIN 53313方法,以氣相層析儀/質譜儀檢測. / With reference to DIN 53313. Analysis was performed by GC/MS.	10	n.d.		-
2-(3',5'-二叔丁基-2'-羟基苯基)苯 並三氮唑 / 2-(3,5-di-tert-buty1-2- hydroxypheny1)-2H-benzotriazole (CAS No.: 003846-71-7)	mg/kg	参考US EPA 3540C方法,以氣相層 析質譜儀檢測之. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.		-
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測./ Analysis was performed by FTIR and FLAME Test.	-	Negative		-
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	参考US EPA 3540C: 1996方法,以 液相層析質譜儀檢測全氟辛烷磺酸 含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.		-
全氟辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	參考US EPA 3540C: 1996方法,以 液相層析質譜儀檢測全氟辛酸(銨) 含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.		-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 5 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



測試項目	單位	測試方法	方法偵測 極限値	結果 (Result)		法規 限値	
(Test Items)	(Unit)	(Method)	(MDL)	NO.1	NO.2	(Limit)	
鹵素 / Halogen		參考BS EN 14582:2007, 以離子層					
		析儀分析氣,氣,溴,碘含量./					
		With reference to BS EN					
		14582:2007. Analysis was					
		performed by IC method for F,					
		Cl, Br, I content.					
鹵素 (氟) / Halogen-Fluorine (F) (CAS	mg/kg	參考BS EN 14582:2007, 以離子層	50	n.d.		-	
No.: 014762-94-8)		析儀分析氟含量. / With					
		reference to BS EN 14582:2007.					
		Analysis was performed by IC					
		method for Fluorine content.					
鹵素 (氣) / Halogen-Chlorine (C1)	mg/kg	参考BS EN 14582:2007, 以離子層	50	n.d.		-	
(CAS No.: 022537-15-1)		析儀分析氣含量. / With					
		reference to BS EN 14582:2007.					
		Analysis was performed by IC					
		method for Chlorine content.					
鹵素 (溴) / Halogen-Bromine (Br) (CAS	mg/kg	参考BS EN 14582:2007, 以離子層	50	n.d.		-	
No.: 010097-32-2)		析儀分析溴含量. / With					
		reference to BS EN 14582:2007.					
		Analysis was performed by IC					
		method for Bromine content.					
鹵素 (碘) / Halogen-Iodine (I) (CAS	mg/kg	參考BS EN 14582:2007, 以離子層	50	n.d.		-	
No.: 014362-44-8)		析儀分析碘含量. / With					
		reference to BS EN 14582:2007.					
		Analysis was performed by IC					
		method for Iodine content.					
可塑劑定量分析 / Phthalates							
鄰苯二甲酸二丁酯 / DBP (Dibutyl	%	本測試參考EN 14372: 2004, 以氣	0.003	n.d.		-	
phthalate) (CAS No.: 000084-74-2)		相層析儀/質譜儀檢測之. / With					
<u> </u>		reference to EN 14372: 2004.					
		Analysis was performed by					
		GC/MS.					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 6 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



測試項目	鹽付 測試方法		方法偵測	結果 (Result)		法規 限値
(Test Items)	(Unit)	(Method)	極限値 (MDL)	NO.1	NO.2	(Limit)
鄰苯二甲酸丁酯苯甲酯 / BBP (Benzyl butyl phthalate) (CAS No.: 000085-68-7)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.		-
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 000117-81-7)	%	本測試参考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.		-
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 000117-84-0)	%	本測試参考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.003	n.d.		-
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 028553-12-0)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.01	n.d.		-
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 026761- 40-0)	%	本測試參考EN 14372: 2004, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372: 2004. Analysis was performed by GC/MS.	0.01	n.d.		-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 7 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



測試項目	單位	單位 測試方法		結果 (I	Result)	法規 限値
(Test Items)	(Unit)	(Unit) (Method)	極限値 (MDL)	NO.1	NO.2	(Limit)
多溴聯苯總和 / Sum of PBBs			-	n.d.		1000
一溴聯苯 / Monobromobiphenyl			5	n.d.		-
二溴聯苯 / Dibromobiphenyl			5	n.d.		-
三溴聯苯 / Tribromobiphenyl			5	n.d.		-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.		-
五溴聯苯 / Pentabromobiphenyl			5	n.d.		-
六溴聯苯 / Hexabromobiphenyl		参考IEC 62321: 2008方法,以氣相 層析儀/質譜儀檢測./ With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.		-
七溴聯苯 / Heptabromobiphenyl			5	n.d.		-
八溴聯苯 / Octabromobiphenyl			5	n.d.		-
九溴聯苯 / Nonabromobiphenyl			5	n.d.		-
十溴聯苯 / Decabromobiphenyl			5	n.d.		-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.		1000
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.		-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.		-
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.		-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.		-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.		-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.		-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.		-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.		-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.		-
十溴聯苯醚 / Decabromodiphenyl ether	1		5	n.d.		-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 8 of 19

嘉發實業工廠股份有限公司

CHIA FAR INDUSTRIAL FACTORY CO., LTD.

台北市太原路83號

NO. 83, TAIYUAN RD., TAIPEI, TAIWAN

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)
- 4. "-" = Not Regulated (無規格值)
- 5. "---" = Not Conducted (未測項目)
- 6. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 7. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 8. 若為氯化石蠟中單一化合物,則偵測極限為5ppm (The MDL is 5ppm for the single compound of CP)
- 9. Spot-test:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.

(當該測項無法確認時,測試樣品可藉由boiling-water-extraction測試方法進一步確認)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

the detected concentration in boiling-water-extraction solution is equal or

greater than 0.02 mg/kg with 50 cm2 sample surface area.

該溶液濃度≥0.02 mg/kg with 50 cm² (sample surface area)

10. # = Positive indicates the presence of Cr(VI) on the tested areas and result be regarded as not comply with RoHS requirement. (Positive表示測試區域之六價鉻不符合RoHS要求)

Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as comply with RoHS requirement. (Negative表示測試區域之六價鉻符合RoHS要求)

PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

(1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.

(May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005~% by mass.)

(2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1μg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1μg/m² of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 9 of 19

嘉發實業工廠股份有限公司


CHIA FAR INDUSTRIAL FACTORY CO., LTD.

台北市太原路83號

NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 10 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

元素的消化流程圖 (Flow Chart of Digestion for elements analysis)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO3, HC1, HF, H2O2
玻璃 / Glass	硝酸,氫氟酸 / HNO3/HF
金,鉑,鲍,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNOs
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HC1
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 11 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN




多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 1) 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen 初次測試程序 / First testing process ———▶

選擇性篩檢程序 / Optional screen process

確認程序 / Confirmation process ---▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 12 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 陳立倫 / Name of the person who made measurement: Alan Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 13 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



四溴雙酚-A分析流程圖 / TBBP-A analytical flow chart

- 1) 測試人員: 傅舒萱 / Name of the person who made measurement: Amanda Fu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 14 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 1) 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 15 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



全氟辛酸(銨)/全氟辛烷磺酸分析流程圖/ Analytical flow chart of PFOA/PFOS content

- 1) 測試人員:劉家瑗 / Name of the person who made measurement: Carrie Liu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 16 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



含氯阻燃劑分析流程 / Chlorinated Flame retardant analytical flow chart

- 1) 測試人員:劉桓易 / Name of the person who made measurement: Max Liu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen
- 参考方法(Reference method): US EPA 8270D, US EPA 3540
- 測試項目(Test Items): PCBs, PCNs, PCTs, Mirex, CP, MCCP / 多氯聯苯, 多氯奈, 多氯三聯苯, 滅蟻靈, 氯化石蠟, 中鏈氯化石蠟



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 17 of 19


嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



聚氯乙烯物質判定分析流程圖 /

1) 測試人員:趙婉愉 / Name of the person who made measurement: Eva Chao

- Analysis flow chart for determination of PVC in material
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 18 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN



苯並三唑類化合物分析流程圖 / Analytical flow chart of benzotriazole content

- 1) 測試人員:劉家瑗 / Name of the person who made measurement: Carrie Liu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/10355A 日期(Date): 2009/01/10 頁數(Page): 19 of 19

嘉發實業工廠股份有限公司 CHIA FAR INDUSTRIAL FACTORY CO., LTD. 台北市太原路83號 NO. 83, TAIYUAN RD., TAIPEI, TAIWAN

測試部位(PART NAME) NO.1



測試部位(PART NAME) NO.2



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。





號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 1 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) 樣品型號(Style/Item No.)

批號(Lot)

收件日期(Sample Receiving Date)

測試期間(Testing Period)

- 無鉛銲錫(LEAD-FREE SOLDER)
- : M708(E) *適用主成份(Sn97/3Ag)無鉛銲錫系列產品
- M708E LOT:HB156, M708 LOT:HC158, M708 WIRE LOT:HC158
- 2008/03/07
- 2008/03/07 TO 2008/03/17

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei



號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 2 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.



測試結果(Test Results)

測試部位(PART NAME) NO.1

: 銀色金屬棒 (SILVER COLORED METAL BAR)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321/2nd CDV (111/95/CDV)方法,用感應藕合電漿原子發射光譜儀 (ICP-AES) 檢測鎬含量./ With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Cadmium by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321/2nd CDV (111/95/CDV)方法,用感應藕合電漿原子發射光譜儀 (ICP-AES) 檢測鉛含量./ With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Lead by ICP-AES.	2	242
汞 / Mercury (Hg)	mg/kg	參考IEC 62321/2nd CDV (111/95/CDV)方法,用感應藕合電漿原子發射光譜儀 (ICP-AES) 檢測汞含量./ With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Mercury by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI) by Spot test / boiling water extraction	**	針對金屬材質之樣品,參考IEC 62321/2nd CDV (111/95/CDV)方法檢測,用Spot test / Colorimetric方法檢測六價鉻含量. / With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of Hexavalent Chromium for metallic samples by Spot test / Colorimetric Method. (See Note 5)	0.02mg/kg with 50 cm ² surface area	Negative

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 3 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
多溴聯苯總和 / Sum of PBBs一溴聯苯 / Monobromobiphenyl二溴聯苯 / Dibromobiphenyl三溴聯苯 / Tetrabromobiphenyl五溴聯苯 / Pentabromobiphenyl六溴聯苯 / Hexabromobiphenyl六溴聯苯 / Heptabromobiphenyl八溴聯苯 / Octabromobiphenyl九溴聯苯 / Nonabromobiphenyl九溴聯苯 / Decabromobiphenyl多溴聯苯醚總和 (一至九溴) / Sum ofPBDEs (Mono to Nona) (Note 4)一溴聯苯醚 / Monobromobiphenyl ether三溴聯苯醚 / Tetrabromobiphenyl ether三溴聯苯醚 / Tetrabromobiphenyl ether五溴聯苯醚 / Pentabromobiphenyl ether六溴聯苯醚 / Hexabromobiphenyl ether九溴聯苯醚 / Heptabromobiphenyl ether九溴聯苯醚 / Octabromobiphenyl ether九溴聯苯醚 / Nonabromobiphenyl ether九溴聯苯醚 / Decabromobiphenyl ether九溴聯苯醚 / Decabromobiphenyl ether十溴聯苯醚 / Decabromobiphenyl ether	mg/kg	參考IEC 62321/2nd CDV (111/95/CDV)方法,以氣相層析儀/質譜儀檢測多溴聯苯和多溴聯苯醚含量./With reference to IEC 62321/2nd CDV (111/95/CDV). Determination of PBB and PBDE by GC/MS.	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	n.d. n.d. n.d. n.d. n.d. n.d. n.d. n.d.
鹵素 / Halogen		参考BS EN 14582:2007, 以離子層 析儀分析氣, 氣, 溴, 碘含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for F, C1, Br, I content.		n.d.
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 007782-41-4)	mg/kg	参考BS EN 14582:2007, 以離子層 析儀分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Fluorine content.	50	n.d.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 4 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD.

SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 007782-50-5)	mg/kg	参考BS EN 14582:2007, 以離子層 析儀分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 007726-95-6)	mg/kg	参考BS EN 14582:2007, 以離子層 析儀分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 007553-56-2)	mg/kg	参考BS EN 14582:2007, 以離子層 析儀分析碘含量. / With reference to BS EN 14582:2007. Analysis was performed by IC	50	n.d.

備註(Note):

- 1. mg/kg = ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. 根據2005年10月13日歐盟會議公佈2005/717/EC,修訂2002/95/EC內容,通過解除高分子材質中十溴聯苯醚之使用限制. (According to 2005/717/EC DecaBDE is exempt.)
- 5. Spot-test:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.

(當該測項無法確認時,測試樣品可藉由boiling-water-extraction測試方法進一步確認)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

the detected concentration in boiling-water-extraction solution is equal or

method for Iodine content.

greater than 0.02 mg/kg with 50 cm² sample surface area.

該溶液濃度≧0.02 mg/kg with 50 cm² (sample surface area)

- 6. "-" = Not Regulated (無規格值)
- 7. "---" = Not Conducted (未測項目)
- 8. **= Qualitative analysis (No Unit) 定性分析(無單位)

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS TAIWAN LIMITED NO. 136-1, Wu Kung Road, WuKu Industrial Zone, Taipei county, Taiwan.

t(886-2) 22993939 f(886-2) 2299-3237 www.sgs.com.tw




號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 5 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:張啓興 / Name of the person who made measurement: Troy Chang
- 3) 測試負責人: 龔振裕 / Name of the person in charge of measurement: Chenyu Kung



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.




號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 6 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART






號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 7 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號 9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.

鹵素分析流程圖 / Analytical flow chart of halogen content






號碼(No.): CE/2008/32645 日期(Date): 2008/03/17 頁數(Page): 8 of 8

新原金屬工業股份有限公司 SOLNET METAL INDUSTRY CO., LTD. 台北縣新莊市化成路83巷9號

9, LANE 83, HWA CHENG RD., HSIN CHUANG, TAIPEI HSIEN, TAIWAN.



** 報告結尾 **



No.: CE/2007/91193 Date: 2007/09/13 Page: 1 of 5

GUAN JER INTERNATIONAL., LTD.
NO. 1, FONG-SHIU SIX TH STREET, GUEI-SAN SIANG, TAC-YUAN SIEN,
TAIWAN

The following sample(s) was/were submitted and identified by/on behalf of the client as :

Sample Description : SONY G4000, G9000SY, G9000R, G9303S, G9900 SERIES

Sample Receiving Date : 2007/09/06

Testing Period : 2007/09/06 TO 2007/09/13

Test Requested : In accordance with the RoHS Directive 2002/95/EC, and its

amendment directives.

Test Method : With reference to IEC 62321, Ed.1 111/54/CDV

Procedures for the Determination of Levels of Regulated

Substances in Electrotechnical Products.

(1) Determination of Cadmium by ICP-AES.

(2) Determination of Lead by ICP-AES.

(3) Determination of Mercury by ICP-AES.

(4) Determination of Hexavalent Chromium for non-metallic

samples by UV/Vis Spectrometry.

(5) Determination of PBB and PBDE by GC/MS.

Test Result(s) : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted samples, the test

results are compliant with the limits of RoHS Directive

2002/95/EC and its subsequent amendments.

Chenyu Kung / Operation Manager Signed for and on behalf of

SGS TAIWAN LTD.

SGS TAIWAN LIMITED

Chemical Laboratory - Taipei



No.: CE/2007/91193 Date: 2007/09/13 Page : 2 of 5

GUAN JER INTERNATIONAL., LTD. NO. 1, FONG-SHIU SIX TH STREET, GUEI-SAN SIANG, TAC-YUAN SIEN, TAIWAN

Test results by chemical method (Unit: mg/kg)

Took Home (a)	Method	Result	MDI	RoHS
Test Item (s):	(Refer to)	No.1	MDL	Limit
Cadmium (Cd)	(1)	n.d.	2	100
Lead (Pb)	(2)	n.d.	2	1000
Mercury (Hg)	(3)	n.d.	2	1000
Hexavalent Chromium Cr(VI) by alkaline extraction	(4)	n.d.	2	1000
Sum of PBBs		n.d.	-	1000
Monobromobiphenyl		n.d.	5	-
Dibromobiphenyl		n.d.	5	-
Tribromobiphenyl		n.d.	5	-
Tetrabromobiphenyl		n.d.	5	-
Pentabromobiphenyl		n.d.	5	-
Hexabromobiphenyl		n.d.	5	-
Heptabromobiphenyl		n.d.	5	-
Octabromobiphenyl		n.d.	5	-
Nonabromobiphenyl		n.d.	5	-
Decabromobiphenyl		n.d.	5	-
Sum of PBDEs (Mono to Nona) (Note 4)	(5)	n.d.	-	1000
Monobromobiphenyl ether		n.d.	5	-
Dibromobiphenyl ether		n.d.	5	-
Tribromobiphenyl ether		n.d.	5	-
Tetrabromobiphenyl ether		n.d.	5	-
Pentabromobiphenyl ether		n.d.	5	-
Hexabromobiphenyl ether		n.d.	5	-
Heptabromobiphenyl ether		n.d.	5	-
Octabromobiphenyl ether		n.d.	5	-
Nonabromobiphenyl ether		n.d.	5	-
Decabromobiphenyl ether		n.d.	5	-
Sum of PBDEs (Mono to Deca)		n.d.	-	-

TEST PART DESCRIPTION:

NO.1 TRANSPARENT TWIN ADHESIVE (EXCLUDING THE RELEASE PAPER)

Note: 1. mg/kg = ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. According to 2005/717/EC DecaBDE is exempt.

5. "-" = Not Regulated

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS TAIWAN LIMITED


NO. 136-1, Wu Kung Road, WuKu Industrial Zone, Taipei county, Taiwan. t(886-2) 22993939 f(886-2) 2299-3237 www.sgs.com.tw



No.: CE/2007/91193 Date: 2007/09/13 Page: 3 of 5

GUAN JER INTERNATIONAL., LTD.
NO. 1, FONG-SHIU SIX TH STREET, GUEI-SAN SIANG, TAC-YUAN SIEN,
TAIWAN

- These samples were dissolved totally by pre-conditioning method according to below flow chart.
 (Cr6+ test method excluded)
- 2) Name of the person who made measurement: Troy Chang
- 3) Name of the person in charge of measurement: Chenyu Kung






No.: CE/2007/91193 Date: 2007/09/13 Page : 4 of 5

GUAN JER INTERNATIONAL., LTD. NO. 1, FONG-SHIU SIX TH STREET, GUEI-SAN SIANG, TAC-YUAN SIEN, TAIWAN

PBB/PBDE analytical FLOW CHART





No.: CE/2007/91193 Date: 2007/09/13 Page : 5 of 5

GUAN JER INTERNATIONAL., LTD. NO. 1, FONG-SHIU SIX TH STREET, GUEI-SAN SIANG, TAC-YUAN SIEN, TAIWAN





** End of Report **

Signature Not Verified For Question, Please Contact with SGS www.tw.sgs.gom

測試報告 **Test Report**

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 1 of 19

-

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

以下測試樣品係由客户选樣,且由客户聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: 核面纸板 (LINER BOARD)

模品型號(Style/Item No.) : 正隆色 (COLOR: CA) 收件目期(Sample Receiving Date) : 2008/03/07 测试期間(Testing Period) : 2008/03/07 TO 2008/03/18 测试期間(Testing Period)

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

结論(Conclusion)

: 根據客戶所提供的樣品,其錫、鉛、汞、六價路、多溴聯苯及多溴聯苯醚的 测试结果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs are compliant with the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

Chenyu Kung / Operation Signed for and on behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei

The content of this PDF file is in accordance with the original without prior written permission of the Company. Any unauth offenders may be prosecuted to the fullest extent of the law.



號稿(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 2 of 19

正隆股份有限公司 CHENG LOONG CORP. -

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試結果(Test Results)

测试部位(PART NAME) NO.1 : 土黄 / 灰色纸 (YELLOWISH BROWN / GRAY PAPER)

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1	法规 限值 (Limit)
3% / Cadmium (Cd.)	mg/kg	參考US EPA 3052方法,用應應耦合電 業原子發射光譜儀絵測結含量, / With reference to US EPA Method 3052 for Cadmium Content. Analysis was performed by ICP-AES.	2	n.d.	100
舒 / Lead (Pb)	mg/kg	参考US EPA 3052方法,用感應耦合電 業原子發射光譜儀檢測紹含量。/ With reference to US EPA Method 3052 for Lead Content, Analysis was performed by ICP-AES.	2	20	1000
兼 / Mercury (Hg)	mg/kg	条考US EPA 3052方法,用感應耦合電 環原子發射光譜儀檢測汞含量。/ With reference to US EPA Method 3052 for Mercury Content. Analysis was performed by ICP-AES.	2	n.d.	1000
六情勢 / Hexavalent Chromium Cr(VI)	mg/kg	針對非金屬材質之樣品,多考US EPA 3060A方法,用UV-VIS (US EPA 7196A) 檢測六價格含量。/ With reference to US EPA Method 3060A & 7196A for Hexavalent Chromium for non- metallic samples. Analysis was performed by UV-Vis Spectrometry.	2	n.d.	1000
五氣粉 / PCP (Pentachlorophenol) (CAS No.: 000087-86-5)	mg/kg	参考US EPA 8041方法, 以氣相層析質 譜儀檢測, / With reference to US EPA 8041 method, analysis was performed by GC/MS.	1	n.d.	
福馬林 (甲醛) / Formaldehyde (CAS No.: 000050-00-0)	mg/kg	參考DIN 53315方法,以高效液相層析 儀/二極體陣列偵測器檢測,/With reference to DIN 53315, Analysis was performed by HPLC/DAD.	3	n.d.	



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 3 of 19

正隆股份有限公司 CHENG LOONG CORP. BOOLSTERN COLUMN

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试項目 (Test Items)	單位	測試方法	方法偵測 極限值	结果 (Result)	法规限值
	(Unit)	(Method)	(MDL)	NO.1	(Limit)
聚氨乙烯 / PVC	**	以紅外光譜分析及路色法檢測。/ Analysis was performed by PTIR and FLAME Test.		Negative	
商者(義)/Halogen-Chlorise (CI) (CAS No.: 007782-50-5)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析氣含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Chlorine content.		113	*
尚素 (溴) / Halogen-Bromine (Br) (CAS	mg/kg	参考BS EN 14582:2007, 以離子層析儀		n.d.	4
No.: 007726-95-6)		分析溴含量. / With reference to BS EN 14582:2007. Analysis was performed by IC method for Bromine content.			
全氣辛酸(錠) / PFOA	mg/kg	参考US EPA 3540C: 1996方法,以流 相層析質譜儀檢測全氣辛酸(銨)含量。 / With reference to US EPA 3540C: 1996 method for PPOA Content. Analysis was performed by LC/MS.	1	n.d.	3.4
全氯辛磺酸 / PPOS	mg/kg	参考US EPA 3540C: 1996方法,以液相層析質溝儀檢測全氣辛嘆酸含量。/ With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	1	n.d.	*
多溴聯苯總和 / Sum of PBBs		Market - And the latest transfer and	-	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	
二溴聯苯 / Dibromobiphenyl			5	n.d.	-
三溴聯苯 / Tribromobiphenyl	1	参考US EPA 3540C方法,以氣相層析儀	5	n.d.	
四溴聯苯 / Tetrabromobiphenyl		/質譜儀檢測多溴聯苯和多溴聯苯醚含	5	n.d.	3.
五溴聯苯 / Pentabromobiphenyl	mg/kg			n.d.	4
六溴聯苯 / Hexabromobiphenyl		3540C for PBB/PBDE Content.	5	n.d.	7.
七溴聯苯 / Heptabromobiphenyl		Analysis was performed by GC/MS.	5	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	(2)
九溴聯苯 / Nonabromobiphenyl			5	n.d.	*
十溴聯苯 / Decabromobiphenyl			5	n.d.	(4)

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offendors may be prosecuted to the fallest extent of the size.



號馬(No.) : CE/2008/32428 日期(Date) : 2008/03/18 頁數(Page) : 4 of 19

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试项目 (Test Items)	單位 (Unit)	测试方法 (Method)	方法值测 極限值 (MDL)	結果 (Result) NO.1	法规 限值 (Linit)
多溴聯苯醚總和 (一至九溴) / Sum of PBDEs (Mono to Nona) (Note 4)	- 20.6		12	n.d.	1000
一溴聯苯醚 / Monobromobiphenyl ether			5	n.d.	+
二溴聯苯醚 / Dibromobiphenyl ether	- 17		5	n.d.	
三溴聯苯醚 / Tribromobiphenyl ether	200	The state of the state of	5	n.d.	-
四溴聯苯醚 / Tetrabromobiphenyl ether		参考US EPA 3540C方法,以氣相層析儀	5	n.d.	
五溴聯苯醚 / Pentabromohiphenyl ether	100	/質譜儀檢測多溴聯苯和多溴聯苯醚含	5	n.d.	- 8
六溴聯苯醚 / Hexabromobiphenyl ether	mg/kg	量, / With reference to US EPA	5	n.d.	*
七溴聯苯醚 / Heptabromebiphenyl ether		3540C for PBB/PBDE Content. Analysis was performed by GC/MS.	5	n.d.	+ 1
八溴聯苯醚 / Octabromobiphenyl ether	18.3	Analysis was performed by GC/MS.	5	n.d.	-
九溴聯苯醚 / Nonabromobiphenyl ether		The second second second	5	n.d.	-
十溴聯苯醚 / Decabromobiphenyl ether	1	STATE OF THE STATE	5	n.d.	-
多溴聯苯醚總和 (一至十溴) / Sum of PBDEs (Mono to Deca)			1	n.d.	
臭氧危害物質ODCs定量分析 / CFC's (Chlorofluorocarbons)	***	**		***	***
Group I	177		Term I	777	777
Chlorofluorocarbon-II (CAS No.: 000075-69-4)	mg/kg	參考US EPA 5021方法,以義相層析質 講儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chierofiuerocarben-12 (CAS Na.: 000075-71-8)	mg/kg	参考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-113 (CAS No.: 000076-13-1)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-114 (CAS No.: 000076-14-2)	mg/kg	參考US EPA 5021方法、以義相層析質 譜儀(GC/NS)檢測、/ With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prospectived to the followed author of the size and of the size author of the size.



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 5 of 19

-

正隆股份有限公司 CHENG LOONG CORP.

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限值 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Chlorofluorocarbon-115 (CAS No.: 000076-15-3)	ng/kg	參考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)檢測、/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Group III		***	222	***	200
Chlorefluorecarben-13 (CAS No.: 000075-72-9)	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-111 (CAS No.: 000354-56-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-112 (CAS No.: 000076-12-0)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-211 (CAS No.: 135401-87-5)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	No.
Chlorofluorocarbon-212 (CAS No.: 076564-99-3)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	ľ	n.d.	
Chlorofluorocarbon-213 (CAS No.: 060285-54-3)	mg/kg	多考US EPA 5021方法,以我相層析質 譜儀(GC/NS)检测。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	.1	n.d.	*
Chlorofluorocarbon-214 (CAS No.: 002268-46-4)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測,/With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*

號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 6 of 19

正隆股份有限公司 CHENG LOONG CORP. -

台北縣板橋市民生路一段1號 NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测认项目 (Test Items)	單位 (Unit)	测试方法 (Method)	方法债測 極限値 (MDL)	結果 (Result) NO.1	法規 限值 (Limit)
Chlorofluorocarbon-215 (CAS No.: 000076-17-5)	mg/kg	多考US EPA 5021方法,以栽相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chiorofluorocarbon-216 (CAS No.: 001652-80-8)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/NS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	1 20
Chlorofluorocarbon-217 (CAS No.: 000422-86-6)	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
海龍 (Halons)	***	***			
Halon-1211 (CAS No.: 000353-59-3)	mg/kg	參考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	*
Halon-1301 (CAS No.: 000075-63-8)	mg/kg	参考US EPA 5021方法, 以氣相磨析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	
Halon-2402 (CAS No.: 000124-73-2)	mg/kg	多考US EPA 5021方法、以氣相層析質 譜儀(GC/MS)檢測、/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
臭氧危害物質ODCs (HCFCs)定量分析 / RCFC's (Hydrogenated chlorofluorocarbons)		***	***	***	***
Hydrochiorofluorocarbon-21 (CAS No.: 000075-43-4)	mg/kg	多考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-22 (CAS No.: 000075-45-6)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or fatulfication of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 7 of 19

正隆股份有限公司 CHENG LOONG CORP. 台北縣板橋市民生路一段1號 -

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限値 (MDL)	结果 (Result) NO.1	法規 限值 (Limit)
Hydrochlorofluorocarbon-31 (CAS No.: 000593-70-4)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	*
Rydrochlorofluorocarbon-121 (CAS No.: 000354-14-3)	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	*
Hydrochlorofluorocarbon-122 (CAS No.: 000354-21-2)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochiorofiuorocarbon-123 (CAS No.: 000306-83-2)	mg/kg	孝考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n,d,	
Hydrochlorofluorocarbon-124 (CAS No.: 002837-89-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質 請儀(GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-131 (CAS No.: 980359-28-4)	mg/kg	多考US EPA 5021方法。以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-132a (CAS No.: 000471-43-2)	mg/kg	李考US EPA 5021方法,以氣相層析質 譜儀(GC/NS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
lydrochlorofluorocarbon-133a (CAS lo,: 000075-88-7)	mg/kg	李考US EPA 5021方法,以栽相局析質 譜儀(GC/NS)检測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
lydrochlorofluorocarbon-141b (CAS No.: 001717-00-6)	mg/kg	參考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2008/32428 日期(Date): 2008/03/18 頁數(Page): 8 of 19

正隆股份有限公司 CHENG LOONG CORP.

-

台北縣板橋市民生路一段1號

NO. 1, MIN-SHENG RD., SEC. 1, PANCHIAO CITY, TAIPEI HSIEN, TAIWAN

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法債測 極限值 (MDL)	结果 (Result) NO.1	法规 限值 (Limit)
Hydrochiorofluorocarbon-221 (CAS No.: 000422-26-4)	mg/kg	多考US EPA 5021方法,以義相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-222 (CAS No.: 000422-30-0)	mg/kg	多考US EPA 5021方法, 以真相層析質 譜儀(GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-223	mg/kg	参考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	-1	o.d.	(e
Hydrochlorofluorocarbon-224	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/NS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Hydrochlorofluorocarbon-225ca (CAS No.: 000422-56-0)	mg/kg	多考US EPA 5021方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hydrochlorofluorocarbon-225cb (CAS No.: 000507-55-1)	mg/kg	参考US EPA 5021方法,以氣相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	.1	n.d.	***
Hydrochlorofluorocarbon-226 (CAS No.: 000431-87-8)	mg/kg	参考US EPA 5021方法,以栽相層析質 譜儀(GC/NS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	- 1
Hydrochlorofluorocarbon-231	mg/kg	參考US EPA 5021方法,以義相層析質 譜儀(GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
Hydrochlorofluorocarbon-232	mg/kg	参考US EPA 5021方法,以氧相層析質 遊儀(GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the false.