


2.4G Antenna


MODEL: PA-240A


P/N:PA-240A-0.81-100-IPEX III



SPECIFICATION-ELECTRIC

1.	WORKING FREQUENCY	2.400-2.500GHz
2.	ELECTRIC WAVE	DIPOLE
3.	IMPEDANCE	50 Ohm , Nominal
4.	V.S.W.R	2.0
5.	GAIN	0~2.0 dBi
6.	RADIATION	Omni
7.	POLARIZATION	VERTICAL
8.	POWER HANDLING	1 W MAX
9.	OPERATING TEMPERATURE	-20°C -- +50°C
10.	Size	4.5x32x0.8mm (+/-1)





CHI B11 1 U FB 3: 49.777 n -7.6855 n 8.3706 pF
Ap 2 500.000 000 MHz

MARKER 3
2.5 GHz

1: 0.500 000 n
2: 0.440 000 n
3: 0.400 000 n
4: 0.370 000 n
5: 0.340 000 n
6: 0.310 000 n
7: 0.280 000 n
8: 0.250 000 n
9: 0.220 000 n
10: 0.190 000 n

LOG MAG
PHASE
DELAY
SMITH CHART
POLAR
LIN MAG
SMB
MORE

START 2 000.000 000 MHz STOP 3 000.000 000 MHz

