


**ID Label/Location**

**FCC ID: M9MF80100**

**IC: 6571A-F80100**


Model: RDR-80541AKU-RSOP SN Label

MN: **RDR-80541AKU-RSOP** rf **IDEAS**




FCC ID: M9MF80100 IC: 6571A-F80100 [www.rfIDEAS.com](http://www.rfIDEAS.com)





This product complies with Part 15 of the FCC Rules.  
 Operation is subject to the following two conditions: (1)  
 This device may not cause harmful interference. (2) This  
 device must accept any interference that may cause  
 undesirable operation.



DC: 2332S FW: WNC010600UPX700.H



SN: **WFMA000015** COO: US

Model: OEM-805N13KU-V3 SN Label

MN: **OEM-805N13KU-V3** rf **IDEAS**



FCC ID: M9MF80100 IC: 6571A-F80100 [www.rfIDEAS.com](http://www.rfIDEAS.com)

This product complies with Part 15 of the FCC Rules.  
 Operation is subject to the following two conditions: (1)  
 This device may not cause harmful interference. (2) This  
 device must accept any interference that may cause  
 undesirable operation.



DC: 2332S FW: WNC010600UPX700.H



SN: **VVM51000011** COO: US






### Material of Serial Number Label

- Type: Identco TTL-302-730-6 Label
- Color: Silver label with black text
- Size of Label: 1.00 x 2.0"
- Adhesive to Permanent
- This label will be installed on the bottom of the EUT (see picture)



\* Picture is for illustration only

OEM-805N13KU-V3 Label placement

