


Label Here (Host)



Getac Technology Corp.

NOTEBOOK COMPUTER


Model No: V100

FCC ID:MAU043



model name:

| TOL ± RANGE | | | ✓ | | | | | | | | | | | | | | | |
|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|--------------------|--|--|-----|-----|-----|-------|--|-----|
| | P1a | Met | Ins | Por | Cab | Pac | Gas | PCB | | | | | | | | | | |
| 0 ⁻ 6 | 0.1 | 0.1 | 0.1 | 0.2 | 0.5 | 1 | 0.5 | 0.1 | | | | | | | | | | / / |
| 6 ⁻ 30 | 0.1 | 0.1 | .15 | .25 | 1 | 1 | 0.5 | 0.1 | | | | | | | | | | / / |
| 30 ⁻ 80 | 0.1 | .15 | 0.2 | 0.3 | 2 | 1.5 | 1 | 0.1 | | | | | | | | | | / / |
| 80 ⁻ 180 | .15 | .15 | .25 | 0.3 | 2 | 2 | 1 | .15 | | | | | | | | | | / / |
| 180 ⁻ 315 | .15 | 0.2 | 0.3 | 0.4 | 2.5 | 2 | 1 | .15 | | | | | | | | | | / / |
| 315 ⁻ 800 | 0.2 | 0.3 | 0.4 | 0.5 | 3 | 3 | 2 | .15 | ITEM | CONTENTS OF CHANGE | | | RVS | CHK | APV | M/D/Y | | |



NOTES:

1. MATERIAL:變色反銀龍50# +PP20.
2. COLOR:銀色底黑色字
3. 背膠類型:壓克力膠
4. 厚度:0.1mm
5. 黏性:黏著力為 1.5kg/25mm 以上
6. 表面:光滑面
7. 貼附位置:安規標籤上
8. 環測項目及條件.(判定標準follow "系統表面處理的測試規範")

| | | | | | | | | | | |
|-------------------------------|-----------|----------|-----------|--------------|--------------------------------------|--------------|--|--|---|----|
| DATE | 13-Aug-10 | MATERIAL | SEE NOTES | TREATMENT | PROJECTION | | | | | |
| UNIT | MM | SCALE | 4/1 | DRAWING NAME | TF1-LABEL;FCC ID,18x6,MAU043,BT,V100 | | | | | |
| DESIGNED | CHECKED | CHECKED | APPROVED | MATERIAL NO. | MF | 242125600005 | | | R | 00 |
| <i>Getac Technology Corp.</i> | | | | | | | | | | |

file name:

A B C D E F

1

2

3


4

1

2

3

4



Getac

• DC INPUT: 19V 3.16A

MODEL: V100

Contains:

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



MADE IN CHINA

3-R4.7

2-R2.5

NOTES:

1. 材質: 變色反銀龍50#+透明特多龍#25.
T=0.1MM. 背膠: 壓克力膠
2. 印刷字體顏色: 黑色.
3. 請指定符合安規認證廠商製作.

| | | | | // | | TOL ± | | | | | | DATE | | MATERIAL | | SEE NOTES | | TREATMENT | | PROJECTION | | | |
|------|--------------------|--|--|-----|-----|---------|-------|---------|-----|-----|-----|------|-----|----------|-------------------------------|-----------|---------|-----------|--------------|------------|--|--|--|
| | | | | // | | RANGE | | Pla | Met | Ins | Por | Cab | Pac | Gas | PCB | | | | | | | | |
| | | | | | | 0~6 | 0.1 | 0.1 | 0.1 | 0.2 | 0.5 | 1 | 0.5 | 0.1 | UNIT | MM | SCALE | 2/1 | DRAWING NAME | | TF1-LABEL;SAFETY LABEL,NEW GETAC LOGO,V200-X | | |
| | | | | | | 6~30 | 0.1 | 0.1 | .15 | .25 | 1 | 1 | 0.5 | 0.1 | DRAWN | DESIGNED | CHECKED | APPROVED | MATERIAL NO. | | MF 242125600001 R 00 | | |
| | | | | | | 30~80 | 0.1 | .15 | 0.2 | 0.3 | 2 | 1.5 | 1 | 0.1 | <i>Getac Technology Corp.</i> | | | | | | | | |
| | | | | | | 80~180 | .15 | .15 | .25 | 0.3 | 2 | 2 | 1 | .15 | | | | | | | | | |
| | | | | | | 180~315 | .15 | 0.2 | 0.3 | 0.4 | 2.5 | 2 | 1 | .15 | | | | | | | | | |
| ITEM | CONTENTS OF CHANGE | | | RVS | CHK | APV | M/D/Y | 315~800 | 0.2 | 0.3 | 0.4 | 0.5 | 3 | 3 | 2 | .15 | | | | | | | |

A

B

C

D

E

SHEET No. 1 of 1

model name:

file name: