

Label document for Cloud 4701F Version 0.1

Confidential

Version: 0.1 Page 1 of 6

Document History

| Version | Date | Description of Change | Author |
|---------|-------------|---|--------|
| 0.0 | 16-Jan-2014 | Initial version | Sudhan |
| 0.1 | 21-Jan-2014 | Corrections made after reviews from lab | Sudhan |
| | | | |

Version: 0.1 Page 2 of 6

Identive Cloud 4701F - Label document - CONFIDENTIAL

Table of Contents

| 1 | Scope of the document | . 4 |
|---|-----------------------|-----|
| | Certifications – FCC | |
| | Product label | |
| | Location of the label | 6 |

Version: 0.1 Page 3 of 6

1 Scope of the document

The document provides the label details of Cloud 4701F reader.

2 Certifications – FCC

FCC ID: MBPCLOUD47X1F-001 Model Number: CLOUD 4701F

This device complies with Part 15 of the Federal Communications Commission (FCC) Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the manufacturer's instructions, may cause interference harmful to radio communications. However, there is no guarantee, however, that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio or TV technician for help.

Information to user

Changes or modifications not expressly approved by *Identive* could void the user's authority to operate this equipment.

Version: 0.1 Page 4 of 6

3 Product label

Pre - Print Artwork

Identive CLOUD 4701 F RO.8 X3 3.3mm REACH Communication RO.8 X3

View - 100%

Post - Print Artwork



View - 100%

General Tolerance: +/- 0.25mm

All dimensions are in millimeters (mm)

Label Colour: Platinum

Material: 3M5772 / 3M7875 Matte Platinum Polyester

Logo & Lettering Colour : Black

Fourteen digits Identive Serial Number details:

S/N Format: PPPPYYWWMNNNNN

where

PPPP - Last four digits of TLPN (Here is 5504)

YY - Manufacturing Year (i.e. 12=2012, 13=2013...)

WW - Manufacturing Week (i.e. 10 = Week 10)

M - Manufacturer Code

NNNNN - Running Serial number

4 Location of the label

The label of the Identive Cloud 4701F reader is located on the bottom side of the reader as shown below,

