

Label document for uTrust 4701 F Version 0.2

Document History

Version	Date	Description of Change	Author
0.0	16-Jan-2014	Initial version	Sudhan
0.1	21-Jan-2014	Corrections made after reviews from lab	Sudhan
0.2	25-Nov-2014	Updated based on new brand name	Robert

Table of Contents

1	Scope of the document	4
2	Certifications – FCC	4
3	Product label	5
4	Location of the label	6

1 Scope of the document

The document provides the label details of uTrust 4701 F reader.

2 Certifications – FCC

FCC ID: MBPUTRUST47X1F-01

Model Number: uTrust 4701 F

This device complies with Part 15 of the Federal Communications Commission (FCC) Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the manufacturer's instructions, may cause interference harmful to radio communications. However, there is no guarantee, however, that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio or TV technician for help.

Information to user


Changes or modifications not expressly approved by **Identiv** could void the user's authority to operate this equipment.

3 Label for uTrust 4701 F

The following picture shows the Label:



4 Product label



General Tolerance : +/- 0.25mm
 All dimensions are in millimeters (mm)

Label Colour : Platinum
Material : 3M5772 / 3M7875 Matte Platinum Polyester
Logo & Lettering Colour : Black

5 Location of the label

The label of the uTrust 4701 F reader is located on the bottom side of the reader as shown below,

