

STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.825 mW/g, SAR (10g): 0.550 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 27.0dBm; Flip = Open; WITH EXTENDED BATTERY

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.550 mW/g, SAR (10g): 0.371 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 27.0dBm; Flip = Open; WITH EXTENDED BATTERY

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.457 mW/g, SAR (10g): 0.299 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.0777 [848.37MHz]

Conducted Power = 25.0dBm; Flip = Open; WITH EXTENDED BATTERY

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.336 mW/g, SAR (10g): 0.224 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.0777 [848.37MHz]

Conducted Power = 25.0dBm; Flip = Open; WITH EXTENDED BATTERY

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.28 mW/g, SAR (10g): 0.674 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]

Conducted Power = 24.5dBm; Flip = Open; WITH EXTENDED BATTERY

Test Date -- 05/03/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.617 mW/g, SAR (10g): 0.328 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]

Conducted Power = 24.5dBm; Flip = Open; WITH EXTENDED BATTERY

Test Date -- 05/03/2001



SAR_{Tot} [mW/g]

